FEDERATION OF MALAYA

# REPORT

OF THE

# MEDICAL DEPARTMENT

FOR THE YEAR

1953

By


DR. R. E. ANDERSON
B.Sc., M.B., Ch.B., D.P.H., D.T.M. & H.

Director of Medical Services



Price: \$2.50 or 5s. 10d.







"Government Copyright is Reserved

Survey Dept., Federation of Malaya No. 83 - 1953

The approval of the Surveyor-General, Malaya is necessary before any Survey Department map or portion thereof may be copied."

### FEDERATION OF MALAYA

# REPORT

OF THE

## MEDICAL DEPARTMENT


FOR THE YEAR

1953

By

DR. R. E. ANDERSON
B.Sc., M.B., Ch.B., D.P.H., D.T.M. & H.

Director of Medical Services



### **FOREWORD**

1953 was a year of consolidation throughout the Department in that the increases of staff, both timescale and specialist, were beginning to settle down to a set organisation. Funds while ample, were not so generously provided as in the previous boom years, and the pressure of services required by the emergency had begun to ease off. And indeed the time had come when a stocktaking was required. Such major changes as a large increase in specialist services, the introduction of the compulsory house doctor provisional registration period in approved hospitals required a major re-orientation of the work of the department. For specialist services call for increased facilities such laboratory facilities, equipment, staff and a service which pre-war and immediately after the war was essentially a general duty service had been re-organised to meet the increase of specialists and the general duty posts were hard to fill. Specialization had become more attractive, the fees ordinance diverted fees devised to meet the needs of the ordinance into the pockets of the specialist officer, with a corresponding desire on the part of all officers to be specialists. This, in its turn, raised problems of training. The qualification for specialists had been laid down by the Secretary of State. The acquisition of such qualifications implied long periods of study leave abroad, and the privilege had now been extended to all officers. One of the results of this was a disinclination on the part of any officers to join the health services which indeed were much in need of staff, since no fees could be earned by Health Officers, and he could not so readily turn to general practice on retirement.

Consolidation then was taking place. The major hospitals Penang, Ipoh, Kuala Lumpur, Malacca and Johore Bahru had become specialist hospitals and were organised into units with a specialist officer, a registrar and one or more house doctors. The size of the units varied from place to place, and some obvious disadvantages were beginning to appear. In no hospital were the paying beds in a unit all close together, if they were in the same hospital they were widely separated from the non-paying beds or they might even be in a different hospital sometimes as much as 12 miles away. The hospitals which were once adequate were now showing inadequacies.

The outpatient facilities never adequate, and often consisting of a small room with little or no waiting space, were now becoming hopelessly inadequate since each specialist demanded his own facilities. Apart from that there is an ever increasing demand for such services on the part of the population, and unfortunately this demand increases in slumps and decreases in booms, and we in 1953 were entering a slump. The number of beds in our hospitals may be adequate, and could be made more so if the outpatient facilities were such that an earlier discharge to ambulant treatment were possible. The outpatients were congesting the corridors

of our hospitals, waiting was becoming interminable, the doctors dealing with outpatients were becoming increasingly harrassed and perhaps too, short tempered. More adequate outpatient facilities, not necessarily at the hospital, and more staff to man them, is a requirement which has obtruded itself on our attention.

With the emergency appearing to be under control and need for urgent services in new villages, resettlements and kampongs stabilizing, the time had come to work out how all the varied, and miscellaneous services which were available in the rural areas could be co-ordinated and integrated with the main services. The St. John and Red Cross teams were only ephemeral, and they would need to be replaced lest a vacuum be left. Services were being run by those who were ill trained to carry them out, there was a lamentable lack of supervision for want of suitable personnel. More nurses, more midwives, more sanitary inspectors, more dispensers were required, and above all more supervision. It was becoming apparent that the health services in a district would have to be under the control of one man, the district medical and health officer, and from this the concept of district health centres, with sub-district centres, and kampong midwives arose. Funds were obtained to build some of them in 1954, and to start training specifically in rural health work the teams that would man these centres, the Jitra Rural Health Training School came into being. The muddle of the emergency was beginning to sort itself out.

But trained staff is still a vexed question and will be until the cumbersome training machine gets going. For doctors there is little alternative at present but to go abroad and acquire the qualifications necessary for specialization. The position could be ameliorated in two ways, by obtaining the recognition of the Royal Colleges of our hospitals for the necessary approved experience thus making unnecessary the protracted period abroad, or the acceptance of lesser qualifications for specialisation. (This would be retrograde and the former must be our line). For nurses training is linked with accommodation and terms of service. The former is being slowly met and the first of the big student nurse hostels (that in Penang) had begun to take shape. The output of the Penang School is limited by the accommodation at this hostel (250) to one third of that each year. For that reason until the student nurse hostel capacity is doubled, at least, and until nurses are turned out trained, not simply to meet an establishment vacancy but at a fixed rate per annum, will the problems of training be solved. Conditions of service are being improved and consolidation of emoluments in kind in the pensionable salary are being considered.

Nurses are not the only members of the departmental staff who require training for in addition to assistant nurses and midwives who will form the backbone of the future rural health services, and must have their initial training in hospitals, there are sanitary inspectors, health nurses, dispensers, laboratory assistants and anti-malarial staff, who also must be trained. Teaching accommodation and living accommodation for those attending the courses is an absolute essential, and with the possible

vacation during 1954 of the Tanglin Hospital in Kuala Lumpur by the various offices which at present occupy it, there is a hope that the buildings may revert to the Medical Department for a training school for health staff.

Laboratory services are now beginning to show deficiencies—the Institute for Medical Research, with much important research on the go, is reluctant to devote its time to routine work. Partly due to the attention drawn to this deficiency by the report of the Medical Education Enquiry Committee headed by Sir David Lindsay Keir, the question is now under discussion as to whether laboratory and research services will be combined and expanded or whether they will develop separately. The tendency at present appears to be to consider development of clinical laboratories in the large hospitals under clinical pathologists, and public health laboratories in the various regions to deal with the public health and practitioner service requirements. Research would remain concentrated at the Institute in Kuala Lumpur, but as required temporary local laboratories would be set up.

One matter causing great concern is the inadequacy of the facilities for the treatment of mental disease. The huge mental hospital at Tanjong Rambutan is very much under-staffed and has more than reached its limit of capacity. To make way for the urgent cases the less urgent are discharged only to require re-admission after a short period of time. Nothing is done in the outpatient departments of the hospitals to hold psychiatric clinics which might relieve the strain in the mental hospitals. Recent reports have shown that large hospitals such as that at Tanjong Rambutan are too big to permit effective administration, and as this state of affairs is likely to get worse, consideration may at an early date have to be given to decentralizing mental hospitals and keeping them to such a size that the psychiatrist will have time to run psychiatric clinics in the hope of reducing in-patients. Here again however staffing difficulties may prove insuperable.

The stores problem is coming no nearer to solution with the threat to deprive the Stores Organisation of the Light Street Godown in Penang, and the Batu Bulk Store at Batu Village. An adverse report on the vulnerability of our whole stores organisation to fire, makes it even more important that steps should be taken as soon as possible to improve the stores position. The work has been much increased by additional requirements of the relief teams, the police and the Federation Military Forces. While ideally the stores departments should be situated at a Port such as Port Swettenham with direct rail link, such a store would be perhaps too vulnerable in time of war. The stores department however has plans under consideration for centralization of storage and manufacture, and has also been considering the advantages and disadvantages of Federal stores in States.

The Institute for Medical Research has entered a phase of renewed activity stimulated by the approach to completion of its new laboratories. The increasing value of virus research, and in particular research into the spread of yellow fever and Japanese encephalitis have stimulated the formation of a new division and an increased interest in mammal and insect vectors of disease.

With the major problems of the spread of malaria a matter for Health Officers, attention has been turned to the incidence of filariasis and methods of dealing with it. Research pays dividends which may not be immediately noticeable, and it would be a pity if in any way on account of decreasing revenue research provision had to be cut.

The visit of the Committee of Enquiry into Medical Education has stimulated interest not only in Medical Education but many departmental problems intimately associated with medical education, and their report is eagerly awaited.

The Acting Director attended as observer for the Federation of Malaya, with the United Kingdom delegation, the Regional Committee Meeting for the Western Pacific of the World Health Organisation in Tokyo in September. The contacts with others in similar positions, and the meeting with important international figures was of great value.

The death of Dr. H. M. O. Lester suddenly in May 1953 deprived the department of the services of an officer who introduced many new ideas in the relatively short time during which he was Director. Many of the problems discussed in this foreward had attention focussed on them by his energetic method of approach to them, and his unerring faculty of putting first things first.

## **CONTENTS**


							$\mathbf{P}_{A}$	AGE
FOR	EWORD		• • •	• • •	•••	•••	•••	iii
			PART I					
(1) (	CLIMATE, AREA	A ANI	O POPI	ULAT	ION		,	1
(2) A	ADMINISTRATION	ON—						
` '	Organisation							2
	Expenditure					• • •		3
	Staff							3
	Legislation							4
			PART I	I				
PUB	LIC HEALTH:							
	VITAL STATISTIC	:S						
,	Population							5
	Births and De	aths						5
	"Natural Incre	ase"					٠	6
	Infant Mortali	ty		• • •		• • •		6
	Maternal Mort	tality	• • •			• • •		6
	Principal Caus	ses of	Death		•••		• • •	6
(2)	) SPECIAL DISEASI	ES—						
	Malaria						• • •	7
	Malaria Advis	sory B	oard					7
	Plague and C	holera		• • •	• • •		• • •	10
	Smallpox	• • •	• • •	• • •	• • •		• • •	10
	Tropical Typh			• • •	• • • •	• • •	• • •	11
	Enteric Fever			•••	•••	• • •	• • •	11
	Dysentery and			• • •	•••	• • •	•••	12
	Diphtheria			• • •	• • •	• • •	•••	12
	Cerebro-Spina			•••	•••	•••	•••	12 12
	Poliomyelitis Voys		• • •	• • •	•••	• • •	•••	13
	Yaws Pulmonary Tu		osis		•••			13
	Venereal Dise					•••		15

## PART II—(cont.)

PUBLIC HEALTH—	-(cont.)					Р	AGE
(3) NUTRITION—						•	.TOL
Nutrition	•••	• • •	•••	•••	• • •		16
(4) ESTATES, MINES	s, Railv	VAYS A	ND QU	JARANTI	NE		
Health on Es		• • •		•••	•••		16
Estate Hospita	als	• • •	•••		•••		17
Estate Mortal	ity Rate	es	•••	• • •	•••		17
Health on Mi	nes	• • •	•••	•••	•••		18
Railway Sanit	tation	•••	•••	•••	• • •		18
Port Health W	Vork an	d Qua	rantine	<b>;</b>	•••	• • •	19
(5) RURAL HEALTH	SERVICE	ES					
Rural Health	Work			•••	•••		21
	r	PART I	rr				
MATERIALITY				_			
MATERNITY AND				<u></u>			21
Maternity and Child	wellare	· · · ·	•••	•••	•••	•••	21
	F	PART I	V				
HOSPITALS AND I	DISPEN	SARI	ES				
Government Hospita	als			• • •			22
Summary of Hospita	al Acco	mmod	ation	•••	•••	• • •	23
Out-Patients		•••	•••	•••	•••		23
Conditions Treated	•••	• • •	•••	•••			24
Racial Distribution	of Hos	pital .	Admiss	sions	• • •		24
Surgical Work	• • •	•••	•••	• • •	•••	•••	25
Ophthalmic Work		•••	•••	•••	•••	•••	25
Radiological Work	•••	•••	•••	• • •	• • •	• • •	25
	]	PART V	<b>/</b>				
TRAINING OF NUI	RSES:						
School of Nursing,	Northe	rn Re	gion, N	Malaya	•••		25
Nurses Hostel		•••	•••	•••	• • •	•	26
Training of Assistar	nt Nurse	es	•••				26
	T	PART V	7				
DENTAL:	r	AKI V	1				
							26
Dental Surgery	• • •	•••	• • •	• • •	• • •	•••	26

## PART VI—(cont.)


					P	AGE
SPECIAL INSTITUTIO	NS:					
INSTITUTE FOR MEDICA	L RESEA	ARCH—				
General Description						27
New Research Block	• • •					28
New Division of Vir	us Disea	ses			• • •	28
U.S. Army Research	Unit					28
Antibiotics	• • • • • • • • • • • • • • • • • • • •					29
Malaria	• • • • • • • • • • • • • • • • • • • •		• • •		• • •	29
Insecticides	••		•••			29
Filariasis			• • •			30
Yellow Fever .						31
Japanese B Encepha	litis		•••			32
Food and Nutrition						32
Salmonella Infection	•••		•••	• • •		34
Torula Meningitis .						34
Diphtheria	••					34
Puerperal Sepsis .						34
Leptospirosis .						35
Fever of Unknown	Origin					35
Controlled Population	n Study					35
Cancer						35
Mycoses						35
Tuberculosis .						35
Vaccine Lymph .						35
Clinical Biochemistr	y					36
Second Expedition to						36
Expedition to Mt. T	rus Mac	li, North	Borne	э		36
Extension and Re-or	ganisatic	n of the	Animal	House	es	36
Library						36
International Conference	ences					36
Overseas Guests .			• • •			37
Routine			• • •			37
I was Committee on the contract of the contrac						
LEPER SETTLEMENTS—						27
Leper Settlement, Su						
Leper Settlement, Pu	ilau Jere	jak	• • •	• • •	• • •	39
MENTAL INSTITUTIONS-						
Central Mental Hosp		niong Ra	mhutan			40
Mental Hospital, Ta		_				
Montal Hospital, Ta	inpoi, J		III u	•••	•••	- 1
MEDICAL STORES AND	PHARMAC	CEUTICAL	LABORA	TORY—		
Medical Stores, Kua	la Lum	our	• • •	• • •		41
Medical Stores, Pena	-					42
ORTHOPAEDIC APPLIAN						43



## APPENDICES

### STATISTICAL TABLES

		P	AGE
Table	1.	Return of Diseases and Deaths: Hospital In- Patients	44
"	1a.	Statement of General, District and Maternity Hospitals	59
**	2.	Malaria (including clinical cases): Statement of Hospital Admissions by months and States/Settlements	61
,,	2a.	Malaria (microscopically positive cases): Statement of Hospital Admissions by months and States/Settlements	62
.,	3.	Surgical Operations: Summary	63
٠,	4.	Ophthalmic Work: Summary	63
••	5.	Out-Patients: Summary for each State/Settlement	64
••	6.	Return of Diseases: Out-Patients	67
,,	7.	Return of Diseases: Travelling Dispensaries	80
	8.	Dental Surgery: Summary of Work	93
٠,	9.	Laboratory Work: Blood Films	94
••	10.	Laboratory Work: Examination of Fæces for Worms	94
••	11.	Post-Mortem Examinations	95
••	12.	Return of Venereal Diseases	96
••	13.	Child Welfare Centres: Summary	99
**	14.	Dispensaries: Summary	100



### FEDERATION OF MALAYA

# REPORT OF THE MEDICAL DEPARTMENT FOR THE YEAR 1953

#### PART I

### (1)—CLIMATE, AREA AND POPULATION

- 1. CLIMATE.—The climate of Malaya is fairly healthy but the principal features are copious rainfall, high humidity and a uniformity of temperature which rarely varies during the day by more than fifteen degrees. Rainfall averages about 100 inches a year, though the annual fall varies considerably from place to place and year to year. Coastal districts, however, have their own peculiar rainy seasons.
- 2. AREA.—The territories comprising the Federation of Malaya are situated in the Southern Section of the Kra Peninsula between latitudes 1° and 7° North and longitudes 100° and 105° East. The Federation of Malaya covers an area rather more than twice the size of the Island of Ceylon and slightly larger than England without Wales. Four-fifths of the surface of the Federation of Malaya is covered by dense tropical jungle. The coastline of Malaya extends for over one thousand miles and no part of the country is more than 100 miles from the sea. The area of the States and Settlements is shown below:

Kedah	3,648 sq.	miles
Perlis	310	••
Penang	110	, .
Province Wellesley	290	22
Perak	7,980	••
Selangor	3,160	••
Negri Sembilan	2,580	••
Malacca	640	55
Johore	7,878	,,
Kelantan	5,870	4.9
Trengganu	5,000	,,
Pahang	13,820	••
Total Federation of Malaya	a 51,286	,,

3. POPULATION.—The estimated mid-year population of the Federation of Malaya was 5,705,952, comprising Malaysians 2,803,863, Chinese 2,152,906, Indians 665,503 and others 83,680. This total shows an increase of 199,505 over the mid-year figure for 1952.

By States and Settlements, the estimated mid-year population for the last three years is as follows:

States/Settl	ements	•	Estimated Population mid-year 1951		Estimated Population mid-year 1952		Estimated Population mid-year 1953
Kedah			602,278		622,506		645,817
Perlis			76,315		78,506		80,815
Penang and	Prov	ince					
Wellesley			481,748		495,069		512,432
Perak			1,041,861		1,076,454		1,116,532
Selangor			783,545		811,757		847,098
Negri Sembil	lan		296,483		307,767		321,386
Malacca			263,953		272,820		283,140
Johore			817,121		843,668		874,766
Kelantan			470,523		481,562		493,501
Trengganu			236,335		242,889		249,468
Pahang			267,060		273,449		280,997
Total Feder	ation		5,337,222	• • •	5,506,447	•••	5,705,952

### (2)—ADMINISTRATION

ORGANISATION.—There has been little change in the administrative set up of the Medical and Health Department during the year 1953. Medical Headquarters, re-organised by the addition of two Assistant Directors, and an Administrative Grade A Officer, was responsible through the Director to the Member for Health for all policy matters, but for staff and personnel was responsible to the Chief Secretary. Medical Headquarters, however, controls directly only certain functions such Research, Stores, Special Diseases (Mental Disease and Leprosy), Quarantine, Transfers, Promotion and Training of Staff and, in addition, is responsible for the running of two large Federal Hospitals at Malacca and Penang. Each State and Settlement is responsible for its own medical service, but their work is co-ordinated and planned with the assistance of Medical Headquarters which gives advice according to the policy of the Member for Health.

Control of sanitation in the towns and villages over the Federation is in the hands of local authorities which, in the case of the largest towns, e.g., Penang, Kuala Lumpur and Malacca. are Municipal Councils, and in the case of other towns are Town Boards. Some of these are elected bodies, with an official chairman, others are appointed bodies, but in each case a health officer either employed independently by the Municipality or a member of the Medical Department advises the chairman on all health measures under his jurisdiction. In rural areas, the district health officer, in the absence of any local authority, advises the district officer on health problems.

The health of labour forces on estates and mines is under the care of Estate Medical Practitioners but the Government Health Department exercises supervision under the Labour Code. Most of the labour forces on estates have now been regrouped due to the activities of communist terrorists.

The staff employed throughout the Federation on public health work, exclusive of Municipalities, Town Boards and estates, which have their own health staff, is made up as follows:

Medical Officers of Health	 38
Health Inspectors or Sanitary Inspectors	 147
Public Health Sisters	 31
Public Health Nurses	 103

5. Expenditure on Medical and Health Services.—The total actual expenditure incurred by Government on medical and health services was \$47,124,757.56 made up as follows:

Federal State/Settlement	 •••		\$14,230,920.00 32,893,837.56
	Total	• • •	\$47,124,757.56

This figure does not take into account the vast amounts expended on projects relating to anti-malarial drainage and water supplies undertaken by the Public Works Department, and Municipal Health agencies which maintain public health covering a wide area. In addition mention must be made also of estates which run their own hospitals, undertake anti-malaria schemes and maintain their own medical practitioner service. Nor does it take into account the funds spent by the Public Works Department on buildings for the Medical Department. Expenditure on the emergency medical services in the new villages, paid for from funds administered by the Member for Health, are also not included.

6. STAFF.—The big fall in revenue, which resulted in the marked fall in the price of the Federation's main revenue earners, tin and rubber, has had a depressing effect on the work of the department, has meant considerable retrenchment in the services, and will mean that in the near future at least all development will be at a standstill. As a result, recruitment has been slowed down, and recruitment of all specialist officers has had to cease. In view of the fact that recruits for most timescale vacancies can be found locally, recruitment of expatriate officers except for Health Officers of whom there is a grave shortage has also come to a standstill. In order to effect the necessary economies, considerable reductions in running costs of Federal Institutions have been made.

As a result of a vigorous recruitment campaign in 1952 quite a number of the establishment posts were filled by officers on agreement or contract or by temporary holders. Gradually as these contract or temporary posts can be filled by locally-appointed permanent officers, the holders of the posts will have their contract terminated. A decision will have to be made soon as to how many of the officers recruited on contract up to three years will be absorbed into the permanent establishment or have their contract terminated. These number sixty-four at present. While their presence has done much to ease working conditions in the

service, it is unlikely that more than thirty in all, will be admitted to the permanent service. With conditions in general practice falling off, and with the considerable improvement in prospects and conditions in Government Service it can be confidently expected that more and more local graduates on completion of their provisional registration will seek entry to Government Service.

At the end of the year the staffing position can be summarised as follows: Of the 94 Superscale Administrative and Specialist posts 69 were filled and 25 were vacant, while of the 248 Timescale posts, 149 were filled and 99 were vacant. Of the 99 vacant posts 88 were held by temporary officers on agreement and on month-to-month basis.

It is with deep regret that the death is recorded of Dr. H. M. O. Lester, O.B.E., Director of Medical Services, Federation of Malaya, which took place very suddenly on 28th May, 1953.

The following re-organisation of staff was effected at the Medical Headquarters:

- Dr. R. E. Anderson was promoted as Director of Medical Services, Federation of Malaya, with effect from 29th May, 1953.
- Dr. R. D. Gross, Deputy Director of Medical Services, Federation of Malaya, relinquished duty on 12th April, 1953, to proceed on leave to the United Kingdom prior to retirement.
- Dr. E. D. B. Wolfe acted as Deputy Director of Medical Services from 29th May, 1953, till the end of the year.
- Dr. J. E. McMahon relinquished duty from the post of Assistant Director of Medical Services (Hospitals) with effect from 29th March, 1953, on transfer to Malacca.
- Dr. R. I. Macbeth assumed duty as Assistant Director of Medical Services (Hospitals) with effect from 30th March, 1953.
- Dr. M. L. Bynoe assumed duty as Assistant Director of Medical Services, Federation of Malaya, with effect from 9th November, 1953.
- Dr. J. C. Clearkin assumed duty in the post of Health Officer, Medical Headquarters, with effect from 11th October, 1953.
- Dr. A. J. Leslie-Spinks relinquished duty as Acting Supernumerary Administrative Medical Officer, Grade "A" with effect from 31st December, 1953, on secondment to the Malayan Railway.
- 7. LEGISLATION.—Major legislation affecting the Medical Department passed during the year was the "Hydrogen Cyanide (Fumigation) Ordinance, 1953". This measure, based ultimately on the Hydrogen Cyanide (Fumigation) Act, 1937, of the United Kingdom enables regulations to be made requiring the fumigation of premises or ships by means of hydrogen cyanide to be carried out by responsible persons, taking all proper precautions.

Apart from the above a number of regulations and extension to existing enactments or regulations passed during the year comprised the following:

(1) The Registration of Pharmacists Regulations, 1953.

- (2) The Hydrogen Cyanide (Fumigation) Regulations, 1953.
- (3) The Poisons (Dangerous Insecticides) Regulations, 1953.
- (4) The Registration of Dentists (Amendment) Ordinance, 1953.
- (5) The Medical Registration (Amendment) Ordinance, 1953.
- (6) The Sale of Food and Drugs (Amendment) Regulations, 1953.

(7) The Poisons (Amendment) Regulations, 1953.

(8) The Sale of Food and Drugs (Amendment No. 2) Regulations, 1953.

### PART II

### PUBLIC HEALTH—(1) VITAL STATISTICS

- 8. Figures of Vital Statistics for the year show a steady improvement in the health of the population. The outstanding features are the highest number of births ever to be recorded in the Federation, and a further decline in the death rates for all races. The trend of the infant mortality rates for all the races is also in a downward direction.
- 9. POPULATION.—The estimated population of the Federation at mid-year 1953 was 5,705,952. Details are given earlier in the report (paragraph 3).
- 10. BIRTHS AND DEATHS—Births.—The number of live births registered in 1953 was 249,365, which is 4,741 more than the number recorded in 1952, which was 244,624.

The birth rate for all races for 1953 was 43.7 per 1000 population as at mid-year 1953, which is lower than the rate (44.4) for 1952.

By races the birth rates were:

				1952 Rates
Malaysians	• • •	 45.1 per	1,000	 46.1
Chinese		 42.1	••	 42.5
Indians and Pak	cistanis	 44.2	••	 45.2
Others		 32.5	••	 31.7
All Races	•••	 43.7	,,	 44.4

DEATHS.—Deaths registered in 1953 were 70,795 which is 4.225 less than recorded for 1952 (75,020). The death rate for all races was 12.4 per 1,000 population as at mid-year 1953. This is lower than the rate (13.6) for 1952. The death rates for 1947 to 1951 were 19.4, 16.2, 14.2, 15.8 and 15.3 respectively.

The death rates by races were:

			1952 Rates
Malaysians	 14.5 per	1.000	 15.4
Chinese	 10.2	••	 11.6
Indians and Pakistanis	 10.9	••	 12.8
Others	 9.6	••	 9.7
All Races	 12.4	••	 13.6

- 11. Increase of Population.—The births registered exceeded the deaths by 178,570 and, therefore, the natural increase amounted to 3.1 per cent. of the estimated mid-year population, whereas in England and Wales with an estimated mid-year population of 44,090,000 the figure is only 0.4 per cent. resulting from a natural increase of 178,604 during the corresponding period.
- 12. Infant Mortality.—The deaths of infants under 1 year numbered 20,796 out of 70,795 deaths of all ages. There were 249,365 live births, and the infant mortality rate was 83 per 1,000 live births. The corresponding figures for 1952 were 22,026 under 1 year out of 75,020 with an infantile mortality rate of 90.

The racial distribution of infantile mortality is as follows: (The corresponding figures for 1952 are shown in brackets)

Races	Infant	Deaths	Bir	rths	Infant Mortality rates
Malaysians	 12,448	(12,697)	126,479	(125,208)	98 (101)
Chinese	 5,523	(6,201)	90,737	(88,974)	61 (69)
Indians and Pakistans	 2,713	(3,032)	29,433	(27,902)	92 (108)
Others	 112	(96)	2,716	(2,540)	41 (37)

An analysis of the above clearly indicates that there is an all round decrease in the proportion of deaths in the three principal racial groups except in the "other races".

- 13. MATERNAL MORTALITY.—The number of maternal deaths registered was 1,176 for 249,365 births as compared with 1,272 for 244,624 births in 1952. This gave a maternal death rate of 4.7 per 1,000 births and the figure for 1952 was 5.2 per 1,000 births.
- 14. Principal Causes of Death.—Out of a total of 70,795 deaths only 15,362 (about 21.7 per cent.) were certified by Medical practitioners and 4,487 (about 6.3 per cent.) were inspected after death by medical men. It may, therefore, be expected that the classification is far from accurate.

Principal causes of death are given below:

•	_		
Fever of unknown origin		 16,735	(16,044)
Infantile convulsion		 11,316	(11,954)
Malaria (all forms)		 598	(1,256)
Pulmonary Tuberculosis		 1,780	(2,252)
Pneumonias		 2,563	(2,474)
Premature births		 1,821	(1,679)
Violence	• • •	2,668	(3,497)

(Figures in brackets are for the year 1952)

### PUBLIC HEALTH—(2)—SPECIAL DISEASES

15. The main public health problems of the Federation of Malaya, are the prevention of malaria, reduction in pulmonary tuberculosis, eradication of yaws, prevention of the major infectious diseases and the treatment of Leprosy and Mental Diseases. Enforcement of quarantine and improvement of the general standard of nutrition and health especially the care of mothers and children constitute an equally important part of the Health Services.

16. Malaria.—Malaria shows a general downward trend in number of cases from 1946 to 1950 with a slight rise in 1951. In 1952 the level of malaria admissions receded again to just below the 1949 level. The figure for 1953 further dropped to 12,716 cases with 163 deaths.

Malaria admissions to Government and Estate Hospitals with mortality figures are given below for comparison:

_	_			L.	
	A	dmissions to Governm and Estate Hospitals		Deaths	Case Mortality per cent.
1947		22,281	• • •	736	 3.3
1948		15,477		428	 2.8
1949		14,663		315	 2.1
1950		11,720		236	 2.0
1951		15,960		244	 1.5
1952		14,115		192	 1.4
1953		12,716		163	 1.3

From the above it would be gratifying to note that the case mortality rate has fallen steadily each year from 3.3 per cent. in 1947 to 1.3 per cent. in 1953. The present low incidence of malaria is largely due to the widespread use of Paludrine and house spraying with DDT., etc.

During the early part of the year a major outbreak was recorded in Kuala Lipis; this was due to a breakdown of routine control as a result of the emergency.

It is noted with concern that the continuing low incidence of malaria over the country as a whole may be responsible for the lack of anti-malaria precautions when planning schemes such as satellite towns. It has been suggested that the question of malaria control should be given fullest consideration before schemes are planned and to achieve this the health authorities of the respective States/Settlements should be consulted.

The number of malaria cases treated in Government Hospitals was 12,962—a decrease of 3,079 cases from 1952. The distribution of types of malaria, diagnosed microscopically was:

Sub-tertian	 	 	69.7	per cent.
Benign-tertian		 	27.3	•••
Mixed	 	 	2.5	22.
Quartan	 	 	0.5	••

17. THE MALARIA ADVISORY BOARD.—The constitution of the board is as follows:

Six permanent members (Medical)

The Director of Medical Services (Chairman).

The Director, Institute for Medical Research (Vice-Chairman).

The Senior Malaria Research Officer.

The Entomologist, Institute for Medical Research.

The Senior Medical Officer, Military Forces.

The Principal Medical Officer, Royal Air Force. Five Permanent Members representing Government Departments

Representing:
Railways,
Public Works,
Drainage and Irrigation,
Education,
Agriculture.

Members nominated by His Excellency the High Commissioner.

Five Medical Officers in the Public Service appointed by name

Five Medical Practitioners not in the Public Service

Two representatives of Planting Interests nominated after consultation with the United Planting Association of Malaya

Government Medical Officers with experience of antimalarial work.

These are all Estate Medical Practitioners with antimalarial experience.

One Asian and one European Planters' Representative.

One member nominated to represent labour interests.

Four other nominated members

(One is an Administrative Officer and three are medical men).

The Board records with deep regret the death in May of Dr. H. M. O. Lester, O.B.E., Director of Medical Services and Chairman of the Board.

The Board held one meeting during the year on 14th November. In addition to members, the following guests were present: Sg. Commander C. V. Harries, R. N., Dr. J. Cameron, City Health Officer, Singapore; Professor T. A. Lloyd Davies and Dr. W. E. Nicholas, Department of Social Medicine and Public Health, University of Malaya; Mr. R. H. Wharton, Entomologist, Institute for Medical Research, Filariasis Laboratory, Kuantan, Pahang.

18. Review of Local Malaria.—Malaria admissions to hospital in 1953 were some 1,400 less than in the previous year. The increase reported for 1951 seems to have been a temporary one, and the general downward trend, obvious since 1947, has been resumed. Only three of the eleven States and Settlements of the Federation registered increases in malaria admissions compared to 1952, and in two of these, Perak and Selangor, the increase was small. The third state, Pahang, had an increase of 418 admissions, from 962 to 1380, mainly due apparently to an outbreak of malaria on the outskirts of Kuala Lipis caused by a breakdown of the routine control. This occurrence emphasises the need for continued efficiency in anti-malaria control measures, and is a warning against undue complacency.

The case mortality rate of malaria patients admitted to hospital was 1.3 per cent. a very slight decrease from 1952. Blackwater fever remained rare.

19. Revision of Anti-Malaria Law.—At a meeting of the Board in March 1948 a sub-committee was appointed to examine the question of revising the law relating to malaria. However, owing largely to uncertainty at that time about the proper place of the new drugs and insecticides in malaria control, no progress was made. It was not until this year, when the revision of the labour code as the Employment Bill 1953, was undertaken by a Select Committee of the Legislative Council, that effective action was taken. Dr. Lamprell, as a member of this Select Committee and of the Board, asked the Board to comment on a draft of that portion of the bill relating to the prevention of malaria. The matter was discussed at the meeting in November, and a new Sub-Committee was formed to reach a decision upon the points raised at the meeting and to report back to the Board.

20. DDT House Spraying.—As explained in the report for last year, the conclusion from the experiments in rural malaria control seems to be that residual insecticides offer the best method of combating rural malaria carried by A. Maculatus, but the dramatic results are unlikely. Malaria control for towns will continue to be by anti-larval methods, whilst estates will continue

to make extensive use of prophylactic drugs.

India and Ceylon commenced large scale DDT house spraying in 1946. In Malaya, which suffered invasion and occupation until late 1945, house spraying did not come into use as an important public health measure until towards the end of 1951, after the early results of field experiments had become available, and in response to the urgent needs of resettlement. A half-yearly return of house spraying introduced this year, showed that at mid 1953 some 345,000 people in rural areas were living in sprayed houses; by the end of the year the figure had risen to almost 572,000.

In September the first Asian conference on malaria control was convened in Bangkok by the World Health Organisation. Malaya was represented by two officers from the Institute for Medical Research, one being the secretary of the Board. It was evident that in comparison to most other countries of South East Asia, Malaya has still a very good record in malaria control, and is probably unrivalled in urban control by anti-larval measures. In technical knowledge about the exact effects of DDT and other residual insecticides upon the different species of mosquitoes Malaya is also among the leaders, but in the application of this knowledge to rural malaria control she is a little behind. This is not surprising in view of her late start in this field, and it is at least questionable whether the extension of DDT spraying to the maximum number of people in the shortest possible time is a necessary or a practical policy. There can be no question however, that whatever the scale on which house spraying is undertaken it must be done efficiently, and there is little doubt that at present through lack of training some of the work in Malaya is not efficient. The Bangkok Conference particularly stressed the need for training, preferably by some central organisation. Circulars such as those issued by the Board giving information and instruction on various aspects of malaria control, including DDT spraying, are of great importance, but by themselves insufficient; they need to be combined with practical training.

21. CIRCULARS AND PUBLICITY.—PALUDRINE.—As fore-shadowed in the report for last year, Circular No. 5 on Paludrine was revised and re-issued as No. 8 with special emphasis on measures to check the spread of resistance. The text of the revised circular is reprinted in the annual report published separately by the Malaria Advisory Board.

REPLANTING.—At the invitation of the editor of the Planters' Bulletin of the Rubber Research Institute, a short note on replanting as a cause of malaria was published in the May number. This note replaces a similar one published before the war; copies were circulated to Government and Estate doctors.

TECHNIQUE OR RESIDUAL DDT SPRAYING.—It was realised that low standards of efficiency in DDT spraying were largely due to a lack of understanding of the subject and insufficient training. An attempt had been made to give clear instructions in the appendix to the Board's Circular No. 7 "Malaria Control by Modern Methods" reproduced in the report for 1952, but it was apparent that some part of this, in particular the method of calculating how much DDT to use, had proved difficult to follow. To try and remedy this, and to focus attention on the need for checking deposits of DDT, an interim circular was produced. This was issued as No. 31 in the cyclostyled medical circular series of the Institute for Medical Research. M. A. B. Circular No. 7 has been in considerable demand both in Malaya and abroad, and will be revised and re-issued in 1954.

WARNING AGAINST COMPLACENCY.—The continued low incidence of malaria is thought to be due partly to the widespread use of Paludrine and DDT spraying, particularly amongst those sections of the population who provide the greater proportion of recorded cases of malaria, and partly perhaps to unknown natural causes. It does not seem that lack of vector mosquitoes can be an important cause, for they are not scarce, and given a favourable opportunity can increase rapidly at any time. In these circumstances it cannot be too strongly emphasised that malaria can only be held at a low level by maintaining active control measures; any of the mistakes which have caused epidemics in the past may do so again if repeated to-day. This is not generally realised, and the long continued absence of serious malaria has led to forgetfulness or complacency. There have been instances of building and development schemes being sited beyond the boundaries of existing controlled areas, without provision being made for extending the zone of malaria control. A neglect of antimalarial works at Kuala Lipis in Pahang due to terrorist activity and other causes, led to an outbreak of malaria in the town in 1953. In November, after the meeting, the Board drew attention to these dangers in a letter to Government, and issued a short statement to the Press.

- 22. PLAGUE AND CHOLERA.—There were no cases of plague or cholera recorded in 1953.
- 23. SMALLPOX.—Five cases of smallpox were reported during the year. Four were imported and one was a military case reported from the Military Hospital at Kluang, Johore.

During the year 301,318 vaccinations were performed and out of these 30,078 were re-vaccinations for International Certificates.

24. Tropical Typhus.—Cases occur sporadically in the Federation. Three hundred and ninety-two cases were recorded during the year, out of which 280 were scrub typhus and 112 urban typhus. Negri Sembilan and Selangor recorded the highest number of cases, 89 and 86 respectively. There were only five deaths—giving a case mortality rate of 1.3 per cent. as against 1.8 in 1952.

The total number of cases and deaths from tropical typhus for the year are shown below:

o your are	SIIC WII	CCICW.				
State/Set	tlement			No. of Cases		No. of Deaths
Kedah				1		
Perlis	• • •					
Penang				4		
Perak				53		-
Selangor				86		1
Negri Sem	bilan			89		
Malacca		•••	•••	14	•••	1
Johore	•••	•••	•••	48	•••	$\hat{3}$
Kelantan	•••	•••	• • •	2	• • •	
Trengganu	•••	•••	• • •	$\frac{2}{2}$	• • •	
	•••	• • •	• • •		• • •	
Pahang	•••	• • •	• • •	38	• • •	Vermontel
Military	Headqu	uarters	• • •	55	• • •	November 1
						<del></del>
		<b>Fotal</b>		392		5

25. ENTERIC FEVER.—Enteric Fever is endemic in the Federation of Malaya. There has been no major outbreak in any particular area but cases occur sporadically.

The total number of cases reported was 809 with 76 deaths. Although the case incidence varies little over the years 1946-1953, the mortality rate shows a very significant decline from 23 per cent. in 1946 to 9.39 per cent. in 1953. This decline in mortality is undoubtedly due to the use of antibiotics which began to be used about 1948 and have increased in use ever since

A summary of cases and deaths is given below:

State/Settlen	nent		N	o. of Cases	No. of Deaths	
Kedah				52		9
Perlis		•••		16		
Penang		• • •		51		6
Perak		• • •	• • •	193		19
Selangor	• • •	• • •		103		11
Negri Sem	bilan	• • •		94		5
Malacca		• • •	• • •	39		8
Johore	• • •	• • •		88		6
Kelantan	• • •	• • •	• • •	49		5
Trengganu	• • •	• • •	• • •	59		6
Pahang		• • •	• • •	63		1
Military	Heado	uarters	• • •	2		Verrousended
		Total		809	• • •	76

- 26. Dysentery and Diarrhæa.—Dysentery and diarrhæa are not notifiable diseases. Hospital statistics show admissions as 7,277 with 852 deaths as against 7,473 cases with 1,103 deaths in 1952.
- 27. DIPHTHERIA.—One thousand one hundred and eighty-two cases of diptheria occurred throughout the Federation with 319 deaths. A mild outbreak was reported in Malacca during the middle of the year. The occurrence of cases were not localised to any institution, but they were distributed in the towns and rural areas. Appropriate steps were taken and the outbreak was brought under control immediately.

The table below shows the summary of cases and deaths

recorded during the year:

dalling that	J Car .					
State/Settlen	nent		N	o. of Cases		No. of Deaths
Kedah				110		38
Perlis				6		2
Penang				189	• • •	35
Perak				240		64
Selangor				190		54
Negri Sem	bilan			95		30
Malacca	• • •			108		17
Johore		• • •		204		65
Kelantan				5		1
Trengganu				4		
Pahang				30		13
Military	Heado	quarters		1	• • •	
		Total		1,182		319

- 28. CEREBRO-SPINAL MENINGITIS.—The incidence of cerebrospinal meningitis was insignificant. There were only 4 cases reported during the year and the number of deaths was 3.
- 29. Poliomyelitis.—One hundred and thirty-three cases of poliomyelitis was recorded with 13 deaths. The corresponding figures for 1952 were 126 cases with 14 deaths. There was no epidemic in any particular area, cases occurring sporadically, but the wave of incidence was more confined to the Northern States of the Federation of Malaya.

The following table shows the total number of cases of

poliomyelitis and deaths resulting thereof during 1953:

State/Settlen	nent	J	No.	of Cases		No. of D	eaths
Kedah				17			
Perlis				2			
Penang				34		3	
Perak				23		3	
Selangor				26		2	
Negri Sem			• • •	13		$\bar{3}$	
Malacca				3		1	
Johore		•••		5		1	
Kelantan		• • •	• • •		•••		
Trengganu	• • •	• • •	• • •		•••		
Pahang		• • •	• • •	2	•••		
Military	Heado	 martero	• • •	8	• • •		
willitary	Treading	uarters			• • •		
		Total		133		13	

- 30. Yaws.—The total number of cases of yaws treated during the year was 43,828.
- Dr. D. R. Huggins, World Health Organisation Treponematosis Control Expert, who carried out a Yaws Survey in Kelantan and Trengganu some time in March this year has made detailed recommendations for a Yaws Control Programme.

A sum of \$50,000 has been earmarked in 1954 for this purpose, and it is planned to run two teams under the guidance of a Health Officer, who at present is studying methods used in Indonesia, Thailand and the Philippines. With assistance in the form of penicillin and equipment from UNICEF and technical assistance from the World Health Organisation it is hoped that it will be possible to eradicate yaws from the East Coast States where it is especially prevalent.

31. Pulmonary Tuberculosis.—The position with regard to Tuberculosis continues to improve slowly. Five thousand eight hundred and forty-seven cases were admitted to Government Hospitals for Pulmonary Tuberculosis with 968 deaths as compared with 5,492 with 1,326 deaths in 1952. The increase in numbers of cases admitted may be ascribed to increasing confidence of the public in the methods of treatment used, and in the improved facilities for treatment throughout the country. In spite of the increase in hospital admissions the number of deaths when compared with previous years shows considerable decrease. The improvement in the death rate may be partly due to the introduction of the latest drugs and the improved technique adopted in the treatment of Tuberculosis. The total deaths from Tuberculosis registered with the Registrar-General were 1,780 as compared with 2,252, during the previous year.

At the end of 1953, 2,946 beds were available for the treatment of Tuberculosis in the Federation. As the number of cases admitted was almost exactly double the number of beds available for treatment, it is obvious that the average period of occupying of a bed is six months. This was approximately the same last year, and should on United Kingdom standards meet the needs of the local population reasonably well. But there are many beds which are occupied by chronic cases, and an effort has been made to encourage the setting up of settlements for the chronics by voluntary effort to relieve the pressure in Government Hospitals for the acute cases.

The Malayan Association for the Prevention of Tuberculosis (M.A.P. TB.) has given a great deal of assistance to schemes designed to prevent the spread of tuberculosis. Its considerable funds, derived mainly from the Lotteries Board, have been used to provide assistance to the dependants of cases to enable such cases to enter hospital. In Perak a scheme for rehabilitation of cured cases run by P.A.T.A. has provided homes for a number of discharged cases. In Penang the private practitioners in the town run a diagnostic clinic, and schemes are in active preparation elsewhere to provide accommodation either in hospitals or settlements for cases of tuberculosis.

An appeal has been issued by the Board of Governors of the Lady Templer Hospital for Tuberculosis for funds to erect a 250 bed hospital in Kuala Lumpur where the treatable cases will be accepted and where facilities for research will be offered. The complete scheme is estimated to cost \$5,000,000 and the running costs annually will be in the region of three-quarters of a million dollars. A start will be made to the buildings on a site already prepared at Cheras Road, Kuala Lumpur, in early 1954.

32. The tuberculosis wards in the General Hospital and the modern out-patient clinic at Malacca with its own X-ray department and laboratory continues to play an increasing part in the treatment of tuberculosis.

The importance of bronchoscopy not only as a diagnostic measure but also to ascertain the correct line of treatment in any given case cannot be overstressed and it is now used as a routine examination in all cases except the hopelessly advanced.

During 1953, 161 brochoscopic examinations were carried out making a total of 317 since the equipment became available, and although this is not a very large series it is becoming increasingly evident that tuberculosis endobronchitis is much more prevalent amongst Asians than amongst Europeans.

Pneumoperitoneuum with or without phrenic paralysis continues to give good results and it would appear the best form of collapse therapy to enable a limited staff to help the greatest number of people.

When Isonicotinic Hydrazide became available a trial was made on 50 patients of the effects of this "wonder" drug and while the immediate clinical results were excellent it was found that 8-12 weeks after the course had started there was a recrudescence of symptoms, e.g., evening temperature, loss of appetite, stationery weight, etc., indicating that M. tuberculosis very quickly acquires a tolerance to this drug. Such results have been found in nearly every other clinic in the world and now it is used in combination with Streptomycin, a combination which gives excellent results both clinically and radiologically. While these two drugs appear to act in symbiosis their joint action will prevent the M. tuberculosis from developing a resistance to the other.

PAS is being used less and less because it is considerably more expensive than INAH, causes more gastric upsets and lastly it is less effective.

During the year 265 known contacts were screened and out of which 39 showed abnormal shadows in their lungs. Altogether 2,092 fluorescopic examinations were carried out in 1953 and it is interesting to note that more and more young adults, particularly the Chinese, are coming as out-patients. It appears that the younger generation is growing more and more conscious of the need for X-ray examinations of the chest, and it is hoped that in the near future a greater number will be applying for such examinations.

33. Tuberculosis Settlement, Pulau Jerejak.—The Tuberculosis Settlement is situated in 2 separate camps on the western side of the island of Pulau Jerejak. A resident Medical

Officer is in charge of the Settlement and another Medical Officer who is in charge of the Leper Camp does part-time work here. The problem of water scarcity is the main obstacle to the expansion of the hospital from its present 400 beds to its full size of 600 beds.

The number of patients remaining at the end of the year was 382. Nearly forty per cent. of the cases were bilateral and fairly advanced.

Cases admitted to this settlement always come through the Chest Clinic, General Hospital, Penang, where they are examined by the Tuberculosis Specialist before they are sent over. The Specialist visits this hospital once a week, reviews all the new cases and checks upon the progress of all old cases periodically. He gives advice and instructions as regards the line of treatment.

General treatment is based on fresh air, good food and rest for body and mind. Since this settlement is located on the slopes of a hill overlooking a bay, there is neither brine laden wind nor high humidity. Ambulant patients are allowed short walks along the seaside twice a day.

Streptomycin, PAS and INAH were the three chemotherapeutic agents that were used in the settlement. Pneumoperitoneum, phrenic crush and artificial pneumothorax were also carried out.

Diversional Therapy is undertaken by the British Red Cross and the patients are taught handicrafts and sewing.

- 34. B.C.G. Campaign.—The B.C.G. Campaign inaugurated in 1951 under the guidance of a Danish Team has continued to make good progress. The public responded willingly and in 1953, 152,897 persons were tuberculin tested and of these 71,734 received B.C.G. vaccinations. Eleven thousand seven hundred and eighty new-born babies were also vaccinated.
- 35. VENEREAL DISEASES.—The incidence of venereal diseases is indicated in the following figures for new cases applying for treatment at Government Hospitals and Special Clinics in 1952 and 1953:

New Cases			1952		1953
Syphilis			6,997		4,930
Gonorrhœa		• • •	4,306		5,135
Other Venereal	Diseases	• • •	1,532		1,212
	Total		12,835	•••	11,277

As compared with the figures for the previous year the incidence of syphilis has further decreased considerably whilst there has been a slight increase in the number of new cases of gonorrhœa.

This increase might possibly be due to the circumstance that more and more people have become aware of the fact that most gonorrheal infections are easily cured by a simple injection of penicillin and are therefore inclined to expose themselves more readily to a risk.

A detailed Return of Venereal Diseases treated in Government Hospitals and Clinics, showing diagnosis and distribution by race and sex is included in Appendix (Table 12).

### PUBLIC HEALTH (3)—NUTRITION

36. In accordance with the instructions of His Excellency the High Commissioner a committee consisting of the Social Welfare Officer, representing the Member for Industrial and Social Relations, the Director of Education, the Deputy Director of Medical Services, representing the Member for Health and the Senior Biochemist was appointed to review and to submit a report on the position of the School Feeding Scheme.

The Committee sought information from all the States and Settlements on the nutritional state of the school children and the replies received were not very helpful. It was realised that a proper assessment of malnutrition in the various areas is not possible without the use of field nutrition teams.

Although supplementary feeding of children, both of preschool age and of school children has been undertaken by the Education, Medical and Social Welfare Departments since 1946, the results attained were far from satisfactory and this may be attributable to lack of supervision through shortage of staff.

The present financial situation precludes any attempt to continue or to embark on any large scale Government financed schemes under ordinary circumstances, but there can be no doubt that when supplementary feeding schemes are properly supervised and foodstuffs well chosen, the benefit to the health of the children is considerable.

# PUBLIC HEALTH (4)—ESTATES, MINES, RAILWAYS AND QUARANTINE

37. Health on Estates.—The general health of the estate labourers and their dependants showed no abnormal variation from the previous years. The estates were regularly inspected by the Health Inspectors and action was taken to improve the general sanitary conditions, particularly in respect of housing, latrine accommodation, water supplies and medical facilities. Several estates have made good progress in re-building programmes, demolishing the existing lines with better and more modern structures. As a close liaison exists between the Labour Department and the Health Department, recommendations for improvement were forwarded to the Commissioner for Labour in the respective States for necessary action, wherever conditions were found to be unsatisfactory.

The Health Officer of the district sees that regulations made under the Sodium Arsenite Ordinance, are complied with by the estates concerned. The storing places of this poison are often inspected and proper supervision is insisted upon at all times.

38. ESTATE HOSPITALS.—The following table is a summary of the provision made by employers for the treatment of sick labourers and their dependants on estates:

	No. of		All Diseases			Malaria		
States	Estate	No. of						
Settlements	Hospitals	$\operatorname{Beds}$	Adms.	Deaths	Adms.	Deaths		
Kedah	 13	1,159	21,613	358	2,187	16		
Perlis	 		*********					
Penang	 3	207	2,139	19	19			
Perak	 29	1,363	16,900	269	562	1		
Selangor	 28	1,194	20,730	424	634	8		
N. Sembilan	 17	673	10,692	190	665	8		
Malacca	 9	165	2,743	25	56			
Johore	 12	405	6,029	133	254	4		
Kelantan	 4	88	2,272	59	435			
Trengganu	 1	50	612	4	59			
Pahang	 4	173	2,284	30	133	2		
$\operatorname{Total}$	 120	5,477	86,014	1,511	5,004	39		

The following table is a summary of the statistics relating to mortality amongst labourers on estates:

, E		All Diseases		Malaria	
			Death		Death
	Popula-	Deaths		Deaths	rate
Laborrous and Donor	tion		per mille	be	er mille
Labourers and Dependants:					
All Nationalities	450,385	3,003	6.7	60	0.13
Labourers only:					
All Nationalities	268,812	812	3.02	15	0.06
Labourers and Dependants:					
Indians	264,283	2,224	8.4	38	0.14
Labourers only:	ŕ	·			
Indians	150,975	578	3.8	8	0.05

39. The low incidence of disease and the low mortality amongst labourers on estates is now taken as a matter of course. It is interesting to look back and examine the conditions that existed only 30 to 40 years ago. The table below shows the comparison:

### ESTATE MORTALITY RATES

	-					
F.M.S.		Total Number of Estate Labourers		Deaths		Death rate per mille
1911		143,614	• • •	9,040		62.9
1912	• • •	171,968	• • •	7,054	• • •	41.02
1913	•••	182,937	• • •	5,592		29.6
1914	• • •	176,226	• • •	4,635	• • •	26.3
1915	• • •	169,100	• • •	2,839	• • •	16.78
1918		213,425	• • •	9,081	• • •	42.55
	(Influen	za Epidemi	c)			
1919		216,573		3,384	• • •	16.16
1920	• • •	235,156	• • •	4,367	• • •	18.57
1921	• • •	175,649	• • •	3,195	• • •	18.19

Federation of Malaya		Total Number of Estate Labourers		Deaths		Death rate per mile
1949	•••	351,968		940		2.7
1950		269,685		779	• • •	2.89
1951		258,953		1,292	• • •	4.99
1952		278,005		1,085		3.90
1953		268,812	•••	812	•••	3.02

40. Health on Mines.—Labourers on most of the mines were required to live in re-grouped areas in accordance with the provisions of the Emergency Regulations. Inspection of these regrouped areas was carried out and recommendations regarding sanitation were made to the authorities concerned.

The Pahang Consolidated Mines has its own hospital and medical officer who treats the sick and advises the General Manager on health and sanitation.

41. Railway Sanitation.—The Health Department, Malayan Railway, is under the charge of a Health Officer, seconded from the Government Medical Service. It provides out-patient medical facilities for Railway staff and their dependants at places where State/Settlement Medical Department facilities are not readily available, namely at wayside stations and all the gang lines. It is also responsible for preventive measures against malaria throughout the railway system. The Health Officer advises the Railway Department on matters involving questions of public health.

The activities of the Department were confined largely to anti-malarial works on the Railway Reserve and on State and private lands thereto adjoining. Preventive measures adopted consist of oiling of drains by the spray and brush methods, disinsectisation of quarters with DDT., and prophylactic treatment of staff and their dependants, particularly permanent way and construction staff in outlying and isolated areas. The efficacy of these measures was controlled by frequent larval surveys held in conjunction with Anti-malarial Department of Town Boards and Municipalities.

Regular periodical inspections were made throughout the system by District Health Committees under the Chairmanship of the Health Officer. All housing areas and all gang lines especially those at isolated places were visited at least once in every four months. In addition to this, a Local Health Committee under the Chairmanship of the District Traffic Inspector visited the main stations and thickly populated railway centres periodically at shorter intervals. It has been possible to effect a slight improvement in the standard of hygiene and sanitation in housing areas and gang lines during the year but much remains to be done in this connection.

Dispensaries, some working on a whole time basis under the charge of Hospital Assistants, were maintained at the following places: Alor Star, Prai, Ipoh, Kuala Lumpur, Sentul Works, Seremban, Gemas, Johore Bahru, Krai, Gua Musang, Chegar Perah and Kuala Lipis. The number of attendances of railway staff and their dependants at these dispensaries were 84,160.

There were no cases of major infectious diseases during the year. A total of 10,856 passengers crossing the Thai frontier at Padang Besar were vaccinated.

First aid equipment boxes on passenger trains were replenished immediately after use: those at stations and workshops were inspected each month and replenished as necessary.

First aid courses of instruction based on the St. John Ambulance Handbook was attended by 174 employees of whom 75 passed the examination held on completion of the courses.

### PORT HEALTH WORK

42. Port health work and quarantine are Federal functions. These are particularly important because of the number of immigrant ships which arrive from infected ports in Asia. All deck passengers are medically examined on arrival and are then re-vaccinated and quarantined until the results of their re-vaccinations are available.

During the period under review one hundred and thirty-four immigrant ships from India, ninety-three from China and Hongkong, seven pilgrim ships from Jeddah and twenty-one from other infected ports arrived carrying 84,297 saloon and deck passengers.

43. INFECTIOUS DISEASES ON SHIPS.—One case of smallpox, seven cases of chicken-pox twenty-one cases of measles and two cases of mumps were detected among the passengers during the routine examination of passengers on board.

On 6th January, 1953, the s.s. "Santhia" arrived in port with a case of smallpox. The patient, a deck passenger from Calcutta together with all the unberthed passengers were sent to the Quarantine Station for observation. Whilst in quarantine, two more cases developed—one on the 12th and the other on the 16th January, 1953. Contacts of the first case who were not contacts of the second and third cases were released from quarantine on 20th January, 1953. Contacts of the second case who were not contacts of the third case were released on the 26th and the remainder on 31st January, 1953.

On 4th May, 1953, the s.s. "Sirdhana" arrived late in the evening with 2,043 unberthed passengers from Madras. They were inspected and sent to quarantine on 5th May, 1953. On 9th May, 1953, one case of smallpox was detected among the passengers of one camp and were subsequently released after the quarantine period.

All the smallpox cases had valid international certificates of vaccination. The occurrence of this disease several days after the deck passengers had been landed shows the risk which would be taken if this quarantine were to be discontinued.

44. OUTGOING PILGRIM SHIPS.—Six pilgrim ships left the port consecutively on 17th, 20th May, 8th, 18th and 21st June and 18th July, 1953, with a total of 6,027 pilgrims.

No pilgrim was found suffering from any contagious or infectious disease. Every pilgrim was in possession of a valid International Certificate of Vaccination and Inoculation.

45. Incoming Pilgrim Ships.—Six pilgrim ships carrying a total of 5,672 pilgrims arrived during the year. A total of 4 births and 35 deaths occurred on these ships during the voyages and the deaths were chiefly due to senility.

46. SUMMARY OF PORT HEALTH WORK.—

Number of visits of	Total Pa	ssengers	Total Examined	Passengers		
Inspection to ships	Cabin	Deck	Crew Passengers	U	Q	$\mathbf{R}$
Penang 25	55 16,177	68,120	29,316 84,297	159	31,622	41,451
Port Swettenham 1	7 2,776	10,474	10,280 13,250			12,813
Total 3	2 18,953	78,594	39,596 97,547	159	31,622	54,264

U—Signed undertaking to report

- 47. VACCINATION AND INOCULATION PERFORMED AT THE PORT HEALTH OFFICE.—During the year 39,123 vaccinations and 7,241 inoculations were performed, 74 were primary vaccinations and 39,049 were re-vaccinations for purposes of International Certificates and admissions to schools.
- 48. Inspection of Ships.—Ninety-six ships were inspected for rats for the purposes of issuing Deratisation Exemption Certificates. All, except two, were clean and certificates were issued.
- 49. Inspection of Aircraft.—A total of 258 planes were inspected during the year. Altogether a total of 1,183 crew and 2,396 passengers were examined but no case of dangerous infectious disease was detected among them. No proper facilities are provided at any of the airports in the Federation for the handling of aircraft landing after an international voyage.
- 50. Inspection of Water Boats.—Periodical examination of water from water boats that supply water to ships whilst in the port was carried out. Eleven water samples were taken for bacteriological examination and the results were: four satisfactory and seven unsatisfactory.
- 51. Contamination of Foodstuffs by Sodium Arsenite.—Seven requests were made for the survey of lighters which had transported cargoes of sodium arsenite. The lighters, after being emptied, were cleansed under the supervision of a Sanitary Inspector after which certificates were issued. The owners have been advised to use steel lighters or put a layer of metal sheetings on the lighters before the loading of sodium arsenite.
- 52. Sampling of Pre-packed Foods.—Towards the middle of the year, samples of pre-packed foods have been taken for the purposes of analysis, etc., under the Sale of Food and Drugs Ordinance, 1952. This work is made much easier by the kind co-operation of the Customs Department. The contents of the food have in most cases been found good, but quite a good number have been found to be deficient in weight. The attention of the importers has been drawn to this and they have been warned that further consignment will constitute an offence under the Sale of Food and Drugs Ordinance, 1952.

Q—Removed to Quarantine Station

R-Remained in ship

### PUBLIC HEALTH (5)—RURAL HEALTH SERVICES

53. With the swing of emphasis from urban to rural health work, certain important changes are about to take place. In the first place, a rural health training school is under course of erection at Jitra, Kedah, for the training of rural health teams consisting of assistant nurse, midwife, dispenser and sanitary overseer. This school in which the staff will partly be supplied by World Health Organisation and partly by the Federation Government, and will be equipped by UNICEF will be opened by mid-year 1954. In addition to this the funds have been obtained and plans have been drawn up for four rural health centres to be built in 1954 and four more in 1955. The funds will be provided from the Colonial Development and Welfare Funds. Apart from the eight which will be erected in 1954-1955 a further seventeen it is hoped will be constructed between 1955-60. This, will be a foundation for improved rural health services, but no service can be complete until the personnel is fully found. While the Jitra Training School will supply some of the personnel, concern is being felt at present at the prospect of replacing the 60 odd Red Cross and St. John teams which have functioned in rural areas during the emergency, and discussions have taken place on the value of a district Medical Officer who would be in overall charge of the rural health services of a district.

State and Settlement Governments are also setting up centres at various parts of the country from their own funds and in many instances dispensaries have been set up from emergency funds. Spraying of houses in new villages has reduced considerably the amount of malaria, and a yaws eradication campaign is about to commence on the East Coast.

Considerable extension of the rural health services has been effected, due to the emphasis thrown on this side of the work. The tempo of this work has of necessity been increased by the demands of the emergency for the urgent need for services in kampong areas, new villages and resettlement areas, has caused rapid development by various means. A very large improvement in health is expected in view of the concentration of rural populations in organised communities which apart from the fact that their civic consciousness is now awaking, are increasingly being provided with water supplies, sanitary services and health clinics.

### PART III

#### MATERNITY AND CHILD WELFARE

54. This is a State Service, particulars of which will be found in the reports of individual States and Settlements.

Maternity and Child Welfare Clinics are normally under the supervision of a Health Sister with a staff of Health Nurses and Midwives. Attendances at these clinics are large, and at the clinics advice is given on infant feeding and hygiene as well as ante-natal services are provided.

Maternity and Child Welfare work has made great strides during the year. Attendances at these clinics continued to rise and the number of homes visited also increased considerably during the year.

Modern midwifery is becoming more and more popular in kampongs as the number of trained midwives increase.

Untrained kampong bidans were encouraged to attend clinics with their baskets regularly. They were given talks on the principles of aseptic deliveries, the need of ante-natal care of pregnant mothers and the necessity for calling in our trained midwives in case of difficult labour. We hope at this way to get women-folks in the kampongs to get more used to our trained midwives and child welfare staff.

Voluntary organisations such as British Red Cross, St. John Ambulance and Missionary Teams which started to function since 1952 have rendered valuable services in the rural areas in maintaining and improving the child welfare work.

A scheme is being considered for the local training of Health Visitors to R. S. I. standard since hitherto all Health Visitors have been trained overseas. This will give further emphasis to maternity and child health projects in rural areas.

The total number of women admitted to maternity wards in 1953 was 40,833, and the total number of deaths was 368.

The attendances of mothers and children at the Welfare Centres amounted to 1,087,204 and 500,866 visits were paid to mothers and children in their homes.

A tabulated statement of Child Welfare Centres is given in the Appendix (Table 13).

#### PART IV

#### HOSPITALS AND DISPENSARIES

55. Hospitals and dispensaries are a State service, particulars of this service will be found in the Annual Reports of States and Settlements.

There are seventy Government Hospitals in the Federation, not including the Special Institutions for Mental Diseases and Leprosy.

During the year 233,286 patients were admitted. This does not include the admissions to the Leper and Mental Institutions which numbered 706 and 2,641 respectively.

There has been little expansion of hospitals within recent years, but it is becoming obvious that rehabilitation or rebuilding of some of the larger Federation hospitals cannot be much longer delayed. In many the buildings are old and not in keeping with modern conditions; their kitchens, laundries and ancillary services are well out of date and some lack modern waterborne sanitation. In view of this a scheme is being worked out, with a view to requesting assistance from Colonial Development and Welfare

Funds, for a 500-bed new Federal Hospital in Kuala Lumpur, and replacement of the existing hospitals in Ipoh, Taiping and Seremban with up-to-date hospitals. The modernisation of our hospitals is now long overdue; hospital construction is becoming increasingly expensive, and the only hope during the period of depressed revenues is to obtain outside assistance.

Specialist facilities are available in all the larger hospitals, and the only acute shortages now are Anæsthetists, Pathologists and Radiotherapists. Many of these Specialist Officers, however, have contract terms, and are really employed to cover the period until local officers with the requisite qualifications can replace them. Some concern has been expressed too at the laboratory facilities available in hospitals, and the appointment of clinical pathologists attached to the major hospitals has been considered.

56. A summary of the distribution of hospitals and beds is given below. A tabular statement of hospitals with daily averages, admissions and deaths is given in the Appendix (Table 1A).

### SUMMARY OF HOSPITAL ACCOMMODATION

State		N	lumber and	Category	of Bed	s	Total
State/ Settlement		General	Obste- trics	Tuber- culosis	Infectious	Mental	
Kedah		676	78	207	20	18	999
Perlis		75	22	10	8	5	120
Penang		890	181	655	47	30	1,803
Perak		1,876	240	416	66		2,598
Selangor		1,241	166	294	34	18	1,753
N. Sembilan		705	103	396	13	20	1,237
Malacca		397	54	309	12	6	778
Johore		1,153	265	405	42	43	1,908
Kelantan		292	30	48	10	35	415
Trengganu		184	18	69	13	6	290
Pahang		531	71	137	36	11	786
Total		8,020	1,228	2,946	301	192	12,687
Total exclud	ing	Special	Institution	s		•••	12,687
SPECIAL INST	TITU	TIONS:					
Leper Sett			ngei Buloh	Selango	or 2	2,650	
			lau Jerejak			430	
,,					•	350	
I amon Com	1		hore Bahru	-			
Leper Can	up, 1	Kota Ba	iiru, Keiaii	nan	• • •	40	2.470
3.6 . 1.77	• .	1	<b>D</b> 1				3,470
Mental Ho	spit					3,000	
,,		Tamı	poi, Johor	e Bahru	1	,200	
							4,200
			To	tal—All	Beds		20,357

57. OUT-PATIENTS.—All the hospitals have out-patient clinics. These are supplemented by small dispensaries situated in many of the towns. Treatment of rural population is carried out

through travelling motor dispensaries. A certain amount of river travelling is also carried out in Johore, Pahang, Perak, Trengganu and Kelantan. Hospital Assistants in charge of static dispensaries travel by bicycle throughout their area to deal with places which the travelling motor dispensary cannot reach.

The total number of attendances at all dispensaries for the year 1953 was 2,616,040. Out of these 755,363 attendances were at travelling dispensaries. This figure does not include attendances at Infant Welfare Centres and Venereal Disease Clinics.

Details of distribution of dispensaries and of the patients treated are given in the Appendix (Table 5).

# NOTES ON CONDITIONS TREATED IN HOSPITALS, CLINICS AND DISPENSARIES

58. Full details are given in Table 1 of the Appendix. The following gives an indication of the commoner conditions treated in hospitals:

*				Mortality
Diseases		Admissions	Deaths	per cent
Malaria*		 12,962	184	1.42
Pulmonary Tuberculosis		 5,847	968	16.56
Dysentery		 1,865	53	2.84
Diarrhœa and Enteritis		 5,412	799	14.76
Pneumonias		 4,600	1,251	27.20
Bronchitis		 7,923	100	1.26
Beri-beri		 498	27	5.42
Venereal Diseases		 1,661	84	5.06
Enteric Fever		 753	69	9.16
Injuries due to external	causes	 25,373	755	2.98

# RACIAL DISTRIBUTION OF HOSPITAL ADMISSIONS AND OF COMMON DISEASES

			001111	'I O I ' I					
Races		Malay	ysians	Chi	nese		ns and stanis	Otl	ners
Population		2,803	3,863	2,155	2,906	668	5,503	83	3,680
TIconital	to · ·	53	3,732	100	0,939	75	5,083	(	3,879
Diseases		Admis- sions	Deaths	Admis- sions	Deaths	Admis- sions	Deaths	Admis- sions	Deaths
Malaria *		5,377	26	3,338	113	3,958	40	289	5
Dysentery and Ent	te-								
mitia		1,286	82	3,122	531	2,645	222	224	17
Pulmonary Tubercu	u-								
losis		1,260	101	3,429	677	1,037	176	121	14
Pneumonias .		669	104	2,299	840	1,517	294	115	13
Beri-Beri		136	4	246	21	112	2	4	
Appendicitis .		189	_	1,163	14	532	12	99	
		ala rate as an							

<sup>\*</sup> Includes other and unspecified forms of malaria

59. The above statement shows the distribution of the common diseases in the three principal racial groups but this cannot be taken as a true indication of the racial distribution of disease.

Admissions of Indians into hospitals are disproportionately higher than those compared with Malaysians. The higher rate of Indians seeking admissions is due to the employment of Indians on Estates and the insistence of estate authorities in sending them to hospital for treatment, whenever necessary. On the other hand Malaysians are rather sceptical on the question of hospitalisation

and, except those employed in Government departments, the majority are reluctant to be admitted to hospital. However, they readily accept out-patient treatment. This is shown in the number of attendances of Malaysians at Out-patient Clinics which have risen from 896,541 in 1948 to 1,096,906 in 1953.

- 60. SURGICAL WORK.—Surgical operations, major and minor, totalled 64,147; details are given in the Appendix (Table No. 3).
- 61. OPHTHALMIC WORK.—Fifty-four thousand eight hundred and two patients were treated for diseases and injuries of the eye and 3,996 operations were performed. Details are given in Table 4 of the Appendix.
- 62. RADIOLOGICAL WORK.—Almost all the district and general hospitals are now provided with efficient X-ray equipment.

X-ray examinations numbered 135,872 and 19,595 patients were treated in the X-ray and Electro-therapeutic departments.

#### PART V

### TRAINING OF NURSES

63. Nurse training as in the past has had priority and the first step, that of providing suitable accommodation for nurses is well under way. Three nurse training schools are functioning at present, at Penang, Kuala Lumpur and Johore Bahru, but shortage of nurse teachers may enforce the closure of the last. At present six nurse teachers are being supplied under technical assistance from WHO, but the department feels some concern at their inability to recruit permanent replacements for these or even find local trainees of the calibre required.

The training of local nurses is now based on the new syllabus of the General Nursing Council of England and Wales.

Nurses (male and female) and Hospital Assistants attend the same courses in basic subjects and arrangements are made for hospital assistants to attend special classes in laboratory methods and dispensing to meet their requirements of the curriculum. The course of training lasts three years and four months and the standards of training attained in the Malayan Nursing Schools allow of reciprocal recognition with the General Nursing Council of the United Kingdom.

64. School of Nursing, Northern Region, Penang.—The total number of students attending the School of Nursing, Northern Region, Malaya, during the year was 293.

During each term three Blocks, i.e., P.T.S., Block I and Block II have been taught. One Post-Graduate School has been conducted for three weeks, August-September, in Surgery and allied subjects.

The P.T.S. Course has been lengthened to four months as from August/December term, to enable Block II Senior Course to be shortened to two months. It is generally agreed that this is a more satisfactory arrangement.

Twenty-three Dental Nurses (recruits) attended two separate terms in conjunction with Block I to receive tuition in Anatomy and Physiology, Bacteriology, Psychology, First Aid and Elementary Principles of Surgery and Medicine.

Coaching classes were held for students going overseas studies and for the students who failed their examinations.

During the year 189 nurses, 85 male nurses and 19 hospital assistants attended the school. The total numbers passing through the school were 138 nurses, 83 male nurses and three hospital assistants.

The number of nurses who passed their final examination in General Nursing throughout the Federation in 1953 was 129.

65. NURSES' HOSTEL.—A large hostel to house 250 student nurses is in the course of construction in Penang; the cost of this building is defrayed from Colonial Welfare and Development Funds. It is hoped that the building will be completed by the end of 1954.

Under the Colombo Plan, Australia has offered to train in Australian Hospitals 50 student nurses from the Federation. A preliminary selection of about half that number has been made from student nurses who have passed their preliminary examination, since it is felt that to send raw recruits to Australia might not be a success. If 50 girls eventually are accepted by Australia this will release 50 places in our training school hostels for new recruits and will tide over the period until the hostel mentioned above is completed.

Action is also being taken by the State and Settlement Governments to expand and improve hostel accommodation for Assistant Nurses at Batu Gajah, Kuala Trengganu, Port Dickson, Kuantan, Johore and Bukit Mertajam.

66. Training of Assistant Nurses.—Assistant Nurses with a lower educational standard who are not admissible to the register under the Nurses' Registration Ordinance, 1950, are now being employed in the Federation. The various State and Settlement Medical Services are planning to expand rapidly their facilities for training assistant nurses. They undergo a two-year course of practical training in the vernacular or in English in hospitals where registrable nurses are not trained and pass a local practical examination prior to completion of training.

While the assistant nurses' scheme has some obvious disadvantages these are more than offset at this stage of the development of the country's health services by the shorter course of training and the lower standard of education required for girls entering the service.

#### PART VI

#### DENTAL

67. STAFF.—At the end of 1953 the dental staff consisted of one Chief Dental Officer, two Specialist Dental Officers, thirty-six Dental Officers, eight Dental Housemen, forty-three Dental

Nurses and sixteen Dental Mechanics together with the Dental Nurses Training School of one Dental Officer in charge, one Sister Tutor (Dental), three Tutors and twenty-six Nurses in training.

During the year recruitment of Dental Officers to the service was very satisfactory. The eight Dental House Surgeons' posts were filled by six recruits from the University of Malaya, one from the University of Melbourne, and one from the University of Edinburgh.

68. New Centres and Clinics.—Five Health Centres were built during the year, each containing a well-designed and well-equipped dental wing. Three of these were erected in Negri Sembilan at Jelebu, Bahau and Astana Raja, one in Pahang at Kuala Lipis and one in Province Wellesley at Nibong Tebal.

Four new school dental clinics were opened, one in Ipoh, one in Kuala Lumpur and two in Seremban.

One additional mobile dental clinic was put into commission. This vehicle operates from Ipoh to rural areas and makes the total of such clinics working in the Federation, seven.

69. General.—The Dental Officer who had returned from a year's attachment to the Dominion School for Dental Nurses, Wellington, New Zealand, was appointed Principal of the Dental Nurses Training School, Penang.

Two Dental Nurses returned from post-graduate study in New Zealand and were posted to the School as Tutors.

The Nurses recruited from school under the new recruitment scheme show great keenness and aptitude, and it is the opinion of the teaching staff that the system is very successful.

For the first time two trainees from overseas were admitted for training. These girls come from Hongkong on scholarships sponsored by that Government and will return to work in the Hongkong Dental Department.

Mr. J. Ll. Saunders, D.S.O., F.D.S., Director, Division of Dental Hygiene, New Zealand, inspected the school and expressed his satisfaction with the standard of teaching and work performed.

### PART VII

#### SPECIAL INSTITUTIONS

70. The Institute for Medical Research is a Federal Institution, administered as a branch of the Medical Department. Maintained by the Federation Government, with financial aid from the Governments of Singapore and North Borneo, it receives further support for special work from Colonial Development and Welfare Funds. The main buildings are in Kuala Lumpur, where the laboratories are organised on a divisional basis for bacteriology, biochemistry, pathology, entomology, malariology, nutrition, virus diseases, medical zoology and vaccine production, and there are branch laboratories in Perak, Penang, Negri Sembilan and Pahang. Founded in the year 1900 to investigate the diseases of Malaya, the

Institute remains primarily a research institution, though a closer integration with the medical services over the years has brought responsibilities for the provision of routine pathological services and the manufacture of biological products.

Outstanding events of the year were the construction of a new research block in Kuala Lumpur, the creation of a new division for the study of virus diseases, and the establishment in the laboratories of an American research team, the fifth since the Japanese occupation.

- NEW RESEARCH BLOCK.—Proposals for the creation of a new research block in Kuala Lumpur, advanced in 1950, were finally accepted by the Federation Government and approved by the Legislative Council early in 1952. Construction began in July, 1952, and was essentially complete in June, 1953. The new buildings provide a group of laboratories with workshops, a new library, and a new lecture theatre; and they free space in the older buildings for a re-designed modern unit for the production of bacterial vaccines. The laboratories house the newly-formed Division of Virus Diseases and Medical Zoology, and an American Team from the United States Army Medical Service and Graduate School, Washington. The American Team will work in close association with their Institute colleagues and there is a confident hope that the facilities which the new buildings have to offer will bring further impetus to collaborative research at an international level.
- 72. New Division of Virus Diseases.—In March, 1953, the Colonial Office (Scrub Typhus) Research Unit was incorporated in the newly formed Division of Virus Diseases and Medical Zoology. The formation of this division marks a new phase of work extending from the rickettsial diseases to the wider field of virus disease, particularly to the animal hosts and arthropod vectors of the virus infections of man. The future of the Division is hence likely to have a biological bias. Dr. J. R. Audy is the Head of the Division, with Mr. J. L. Harrison as Zoologist; Dr. Gordon Smith is attached as Virus Research Officer, and Mr. W. Macdonald as Entomologist.
- UNITED STATES ARMY RESEARCH UNIT.—Since 1947, four self-supporting teams from the United States Army have been attached to the Institute on medical research projects of mutual interest. They have come for defined periods and their work has been intermittent. The arrival of a fifth team in July, 1953, marks a change of policy, for this team has plans for a prolonged stay, with the prospect of a most welcome continuity of effort. The Unit, organised through the Department of the United States Army, Office of the Surgeon-General, operates as a subsidiary group of the Army Medical Service Graduate School, Washington, in association with the University of Maryland. Laboratories in the new buildings have been placed at their disposal and collaborative research with the staff of the Institute is planned. The Head of the Unit is Captain F. R. McCrumb Jr.; assisting him are Captain F. H. Diercks and Dr. J. C. Fitzgerald. Their work during 1953 on Japanese encephalitis, leptospirosis, and fevers of unknown origin, is briefly recorded elsewhere in this report.

- 74. Antibiotics.—The Division of Bacteriology continues to send antibiotic-producing *Streptomyces* isolated from Malayan soil and other sources to the antibiotic station established by the Medical Research Council at Clevedon, near Bristol. Sixteen new strains were isolated and sent to this station during the year, and six antibiotics from this source are under current investigation, one inhibiting the Tubercle bacillus to a marked degree. The growing problem of bacterial resistance to antibiotics emphasises the need for continuing research in this important field.
- 75. Malaria.—Experimental studies of the newer antimalarial drugs, for many years a main activity of the Division of Malaria Research, have continued, and some 450 patients have been treated under controlled conditions with chloroquine (Nivaquine), proguanil (Paludrine), amodiaquin (Camoquin), pyrimethamine (Daraprim), Azacrin and 1698-L. The results give no grounds for revising earlier views that chloroquine and amodiaquin are the most effective drugs for treating acute attacks. The drug 1698-L was almost useless. Current trials in a Malay coastal kampong of once-monthly doses of amodiaquin and primaquine for malaria suppression, started by Dr. A. J. Walker, are giving encouraging results.

Resistance to proguanil (Paludrine) in the asexual blood forms of *P. falciparum* may extend, it seems, to the pre-erythrocytic forms and gametocytes. Professor Walker of Tulane University, working at the Institute on a Fullbright Fellowship, has shown that a resistant falciparum strain from a gametocyte carrier receiving full prophylactic doses of proguanil could be passed through mosquitoes and infect human volunteers similarly "protected". This observation, made in conjunction with the Division of Entomology, may have an important bearing on future preventive policy in areas where proguanil-resistant strains are known to be prevalent.

The puzzling problem of the heavy sporozoite infections found on the Selangor coast in A. baezai and A. hackeri, whether they have a human or animal origin, has not yet been solved. The hackeri infections, first reported last year, were almost certainly of animal origin, and probably those of baezai too.

The Negri Sembilan Medical Department has now taken over the malaria control in valleys where residual spraying with DDT or Gammexane had been studied for three years by the Institute. Spraying is being continued twice a year with DDT emulsion in doses of 200 mgm per sq. foot. Malaria remains at low ebb but falls short of elimination.

A parasite and spleen survey made in Trengganu kampongs at the request of the State Government left no doubt of the reality of the malaria problem in the inland hilly country, though many of the flat riverine areas were almost malaria-free.

75. (a) INSECTICIDES.—Tests of the residual insecticide, Dieldrin, made against Anopheles maculatus, A. sundaicus and Culex fatigans in the window-trap huts described in last year's report, were completed during the year. The effect of Dieldrin at 40 mg per sq. foot was more lasting than that of DDT at 200 or

gamma BHC at 40 mgm per sq. foot. Maculatus was the most susceptible and fatigans the least.

The DDT emulsion introduced in 1951 as a cheap and effective larvicide has given good control of anopheline breeding but not against nuisance mosquitoes, generally *Culex fatigans*, breeding in sullage drains. It seems that the DDT is absorbed or in some way masked by organic matter. Dieldrin and BHC are probably absorbed too, but they are more toxic and larvæ tend to receive a fatal dose before these insecticides are rendered inocuous, for good immediate control of *C. fatigans* was obtained with Dieldrin emulsion and BHC wettable powder. But in the laboratory the life cycle of *C. fatigans* from egg to adult is regularly completed in seven days, and by the usual weekly larviciding routine eggs might be laid and the adults emerge between one round and the next. The cleansing of drains and good maintenance to promote flow are still important.

Comparative tests of the toxicity of insecticides for adult mosquitoes and larvæ, started in 1952 by Mr. Wharton in London have been continued. The results appear to confirm what had already been suspected from earlier work with window-trap huts, namely that the differences in mortality are due to innate differences in susceptibility to the insecticide rather than differences of behaviour affecting the degree of contact with the insecticide. In particular they showed that adult *C. fatigans* are extremely resistant to DDT.

Early in the year the Municipal Health Department, Penang, reported that nuisance mosquito breeding which had been well controlled since 1949 with BHC wettable powder was no longer controlled in this way. Comparative tests in the laboratory showed the larvæ of a Penang strain of *C. fatigans* which had been regularly exposed to BHC were much less susceptible than the larvæ of a Kuala Lumpur strain with no past exposure. This is the first proof in Malaya of resistance to an insecticide acquired by a mosquito,—here the larval stage of *C. fatigans*—though resistance in *C. fatigans* has been reported from other countries.

A deterioration in DDT wettable powders from storage under warm, humid, conditions has been reported, large quantities of DDE, the less active dichlordiethylene analogue of DDT, having been found in old samples. There seems to be little fear, however, that storage of technical DDT in Malaya will lead to serious deterioration, for tests of samples stored for seven years revealed no significant breakdown to DDE.

The hazards to health arising from the use of organo-phosphorus insecticides in agriculture are now well known; joint recommendations to the Director of Medical Services from the Department of Agriculture, the Rubber Research Institute and the Institute for Medical Research have led to the amendment of the Poisons List of the Poisons Ordinance, No. 29 of 1952, and the introduction of the Poisons (Dangerous Insecticides) Regulations, 1953.

76. FILARIASIS.—Endemic filariasis due to W. malayi is a serious focal problem in the lower reaches of the main rivers, and in certain coastal areas of Penang, Province Wellesley and

Kedah. Infections have also been reported among aborigines in the hills of the interior. Some of the most heavily infected territory is in Pahang where a programme of research, supported by Colonial Development and Welfare Funds, began in July, 1953, and a small laboratory was established at Kuantan. From this work, it is hoped, will come the basic knowledge whereby a policy of control may be defined. The kampongs chosen for our experimental work lie along the lower reaches of the Pahang river where the population is heavily infected. By the end of the year a blood survey had been made of some 4,500 persons and mosquito trapping and dissection were in full swing. The vector mosquitoes are probably species of Mansonia which are extremely numerous and have an overall infection rate of 1.5 per cent. among some 3,000 dissected. Experimental control will probably be based on spraying with a residual insecticide to destroy adult Mansonia or on Hetrazan treatment of infected persons; but much baseline information must be collected before control can usefully begin. On Penang island dissections have shown that anophelines as well as Mansonia play an important part in transmission, as they do also in Kedah and Province Wellesley.

While investigating the mosquitoes in an aboriginal clearing on a steep forested hillside many specimens identified as *Aedes* (Finlaya) chrysolineatus Theo were caught attempting to bite man, and it was shown that this species can be experimentally infected with *W. malayi*. This is an interesting finding in relation to Polunin's report of filariasis among aborigines from hill country where the usual vectors of filariasis might well be scarce.

Experimental treatment with Hetrazan of 78 malayi infections in Penang confirms that patients with microfilariae in the blood consistently develop fever after treatment; and about a fifth of them have a local reaction in the lymph glands. A small-scale trial of mass treatment in an infected kampong in Penang revealed the difficulties inherent in any attempt to control Malayan filariasis in this way.

A study of the periodicity of W. malayi in 27 hospital patients showed peak counts of microfilariae in the blood between 9 p.m. and 5 a.m.

The discovery of a small endemic focus of Bancroftian filariasis on Penang island is of unusual interest.

77. Yellow Fever.—The mosquitoes which carry yellow fever elsewhere in the world are found in Malaya but too little is known about them to assess the chances of spread should the virus, now apparently absent, gain an entrance. We need to know the distribution and biology of Aedes aegypti and A. albopictus to assess the risk of urban transmission, and of wild or forest Aedes to envisage whether or in what way yellow fever might become established in jungle. These gaps in our knowledge will slowly be filled; a start has been made with a study of the black Aedes species inhabiting the fringe of the coastal swamps. particularly of Aedes butleri which readily bites monkeys and man.

The control of Aedes aegypti in Port Swettenham has fallen short of expectations. Three sprayings with DDT by the Health Department, with some larviciding, reduced the aegypti index

from 63 to 20 per cent. This disappointing result, due in part to shortage of staff, draws attention to the country-wide need for more training of subordinate staff in spraying techniques.

Though there is no indication that yellow fever occurs in Malaya—the disease is certainly absent in man—there is at least a chance that the virus may be found in jungle animals, confined to the forest by the lack of a suitable vector link with man. This is apparently the situation in Madagascar. To obtain evidence on this point sera from a representative sample of jungle animals are being sent to the Virus Research Institute, Entebbe, Uganda. Here mouse protection tests will be done to find out whether or not these animals are carrying antibodies to the virus.

The potential danger of yellow fever in S.E. Asia however remote it may seem, cannot be ignored. We might take the complacent attitude that the virus having apparently found no entry in the past will fail to secure a foothold in the future. This attitude is indefensible. The only sensible policy is one of preparedness. We must know the biological background—this is the reason for research—and we must be ready to meet the first alarm with speedy and effective counter measures. Medical and health officers must know the facts; and as a contribution to this end two circulars were issued during the year describing the current outbreak of jungle yellow fever in Central America and outlining a programme for mass vaccination in Malaya in the event of an outbreak.

78. Japanese B Encephalitis.—A study of the biology of mosquitoes on the Selangor Coast has continued, and the blood preferences of the common mosquitoes are broadly known. In the light of this information attention is being concentrated on a few common species of *Culex* as possible vectors. Attempts to isolate virus from wild caught mosquitoes were not successful; they will be repeated later, preferably in places where serum examination or other evidence suggests active transmission of the virus. Human and animal sera collected in Malaya are being examined for antibodies by Dr. Pond in America.

Some 20 human cases of central nervous system disease clinically resembling Japanese B encephalitis have been observed by the U.S. Research Unit since July, 1953. Of this group, ten have been tentatively identified by serologic methods as Japanese B virus infection. Two of these cases ended fatally. Isolation attempts were made with material from six patients, including post-mortem nervous tissue from the fatal cases, without success. All of these cases were sporadic and it is interesting that the ten serologically proven cases were widely distributed over the Federation.

79. FOOD AND NUTRITION.—The proceedings of the Regional Meetings of the Food and Agriculture Organisation and the World Health Organisation in South and East Asia have stressed the importance of nutrition education, both for children and adults, in order to combat the effects of poverty and ignorance on the dietary pattern of the peoples in this region. For this reason close contact has been maintained with the Department

of Education, which invited WHO and Institute representatives to submit a report on the teaching of domestic science in the schools in the Federation.

Pamphlets, broadsheets, and posters, both locally-produced and adapted from those in use in other countries, have been made available to the school authorities and to organisations interested in giving simple nutrition education to women and girls. Lectures have been given to interested groups, and dietary enquiries from Government Departments and from physicians and commercial firms have been answered. An active part has been taken in discussions on the re-organisation of schemes for the supplementary feeding of school children.

Anæmia in Malaya is widespread and often severe, particularly among Indian labourers employed on estates. During the first eight months of 1953, some 2,600 cases were admitted to government hospitals. and 49,000 treated as out-patients; even these high figures may not reveal the true incidence. Simple hæmoglobin surveys on various racial and social groups have helped to define the distribution and extent of the anæmia; therapeutic trials have shown that many are normoblastic iron-deficiency anæmias responding fairly well to simple iron treatment, but there is still little precise information on the anæmias of megaloblastic type. Current interest centres on these megaloblastic anæmias, particularly on the role in treatment of folic acid and vitamin B<sub>12</sub>.

Work continues on the estimation of the thiamine content of the milk of nursing mothers. Generally speaking the thiamine levels in samples from mothers with no clinical evidence of deficiency were lower than those reported from the United Kingdom. There were no significant differences due to race, though the individual range was considerable.

Kwashiorkor, a serious and often fatal form of malnutrition in infants and very young children, is thought to be due to a deficiency of dietary protein in the early months of life. The condition originally described in Africa, has been reported from the West Indies, India, Fiji, Indonesia, and the Philippines. Infants weaned too early on to a carbohydrate diet with little protein, and that of poor biological quality, are the main victims. Kwashiorkor might well be expected to occur in Malaya, and Dr. Frances Thomson has found that a serious kwashiorkor-like syndrome is not uncommon in Central Perak; few cases have been reported from Malaya as a whole and brief inspections in Selangor and Trengganu made during the year by the Division of Nutrition, revealed little evidence of the condition in the areas visited.

Damage to the liver from experimental deficiencies in the diet of animals is now well recognised. Liver cirrhosis in rats, for example, may be produced by a diet poor in protein and rich in carbohydrate, and it has been suggested that a deficiency of methionine or of some other sulphur-containing amino acid may be responsible. A study is in progress of the effects on rats of a diet with a similar lack of balance, resembling that of a Chinese market-gardening community. Four groups of rats are

being fed on the equivalent of the Chinese diet; three of the groups are receiving in addition a supplement of methionine, legumes, or fish. After twelve months no significant difference in

the appearance of the liver was apparent.

The studies on the loss of thiamine from highly-milled rice during washing and cooking, recorded in 1950, have been extended to ascertain the loss of iron, calcium, phosphorus, and phytic acid phosphorus, when parboiled rice is cooked by two common methods—the Malay method whereby all the cooking water is absorbed into the cooked rice, and the Tamil method in which excess water is drained from the rice after it has been cooked. The loss of each nutrient except calcium was greater with the Tamil method of cooking. Both methods involved a considerable loss of iron. Thiamin and iron losses from enriched highly-milled rice were also studied. The results so far are somewhat equivocal, but it seems that there is a loss from washing and a further loss into the kanji during cooking by the Tamil method. It is possible that most of the iron and thiamin lost from washing come from the highly-milled component of enriched rice, and that the further loss during cooking is from the "premix" grains, for it is reasonable to suppose that the protective coating of these grains prevents much loss of water-soluble nutrients during the washing process.

- 80. Salmonella Infection.—The only organisms of the salmonella group normally transmitted direct from man to man are *S. typhi* and *S. paratyphi*, but other members of this large group are pathogenic for animals and sometimes infect man. Last year's annual report reviewed the salmonella infections isolated from man by the Division of Bacteriology. During the year 18 further human infections have been investigated, five due to members of the salmonella group hitherto unrecognised in Malaya. A small outbreak in a maternity ward of infection due to *S. typhi-murium*, was of special interest.
- 81. Torula meningitis.—Human infections with the yeast-like organism, Cryptococcus neoformans, often involving the nervous system, have been reported from other countries. The source is unknown, and the outlook is usually bad, for the organism tends to be insensitive to antibiotics and unresponsive to other forms of therapy. A fatal case of this rare infection involving the brain was investigated during the year.
- 82. DIPHTHERIA.—Work on the classification of Malayan strains of *C. diphtheriæ* suggests that the older differentiation into *mitis, intermedius* and *gravis* types has little validity in this country, for we have the paradox that most deaths from diphtheria are due to the so-called *mitis* type of organisms. Dr. Ferris of Melbourne has introduced a more useful classification which distinguishes 16 serological types. The commonest type in Malaya appears to be "Mitis Johnson", found in 85 of 141 infectious serologically typed in the Division of Bacteriology.
- 83. PUERPERAL SEPSIS.—The isolation of hæmolytic streptococci or pathogenic staphylococci from nine persons in a maternity ward staff of fifteen emphasises the value of face masks in obstetric practice.

- 84. Leptospirosis.—In the course of investigations on fevers of unknown origin some 30 cases of clinical leptospirosis were seen by the U.S. Research Unit. Eighteen strains of leptospira isolated from these cases have been sent to the United States and the United Kingdom for identification and further serological studies. A trial of sonic-vibrated complement-fixing antigens for the laboratory diagnosis of leptospirosis is in progress.
- 85. FEVERS OF UNKNOWN ORIGIN.—The U.S. Unit is attempting, so far without success, to isolate viral agents associated with fevers of unknown origin observed in Seaport Estate or in hospital.
- 86. Controlled population study.—A controlled study designed to throw light on the incidence and pattern of sickness in a typical Indian estate community has been started by the U.S. Research Team on Seaport Estate, Selangor, with the kind assistance of the estate manager, Mr. Travers. Serological surveys to detect inapparent infections are being made every six months, with a detailed study of clinical illnesses. Primary consideration is given to the study of antibodies against Japanese encephalitis virus and other arthropod-borne viruses in addition antibody studies of poliomyelitis, typhoid fever and streptococcal infection are in progress. Examination of sera collected will be made mainly in the United States.
- 87. Cancer.—A preliminary study of the geographical pathology of cancer has been completed and will soon be published. In general it seems that the overall incidence of cancer in Malaya is about the same as that of other countries when allowance is made for the differences in age structure of the population, but there are great differences, apparently racial, in site incidence. Chinese, for example, are especially prone to cancer of the liver and upper respiratory passages, and Indians to cancer of the mouth. With four races exposed to differing influences under similar physical conditions Malaya is well placed for studies on the possible effects of heredity and environment, but progress in this direction will be slow until we have a central cancer registry.
- 88. Mycoses.—The superficial mycotic infections of the skin are extremely common in Malaya but the more serious deep mycoses are not commonly recognised. Among the deep mycoses observed during the year were eight cases of rhinosporidiosis, two in children; a case of blastomycosis of the adrenals with the clinical features of Addison's disease; a case of maduromycosis of the foot; and a case of histoplasmosis of the mouth and neck, the first so far as is known to be recorded in Malaya.
- 89. Tuberculosis.—A study of cervical lymphadenopathy revealed that two-thirds of the cases of tuberculosis lymphadenitis of the neck were found in persons more than twenty years old, an age incidence which in Britain is rare. The significance of this observation is unknown.
- 90. VACCINE LYMPH.—For many years gas-forming anærobic organisms have caused heavy losses of vaccine lymph, about one-third of all the lymph produced at the Institute, for no lymph

containing these organisms may be passed for issue. Recent trials suggest that aureomycin may inhibit the growth of these trouble-some organisms without adverse effect on the potency of the lymph.

- 91. CLINICAL BIOCHEMISTRY.—The present range of biochemical work in the Institute includes a study by paper electrophoresis of the pattern of serum proteins in various pathological states, a trial of an electrophoretic separation of chorionic gonatotrophin in the urine for the recognition of early pregnancy, and microbiological assays of folic acid.
- 92. Second Expedition to Islands in Malacca Straits.— The Sembilan Islands and Pulau Jarak investigated by the Colonial Office Unit in 1950, were revisited in January, 1953 and, in addition, a short visit was paid to Pulau Berhala by kind permission of the Government of Indonesia. The work done is part of a larger survey: it is to continue and results will not be available for several years.
- 93. Expedition to Mt. Trus Madi, North Borneo.—Two officers and members of the staff of the Division of Virus Research and Medical Zoology were engaged in July-August in a joint Anglo-American project financed by the Surgeon-General's Office in Washington. Evidence was gained to show that previous work on Mount Kinabalu has general application. A number of investigations were carried out and results are to be published.
- 94. Extension and Re-organisation of the Animal Houses.—The heavy demands for animals necessary for virus research are beyond the capacity of the old animal houses. A new animal house, mosquito and ant-proofed, has been built for the accommodation of monkeys and intensified mouse-breeding: and a financial grant from Colonial Development and Welfare Funds has made possible the appointment of a whole-time superintendent.
- 95. Library.—With the transfer of the library to the new buildings in June a complete re-organisation was possible. By exchange through UNESCO and the Library Association some 1,000 issues of periodicals missing since the Japanese occupation have been replaced; new classifications for text books and periodicals have been introduced. Though maintained by the Institute, the library is open to the whole medical profession in Malaya.
- 96. International Conferences.—For many years the Federation Government has accepted the policy that officers of the Institute should miss no reasonable opportunity of meeting research workers in other parts of the world and of seeing at first hand the work they are doing. During the year the following officers attended international conferences:

Dr. J. W. Field ... Fifth International Congress in Tropical Medicine and Malaria, Istanbul, August, 1953.

Dr. I. A. Simpson ... Led the U.K. Delegation at the Third Regional Nutrition Meeting, F.A.O./ W.H.O., Bandung, Indonesia, June, 1953.

Dr. J. R. Audy ...

International Symposium on the Dynamics of Virus Infections, Detroit, U.S.A., September, 1953.

Miss E. B. Cheek ... First International Congress on Medical Librarianship, London,

July, 1953.

Mr. J. A. Reid ... First Asian Conference on Malaria

Dr. J. F. B. Edeson ... Control, W.H.O., Bangkok, September, 1953.

97. Overseas Guests.—Overseas guests working in the laboratories during the year include:

Dr. A. J. Walker ... Professor of Clinical Tropical Medicine, Tulane University, New Orleans, attached to the Institute for work on malaria from January to August, 1953, on a Fullbright Research Fellosship.

Dr. W. L. Pond ... Army Medical Service Graduate School, Washington, from July to September, 1953, for work on Japanese encephalitis.

Dr. John H. Dingle ... Director, Commission on Acute Respiratory Diseases, U.S. Armed Forces Epidemiological Board.

Dr. Colin M. Macleod ... President, U.S. Armed Forces Epidemiological Board.

Dr. Dingle and Dr. Macleod spent a part of September and October in the laboratories for the planning of collaborative work in Malaya.

Capt. F. McCrumb
Capt. F. H. Diercks
Dr. J. C. Fitzgerald

...

Members of the U.S. Medical Research
Unit, June to December, 1953.

98. ROUTINE.—The Institute maintains a diagnostic and advisory service for the Federation of Malaya and prepares some of the more important biological products. Some 1,090,000 doses of vaccine lymph, 59,000 cc. of typhoid and cholera vaccine and 32,280 cc. of anti-rabies vaccine prepared at the Institute were issued during the year. These products were supplied without charge to the Medical and Health Services of the country. More than 100,000 examinations, bacteriological, biochemical, entomological, histological, serological, etc., were made during the year for the medical services and practitioners of the Federation.

### LEPER SETTLEMENTS

There are four Leper Settlements in the Federation—Sungei Buloh in Selangor, Pulau Jerejak in Penang, Leper Settlement, Johore Bahru and Leper Camp, Kota Bahru, Kelantan.

99. Leper Settlement, Sungei Buloh.—Sungei Buloh Settlement is situated in a valley some 16 miles from Kuala Lumpur in attractive surroundings. Part of the Settlement is laid

out as a hospital with wards for the treatment of the acute cases, and the rest is a village settlement consisting of small semi-detached houses each with one room, a kitchen, a verandah and a bath room. Married couples who have been admitted to the settlement are allowed to live together and a number of marriages take place each year amongst the settlement inmates. About 40 infants are born each year in the settlement and these are removed as soon as possible to a creche' in the uninfected area where they are looked after till they are adopted or taken care of by the social welfare organisations.

The general health of the inmates has been good. The improvement in the general situation in the immediate neighbourhood has been reflected here and the settlement had a peaceful year.

During the year the number of patients in the Settlement increased from 2,411 to 2.460: the distribution of the population is as follows:

Nationalit	ies	Men	Women	Boys	Girls	Healthy Infants	Total
Chinese	• • •	1,171	528	116	74	18	1,907
Indians		213	28	9	4	2	256
Malays		203	49	18	8	_	278
Others		14	3	2	_		19
Total	• • •	1.601	608	145	86	20	2,460

The rate of intake over discharge during the year was 49 and shows no sign of slackening in spite of more and more cases getting outpatient treatment.

A small mental ward for female patients has been built and an X-ray darkroom made and equipped.

Children who have left school, are now employed as apprentices and work part time, thus learning a trade and earning pocket money from a grant-in-aid from the Social Welfare Department.

TREATMENT.—Treatment has continued on much the same lines. Diamino-diphenyl-sulphone is still the drug of choice and has proved much more effective than all subsequent drugs tried. Combinations of D.D.S. with thiosemicarbazones or isonicotinic hydrazide are inconclusive.

Research in conjunction with Prof. Hale of Singapore has been on three main lines. Firstly, the evolution of the disease in this country; secondly, the response under treatment of various types of leprosy and, thirdly, the allergic responses of the disease with particular regard to the inter-relationship with tuberculosis.

The possibility of B.C.G. inoculation proving of value in leprosy is being considered and contacts watched.

HOSPITAL.—There were 1,573 admissions into the acute hospital with 38 deaths during the year. In 1953 forty-one babies were born. Among these there were two deaths and one still born.

Cortisone has proved of great value in certain forms of lepra reaction and also in drug sensitivity.

The routine treatment is carried out in the villages. In addition to special groups and morning sick parade there is the general supervision of the whole area.

Discipline has been good and no serious crimes were recorded during the year.

The Coronation was the occassion for a tremendous display of loyalty and enthusiasm, the decorations devised by the patients were well up to the standard of those in Kuala Lumpur.

Photographs of some of the arches were shown to Her Majesty the Queen and a letter of appreciation has been received from Buckingham Palace.

100. LEPER SETTLEMENT, PULAU JEREJAK, PENANG.—The leprosy patients on the Island of Pulau Jerejak are housed in two camps situated in the west side of the Island. The nearest point of access to Penang is about two miles from Sungei Nibong. No visitors are allowed except by permit and all non-infectious cases are occasionally granted permission to visit relatives.

There are two camps with 131 semi-detached permanent huts. Each hut accommodates three patients and all married inmates are given separate huts.

During the year 63 cases were admitted against 92 during the corresponding period. The total cases remaining at the end of the year was 433 against 414. There were 30 married couples from whom five births were recorded. Babies born on the island are sent to the Maternity Hospital, Penang. After six months they are transferred to the Social Welfare Department orphanage.

Uncooked rations are supplied to all fit inmates who do their own cooking. Inmates who are disabled are supplied with cooked food.

Gardening, poultry rearing and fishing are the main occupations of the inmates. Each community has its own club room where reading and indoor games are indulged in.

The Brass Band of the Settlement consists of 14 players who provide musical entertainment to inmates and visitors. There are two English and two Chinese Adult Education Classes in the camps managed by the Penang Adult Education Association. These classes are run by the inmates.

REHABILITATION OF LEPROSY CASES.—The rehabilitation of eight cured leprosy cases from Pulau Jerejak at Jawi New Village was begun on 19th November, 1953. These patients were each allocated a house, a plot of land to cultivate and a money grant for 6 months by which period it is hoped they will be self-supporting.

This rehabilitation scheme is the first of its kind in this country and its success is largely dependant on the reaction of the residents of Jawi New Village to having discharged leper patients living as neighbours. That reaction was most favourable and right from the start none of the usual fear and suspicion of

such cases was shown although this had been expressed before the arrival in the village of these discharged patients.

The above scheme originated in 1952 and the success was due to the help and co-operation rendered by the British Red Cross.

#### MENTAL INSTITUTIONS

101. Central Mental Hospital, Tanjong Rambutan.— The number of admissions for the year under review was 1,928 as compared with 1,892 in 1952. There were 1,628 discharges of whom 987 were graded as recovered, 416 as relieved and 225 as not improved. Deaths numbered 311 with a death rate of 5.94 per cent. of the 5,239 patients treated.

Deep insulin and electric convulsive therapy continued to be used with good results. Number of cases treated are as follows:

Electric Convulsive Therapy ... 1,797 Deep Insulin Therapy ... 117

Occupational therapy was carried out as in previous years.

# RETURN OF INMATES FOR THE YEAR 1953 SUMMARY OF NATIONALITIES

Nation	alities	Remaining at end of 31-12-52	Admissions	Remain- Total ing at Treated end of 31-12-53		
Europeans		 3	8		11	1
Eurasians		 14	8		22	15
Chinese		 2,124	1,054	212	3,178	2,179
Indians		 423	401	46	824	474
Malays		 732	450	50	1,182	777
Others		 15	7	3	22	16
	Total	 3,311	1,928	311	5,239	3,462

Daily average number of inmates for 1953 ... 3,295 Number of Beds ... ... ... 3,000

The cost of maintaining the Central Mental Hospital is indicated below:

(i) Personal e	molum	ents	• • •		\$1,431,925.37
(ii) O.C.A.R.					1,087,124.39
(iii) O.C.S.E.	• • •		•••	• • •	12,830.06
					\$2,531,879.82

Capital expenditure, pension and leave charges are not included. The nett maintenance cost is \$768.40 per annum per patient treated.

FARMS.—The number of patients working in the farms at the end of the year was 287 as compared with 265 in 1952. More than 300 acres are under cultivation. Vegetables and fruits are extensively grown. The pig and other farms were progressing

satisfactorily and were supplying the needs of the patients in relation to pork and other produce.

102.—MENTAL HOSPITAL, TAMPOI.—The Mental Hospital, Tampoi, which started to function with 65 patients in 1952 had 836 cases at the end of 1953. This institution has accommodation capacity of 1,200 patients.

In spite of the opening of this mental asylum the position at the Central Mental Hospital, Tanjong Rambutan has not eased.

#### MEDICAL STORES AND PHARMACEUTICAL LABORATORY

103. There are two large medical stores in Kuala Lumpur and Penang. The Stores account is operated under a "Below the Line" Account with a ceiling of \$12,000,000.

Two hundred and forty-six indents were sent to the Crown Agents from both the Stores and the total value of these indents was \$3,475,186.27.

Due to the establishment of a large number of New Village Dispensaries and demand for supplies by the voluntary organisations the issue of medical stores has considerably increased.

Owing to the expansion of the Stores Department mechanisation of the accounts was introduced. In June, 1953, both the Stores were closed for 14 days to enable a complete stock-taking to be made. This involved extra work on the staff of the stores and the new system was put into operation on 1st July, 1953.

A report from the Chief of the Fire Services on the many hazards present in the Medical Stores which hold stocks valued at over 10 million dollars has raised the question of re-organisation and reconstruction with possible centralisation of all stores in the Federation and all manufacturing facilities. This matter is at present under consideration since the state of affairs revealed is a serious one, and a disastrous fire might deprive the country of more than a year's supply of an indispensable drug or piece of equipment.

104. Medical Stores, Kuala Lumpur.—The value of drugs issued to the Kuala Lumpur laboratory for manufacturing purposes was \$111,403.56 and the manufactured products were valued at \$148,000.73, making a profit of \$36,597.17 on the manufacturing account.

OUTPUT FROM LABORATORY.—Over 337,033 ampoules were made as compared with 251,105 in 1952; 104,103 pounds of galenicals and 1,028,412 injectable doses were also produced during the period under review. The production of sulphone and sulphetrone preparations for the treatment of leprosy was 377,500 and 14,849 doses respectively.

Further, 77,970 ccs of B.C.G. vaccine was issued during the year.

Routine chemical examinations and drug assays were carried out. The Chief Pharmaceutical Chemist continued his investigations with certain vegetable extracts which he had isolated and

purified; these were sent to the University of Malaya for a pharmacological report. Technical advice on various packs of medical supplies captured from communists was given to the Special Branch of the C.I.D.

105. MEDICAL STORES, PENANG.—The Government Medical Store, Penang, has its godowns in widely scattered localities and, therefore, the efficiency is greatly handicapped.

As is usual every year, there was steady and continued expansion of the store work done in 1953. Due to the absence of the Superintending Pharmaceutical Chemist on long leave manufacture of ampoules and of general preparations was somewhat below expectation.

Twenty-one thousand four hundred and eighteen pounds of galenicals, 8,100,000 tablets and 890 units of miscellaneous preparations were manufactured.

The value of ingredients and materials used in manufacturing was \$92,600 and the value of the output was \$121,700 so that the gross saving to Government was \$29,000.

106. NARCOTICS.—The Superintending Pharmaceutical Chemist, remained the sole importer and wholesale distributor of narcotics and the system worked smoothly, apart from the problems connected with *Physeptone* which is referred to again below.

#### NARCOTICS STATISTICS

		1953	1952		1951
Consumption of medicinal opium as	such	 3 kg	. 5	kg.	2 kg.
Consumption of opium in tinctures,	etc.	 56 ,	, 12	,,	37 "
Consumption of Morphine		 nearly 3 ,	, 1	,,	3 "
Consumption of Diamorphine		 under 1 ,	, under 1	,,	under 1 "
Consumption of Cocain		 nearly 2,	, 1	,,	1 "
Consumption of Pethidine		 8,	, 5	,,,	5 "
Consumption of Heptalgin		 under 1,	, under 1	• • • • • • • • • • • • • • • • • • • •	under 1 "
Consumption of Physeptone		 272 gi	n. 114	gm.	$70~\mathrm{gm}$ .

The above figures indicate a sharp upward trend in the consumption of most of the narcotics and this is only partly explained by the fact that 1952 was a year of unusually low consumption. 1953 was a year of particularly heavy demands for narcotics from private practitioners. This does not necessarily imply a greatly increased use of narcotics, as part of the increase may be due to the need for replacement of old stocks which may have been held for many years.

107. Physeptone.—In the second half of the year, following on articles in medical journals on the use of Physeptone for the treatment of opium addiction, there was a very sharp increase in the demand for Physeptone tablets from private practitioners and stocks were quickly exhausted, and further purchases within the small annual quota of 1,000 gm. were quickly taken up. There is evidence that opium addicts (thanks to the activities of the Customs Preventive Branch in making illicit opium imports a very risky business, and also partly due to the trade recession

with its resultant effect of less money available for expensive habits) are themselves going to private practitioners and asking for prescriptions for Physeptone. There is some evidence that:

- (a) there is a small "black market" in Physeptone tablets which have entered Malaya legally and have been distributed to doctors and pharmacists in the usual way;
- (b) prescriptions for Physeptone have been altered so that the patient gets increased quantities;
- (c) a number of persons have been obtaining Physeptone prescriptions from more than one doctor; and
- (d) quite a number of persons who only obtain their Physeptone legally (i.e., on prescriptions) are, at least in a minor degree, Physeptone addicts.

It is interesting to note that the use of Physeptone in Government Hospitals is negligible, and has not increased during the year.

108. ORTHOPAEDIC APPLIANCE CENTRE.—The organisation of the Limb Fitting Centre has from time to time been reviewed depending on the circumstances necessitating it. New ways and methods have been introduced to improve the working procedure within the Centre.

The work produced in 1953 included 79 fully articulated legs with wooden foot pieces, 17 peg legs, 3 symes (for ankle amputation), 16 artificial arms and various other orthopædic appliances.

### TABLE 1

### **IN-PATIENTS**

### RETURN OF DISEASES AND DEATHS FOR THE YEAR 1953

### INTERMEDIATE LIST OF 150 CAUSES FOR TABULATION OF MORBIDITY AND MORTALITY—(See footnote below)

Intermedia Intermedia Intermediation	ate	Detailed list Number	Cause Groups—(Discases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
			I.—INFECTIVE AND PARA-					
A 1		001-008	Tuberculosis of respiratory	0.010	F 0 4 F	0.650	0.00	0.010
A 2		010	system	2,812	5,847	8,659	968	2,910
A 3		011	central nervous system Tuberculosis of intestines, peri-	12	147	159	96	8
A 4		012-013	toneum and mescnteric glands Tuberculosis of bones and joints	$\begin{array}{c c} 7 \\ 162 \end{array}$	$\begin{array}{c} 77 \\ 375 \end{array}$	$\begin{array}{c} 84 \\ 537 \end{array}$	17 13	$\begin{array}{c} 2 \\ 126 \end{array}$
A 5	(a)	014	Tuberculosis of skin and sub- cutaneous cellular tissue	1	25	26		12
	(b)	015	Tuberculosis of lymphatic system	19	136	155	3	9
	(c)	016	Tuberculosis of genito- urinary system		30	30	3	1
	$\begin{pmatrix} d \\ e \end{pmatrix}$	$\begin{array}{c} 017 \\ 018 \end{array}$	Tuberculosis of adrenal glands Tuberculosis of other organs	5	$\frac{9}{33}$	9 38	3	2
A 0	(e) (f)	019	Disseminated tuberculosis	3	7	10	4	
A 6 A 7	(a)	$020 \\ 021.0-021.1$	Congenital syphilis	5 6	83 74	88 80		1 3
	(b) (c)	$021.2 \\ 021.3$	Secondary syphilis Early syphilis, relapse following	27	369	396	1	18
	(d)	021.4	treatment Early syphilis (unspecified stage)	• •	15	15		
A 8 A 9		$\begin{array}{c} 024 \\ 025 \end{array}$	Tabes dorsalis	$\frac{1}{69}$	$\begin{array}{c} 33 \\ 74 \end{array}$	$\begin{array}{c c} 34 \\ 143 \end{array}$	1 44	$\begin{vmatrix} 3 \\ 71 \end{vmatrix}$
A 10	(a) (b)	$\begin{array}{c} 022 \\ 023 \end{array}$	Aneurysm of aorta Other cardiovascular syphilis	$\frac{2}{1}$	18 15	20 16	$\frac{3}{2}$	1
	(c)	$0\overline{2}6$	Other syphilis of central nervous system	5	30	35	6	1
	(d) (e)	$\begin{array}{c} 027 \\ 028 \end{array}$	Tertiary syphilis	26	$\begin{array}{c} 134 \\ 22 \end{array}$	160 22	2	14
A 11	(f)	$029 \\ 030$	Syphilis unqualified Acute or unspecified gonorrhoea	4 11	90	94	6	10 10
A 11	(a) (b)	031	Chronic gonococcal infection of		363	374	<b>J</b> .	
	(c)	032	genito-urinary system Gonococcal infection of joint	3	77 73	80 76		2 3
	(d) (e)	$033 \\ 034-035$	Gonococcal infection of eye Gonococcal infection of other	1	54	55	••	4
A 12		040	sites Typhoid fever	50	$\begin{array}{c c} 14 \\ 753 \end{array}$	$\begin{array}{ c c }\hline & 14\\ 803 \\ \end{array}$	69	$\begin{array}{c} 1 \\ 51 \end{array}$
A 13	(a) (b)	$\begin{array}{c} 041 \\ 042 \end{array}$	Paratyphoid fever A. B or C Other salmonella infections	1	$\begin{array}{c c} 21 \\ 1 \end{array}$	22 1	•••	1
A 14 A 15		$\begin{bmatrix} 043 \\ 044 \end{bmatrix}$	Cholera Bruccllosis (undulant fever)		1	1		
A 16	(a) (b)	$\begin{array}{c} 045 \\ 046 \end{array}$	Bacillary dysentery Amoebiasis	$\begin{array}{c} 1\\47\end{array}$	$142 \\ 1,324$	$143 \\ 1,371$	5 37	$\frac{2}{46}$
	(c)	047-048	Other protozoal and unspecified	21	399	420	11	17
A 17 A 18		$050 \\ 051$	Scarlet fever		1 3	1 3		1.
A 19		052	Erysipelas	1	52	53	1	1
A 20 A 21		053 055	Septicaemia and pyaemia Diphtheria	$\frac{1}{34}$	136 1,085	137 $1,119$	65 299	36
A 22 A 23		$\begin{array}{c} 056 \\ 057 \end{array}$	Whooping Cough Meningococcal infections	5	$\begin{array}{c c} & 193 \\ & 4 \end{array}$	198	10 3	10 1
A 24 A 25		$058 \\ 060$	Plague Leprosy	3,176	843	4,019	58	3,333
A 26	(a) (b)	061	Tetanus of the new-born Tetanus, other forms	5 2	$\frac{190}{252}$	195 254	148 98	5
A 27 A 28	(2)	062 080	Anthrax	11	103	114	14	6
A 29		082	Acute infectious encephalitis		4	4	2	
			Carried forward	6,540	13,731	20,271	2,010	6,718

The headings are taken from the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality as published in the "Manual of the International Statistical Classification of Discases, Injuries and Causes of Death" (Sixth Revision, 1948).

Reference should be made to the Detailed List of the Diseases published on pages 45 to 321 of the above Manual whenever there is any doubt about the entry in the list.

## IN-PATIENTS—(cont.)

Intermedia list Numl	ite	Detailed list Number	Cause Groups—(Diseases)	Remain- ing at end of 31-12-52	Admissions	Total cases treated	Deaths	Remain- ing at end of 31-12-53
			Brought forward	6,540	13,731	20,271	2,010	6,718
			I.—INFECTIVE AND PARA- SITIC DISEASES—(cont.)					
A 30		081	Late effects of acute poliomyelitis and acute infectious					
A 31		$\begin{array}{c} 083 \\ 084 \end{array}$	encephalitis Smallpox	4	$\begin{array}{c} 57 \\ 4 \end{array}$	61	1	4
A 32 A 33		$\begin{array}{c} 004 \\ 085 \\ 091 \end{array}$	Measles	16	620	636	4	8
A 34		092	Infectious hepatitis	13	447	460	27	15
A 35 A 36	(a)	$\begin{array}{c} 094 \\ 100 \end{array}$	Rabies	• •	4	4.	$\frac{4}{2}$	
	(b)	101	Flea-borne endemic typhus (murinc)	1	74	75		2
	$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	$\begin{array}{c} 104 \\ 105 \end{array}$	Tick-borné epidemic typhus Mite-borne typhus	8	186	194	1	5
	(e)	102-103	Other and unspecified typhus	4	76	80	3	3
A 37	(a)	106-108 f	Vivax malaria (benign tertian)	36	2,108	2,144	16	25
	$\begin{pmatrix} (b) \\ (c) \end{pmatrix}$	$\begin{array}{c} 111 \\ 112 \end{array}$	Malariae malaria (quartan) Falciparum malaria (malignant	2	41.	43	1	
	(d)	114	tertian)	80 4	$\begin{array}{c} 5,373 \\ 190 \end{array}$	5,453 194	103	69
	(e) (f)	$\begin{array}{c} 115 \\ 113 \end{array}$	Blackwater fever Other and unspecified forms of		4	4	2	
A 38	(a)	116-117 $123.0$	malaria Schistosomiasis vesical (S.	110	5,250	5,360	60	69
A 00			haematobium)					
	(b)	123.1	Schistosomiasis intestinal (S. Mansoni)					
	(c)	123.2	Schistosomiasis Pulmonary (S. japonicum)					
	(∄)	123.3	Other and unspecified Schistosomiasis					
A 39 A 40	(a)	$\frac{125}{127}$	Hydatid disease Onchocerciasis	1	9	10	1	
11 10	$\begin{pmatrix} (b) \\ (c) \end{pmatrix}$		Loiasis	2	34	36		4
A 41	(d)	100	Other filariasis	2	247	249	$\frac{1}{2}$	7
A 41 A 42	(a)	$\begin{array}{c} 129 \\ 126 \end{array}$	Ankylostomiasis Tape worm (infestation) and	29	1,212	1,241	2	11
	(b)	130.0	other ccstode infestation Ascariasis	46	$\begin{array}{c c} 59 \\ 2.758 \end{array}$	2.804	9	34
	(c) (d)	$\begin{array}{c} 130.3 \\ 124 \end{array}$	Guinea worm (dracunculosis) Other trematode infestation	• • •	5	5		
	(e)	$\frac{128}{130.1 \cdot 130.2}$	Trichiniasis	3	$\begin{array}{c c} & 1 \\ 274 \end{array}$	$\begin{array}{c c} & 1 \\ 277 \end{array}$	1	1
A 43	(a) (b)	$036 \\ 037$	Chancroid Lymphogranuloma venereum	1	52 36	53 36		
	(c)	038	Granuloma inguinale, venereal		10	10		1
	(d)	039	Other and unspecified venereal diseases	4	25	29	1	
	(e)	049	Food poisoning infection and intoxication		71	71	1	2
	$\begin{pmatrix} f \\ g \end{pmatrix}$	$\begin{array}{c} 059 \\ 063 \end{array}$	Tularaemia Gas gangrene	• •	11 1	11 1		
	(h)	064	(a) Glanders (b) Melioidosis	1		1	1	
	(;)	070	(c) Other bacterial diseases Vincent's infection	1	9	10		
	(i) (j)	071	Relapsing fever	1		10		
	(k)	072	hagica (Weil's diseases)		23	23	4	95
	$\binom{(l)}{(m)}$	$\begin{bmatrix} 073 \\ 086 \end{bmatrix}$	Yaws	58	730 14	788 14	2	35
	$\begin{pmatrix} (n) \\ (o) \end{pmatrix}$	087 088	Chickenpox Herpes Zoster	17 2	584 220	66 <b>1</b> 222	2	19
			Carried forward	6,985	34,550	41,535	2,261	7,048

# IN-PATIENTS—(cont.)

Int med lis Nun	liate st	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admissions	Total cases treated	Deaths	Remaining at end of 31-12-58
		P	Brought forward	6,985	34,550	41,535	2,261	7,048
			I.—INFECTIVE AND PARA- SITIC DISEASES—(cont.)					
	(p) (q) (r)	089 090 093	Mumps	18 1 1	$1,179 \\ 199 \\ 4$	1,197 200 5		26 5
	(s) (t) (u) (v)	095 096.7 120 121	Trachoma	8	72 1	80		2
	(w)	131 135	sicnsis	19	530 673	549	• •	15
	(x) (y)	$ \begin{bmatrix} 054, 074 \\ 096.1-096.6 \\ 096.8, 096.9 \end{bmatrix} $	Seables	13	. 010	686	• •	6
		$\begin{bmatrix} 122 \\ 132 - 134 \\ 136 - 138 \end{bmatrix}$	infective and parasitie	1	99	100	2	1
		100 100 )	II.—NEOPLASMS					
A 44		140-148	Malignant neoplasm of bueeal cavity and pharynx	7	208	215	47	12
A 45		150	Malignant neoplasm of oesophagus	7	71	78	23	5
A 46 A 47	(a)	$\begin{array}{c c} 151 \\ 152 \end{array}$	Malignant neoplasm of stomach Malignant neoplasm of small	10	239	249	. 80	12
	(b)	153	intestine, including duodenum Malignant neoplasm of large	• •	9	9	3	
A 48 A 49 A 50		154 161 162-163	intestine, exeept reetum  Malignant neoplasm of rectum  Malignant neoplasm of larynx  Malignant neoplasm of traehea,	1 8 1	36 79 15	40 87 16	$\begin{array}{c} 15 \\ 23 \\ 5 \end{array}$	$\begin{array}{c} 2\\7\\1\end{array}$
A 51 A 52		170 171	and of bronehus and lung not specified as secondary Malignant neoplasm of breast	$\begin{bmatrix} 2 \\ 3 \end{bmatrix}$	112 68	114 71	53 8	6 2
A 53		172-174	Malignant neoplasm of cervix uteri	11	231	242	31	10
A 54 A 55 A 56		172-174 177 190-191 196-197	unspecified parts of uterus Malignant neoplasm of prostate Malignant neoplasm of skin Malignant neoplasm of bone and	 10	33 18 149	33 19 159	6 5 18	3 12
A 57	(a) (b) (c)	155-156 157 158	eonneetive tissuc Malignant neoplasm of liver Malignant neoplasm of panereas Malignant neoplasm of perito-	$\begin{bmatrix} 4 \\ 7 \\ 2 \end{bmatrix}$	$   \begin{array}{c}     37 \\     196 \\     15   \end{array} $	$\begin{array}{c} 41 \\ 203 \\ 17 \end{array}$	$\begin{bmatrix} 7\\87\\6 \end{bmatrix}$	2 8
	(d)	159	neum	• •	3	3	1	
	(e)	175-176	fied digestive organs Malignant neoplasm of other and unspecified female genital	1	16	17	4	
	( <i>f</i> )	178-179	organs	$\frac{2}{2}$	30	32	5	
	(g)	180-181	organs Malignant ncoplasm of kidney, bladder and other urinary	1	43	44	7	1
	(h)	160	organs	1	40	41	12	1
		$ \begin{array}{c c} 164-165 \\ 192-195 \\ 198-199 \end{array} $	Malignant neoplasm of all other and unspecified sites	4	145	149	32	5
			Carried forward	7,132	39,100	46,232	2,742	7,191

## IN-PATIENTS—(cont.)

Inte medi lis Num	iate   t	Detailed list Number	Cause Groups—(Diseases)	Remain- ing at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remain- ing at end of 31-12-53
			Brought forward	7,132	€9,100	46,232	2,742	7,191
			II.—NEOPLASMS—(cont.)					
A 58 A 59	(a)	$\frac{204}{200}$	Leukaemia and Aleukaemia Lymphosarcoma and reticulo-	3	48	51	25	2
	(b) (c)	$201 \\ 202-203$	sarcoma Hodgkin's disease Other neoplasm of lymphatic	$egin{array}{c} 1 \ 2 \end{array}$	9 16	10 18	1 1	3
	(d)	205	and haematopoietic system Mycosis fungoides	1	11 14	11 15	1	1
<b>A</b> 60	(a)	210-211	Benign neoplasm of buccal cavity, pharynx and digestive system	3	<del>4</del> 5	48	5	
	(b)	217	Benign neoplasm of other female genital organs	4	91	95	4	
	(c)	218	Benign neoplasm of other male genital organs		9	9		
	(d) (e)	$\left\{ egin{array}{c} 212\text{-}216 \ 219\text{-}229 \ 230 \end{array}  ight\}$	Benign neoplasm of other and unspecified organs and tissue Neoplasm of unspecified nature	6	234	240	4	10
	(f)	<b>2</b> 33-235	of digestive organs Neoplasm of unspecified nature	• •	24	24	1	2
	(g)	$\left.\begin{array}{c} 231-232\\ 236-239 \end{array}\right\}$	of other female genital organs Neoplasm of unspecified nature of other unspecified organs	12	$\begin{array}{c} 34 \\ 190 \end{array}$	$\frac{34}{202}$	$\begin{bmatrix} 1 \\ 6 \end{bmatrix}$	5
		200 200 9	of other unopermon organis		100	_~_		
			III.—ALLERGIC ENDO- CRINE SYSTEM METABOLIC AND NUTRITI- ONAL DISEASES AND IV.—DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS					
A 61 A 62		$250-251 \ 252$	Nontoxic goitre Thyrotoxicosis with or without	3	72	75	2	3
A 63 A 64	(a) (b)	$260 \\ 280 \\ 281$	goitre	$\begin{array}{c}9\\41\\25\\\end{array}$	$134 \\ 904 \\ 498 \\ 2$	$143 \\ 945 \\ 523 \\ 2$	5 44 27	8 53 37
	$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	$282 \\ 283-284 \\ 285$	Seurvy	3	13 16	$\begin{array}{c} 13 \\ 19 \\ 1 \end{array}$	1 1	2 1
	(e) (f)	286.0 286.5 286.1-286.4	Osteomalacia (a) Sprue (b) Malnutrition (c) Other deficiency states	$\begin{array}{c} \cdot \cdot \\ 1 \\ 33 \\ 25 \end{array}$	$egin{array}{c} 1 \\ 19 \\ 729 \\ 321 \\ \end{array}$	$ \begin{array}{c} 1 \\ 20 \\ 762 \\ 346 \end{array} $	105 15	$\begin{bmatrix} 1\\30\\8\end{bmatrix}$
A 65	(a <b>)</b>	286.6 f	Pernicious and other hyper- ehromic anaemias	1	29	30	5	3
	(b)	291	Iron deficiency anaemias (hypo- ehromic)	57	1,426	1,483	53	58
A 66	(c) (a)	292-293	Other specified and unspecified anaemias	179 104	2,122 2,900	2,301 3,004	$\begin{array}{ c c c }\hline 96 \\ 62 \\ \end{array}$	182 89
	(b)	$\left\{\begin{array}{c} 240 \\ 242-245 \end{array}\right\}$	Angionenrotie oedema, urtiearia and other allergie disorders	4	276	280		3 2
	(c) (d) (e)	253 254 270	Myxoedema and eretinism Other diseases of thyroid gland Disorders of pancreatic internal secretion other than diabetes	6	13 77	15 83	1	2
	(f) (g) (h) (i)	$\begin{bmatrix} 271 \\ 272 \\ 273 \\ 274 \end{bmatrix}$	mellitus	1	1 3 4 3 3	1 4 3 3	3	
	(6)	214	Carried forward	7,658	49,391	57,049	3,214	7,698

# IN-PATIENTS—(cont.)

Inte medi list Num	ate t	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remain- ing at end of 31-12-53
			Brought forward	7,658	49,391	57,049	3,214	7,698
			III.—ALLERGIC ENDO- CRINE SYSTEM METABOLIC AND NUTRITIONAL DISEASES AND IV.—DISEASES OF THE BLOOD AND BLOOD-					
			FORMING ORGANS—(cont.)					
	(j)	275-277	Other diseases of endoerine		3	3		9
	$\begin{pmatrix} (k) \\ (l) \\ (m) \end{pmatrix}$	$ \begin{array}{c c} 288 \\ 287,289 \\ 294 \end{array} $	Gout     Other metabolic diseases     Polyeythemia	3 3	$\begin{array}{c} 24 \\ 83 \end{array}$	27 86	3	2
	(n) (o)	$\frac{295}{296}$	Haemophilia		8	8	2	
	(p) (q) (r)	$\begin{array}{c} 297 \\ 298 \end{array}$	conditions Agranulocytosis Diseases of splech	$oxed{1}$	$\begin{array}{c} 32 \\ 3 \\ 37 \end{array}$	$\begin{bmatrix} 33 \\ 3 \\ 37 \end{bmatrix}$	$\begin{bmatrix} & & 8 \\ & \ddots & \\ & & 3 \end{bmatrix}$	1
	$\binom{n}{r}$	299	Other diseases of blood and blood-forming organs	5	60	65	7	2
			V.—MENTAL, PSYCHONEU- ROTIC AND PERSONALITY DISORDERS					
A 67	(a)	300	Sehizophrenic disorders (dementia praccox)	1,966	939	2,905	109	2,035
	(b) (c)	$\frac{301}{302}$	Maniae-depressive reaction Involutional melaneholia	438 80	$\begin{array}{c} 338 \\ 66 \end{array}$	776 146	34 10	$\begin{array}{c} 452 \\ 97 \end{array}$
	$\begin{pmatrix} (d) \\ (e) \\ (f) \end{pmatrix}$	303 304 305-309	Paranoia and paranoid states Senilc psychoses Other and unspecified psychoses	$\begin{bmatrix} 2\\421\\472 \end{bmatrix}$	$\begin{array}{c} 21 \\ 235 \\ 1,147 \end{array}$	$\begin{bmatrix} 23 \\ 656 \\ 1,619 \end{bmatrix}$	86 57	$\begin{array}{c} 8\\433\\616\end{array}$
A 68	(a) (b)	311 314	Hysterical reaction Neurotic-depressive reaction	$\begin{bmatrix} & 1/2 \\ & 8 \\ 3 \end{bmatrix}$	181 77	189 80		8 2
	$\begin{pmatrix} (c) \\ (d) \\ (a) \end{pmatrix}$	322 323 310	Alcoholism Other drug addiction	$\begin{bmatrix} 1\\20 \end{bmatrix}$	$\frac{343}{399}$	344 419	$\frac{2}{3}$	5
	(e)	$\begin{vmatrix} 310 \\ 312-313 \\ 315-321 \end{vmatrix}$	Other psychoneuroses and dis-					
		$\begin{bmatrix} 324 \\ 326 \end{bmatrix}$	orders of personality	268	713	981	4	478
A 69		325	Mental deficiency	166	532	698	14	162
			VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS					
A 70	(a)	331	Ccrebral haemorrhage	5	265	270	192	4
	(b) (c)	332 330 \	Ccrebral embolism and thrombosis	19	248	267	96	26
A 71	(*)	$\begin{bmatrix} 333-334 \ 340 \end{bmatrix}$	central nervous system Non-meningoeoecal meningitis	$\begin{vmatrix} 15 \\ 4 \end{vmatrix}$	$\frac{123}{255}$	$\frac{138}{259}$	$\begin{array}{c} 16 \\ 130 \end{array}$	13 4
A 72 A 73 A 74	(a)	$egin{array}{c} 345 \ 353 \ 370 \ \end{array}$	Multiple sclerosis Epilepsy	$\begin{array}{c} 1\\12\\49\end{array}$	$\begin{array}{c} 3 \\ 368 \\ 1,954 \end{array}$	$\begin{array}{c} 4 \\ 380 \\ 2,003 \end{array}$	8	27 37
	(b)	371-379	Other inflammatory discases of eye	9	660	669		27
A 75 A 76 A 77	(a)	$\frac{385}{387}$	Cataract	$\begin{bmatrix} 102 \\ 10 \end{bmatrix}$	1,213 $99$ $155$	1,315 109	• •	$\begin{array}{c} 85 \\ 5 \end{array}$
A II	(a) (b)	390 391-393	Otitis externa Otitis media and mastoidītis	13	$   \begin{array}{r}     155 \\     541 \\    \end{array} $	* 156 554	6	3 14 ————
			Carried forward	11,755	60,516	72,271	4,004	12,244

## IN-PATIENTS—(cont.)

Inte medi list Num	atc t	Detailed list Number	Cause Groups—(Diseases)	Remaining at cnd of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
			Brought forward	11,755	60,516	72,271	4,004	12,244
			VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—(cont.)					
	(c)	394	Other inflammatory diseases of car	9	140	149		2
A 78	(a)	$\left\{\begin{array}{c} 380\text{-}384 \\ 386,388 \\ 389 \end{array}\right\}$	All other diseases and conditions of eye	114	1,232	1,346	1	106
	(b)	342	Intracranial and intraspinal abscess	1	16	1.7	12	
	(c)	343	Encephalitis, myelitis and	1	182	183	93	4
	(d) (e) (f)	$\frac{350}{352} \\ \frac{356}{356}$	Paralysis agitans Other eerebral paralysis Motor neurone disease and	$\begin{array}{c} 12 \\ 100 \end{array}$	51 351	63 451	9	9 89
	(g) (h)	357 366	other diseases of spinal cord	4	$\begin{array}{c} 21 \\ 39 \end{array}$	25 43	3 5	$\frac{3}{5}$
	(i) (j)	367 369	Other and unspecified forms of neuralgia and neuritis Other diseases of eranial nerves Diseases of peripheral auto-	28	$1,421 \\ 27$	1,449 27	• •	24 3
	(k)	341, 344	nomic nervous system		27	27	2	
		$     \left. \begin{array}{c}       351, 354 \\       355 \\       360-365 \\       368 \\       395-398     \end{array} \right\} $	All other diseases of the nervous system and sense organs	13	390	403	7	11
			VII.—DISEASES OF THE CIRCULATORY SYSTEM				_	
A 79	(a)	400	Rheumatic fever without mention of heart involvement	14	236	250	4	14
	(b)	401	Rheumatic fever with heart involvement	11	92	103	10	16
<b>A</b> 80	(c) (a)	$     \begin{array}{r}       402 \\       410-413     \end{array} $	Chorea Diseases of valves specified as rheumatic	7	17 80	17 87	1 14	10
	(b)	414	Other endocarditis specified as rheumatie	$\frac{1}{2}$	16	18	6	10
	(c)	415	Other myocarditis specified as rheumatic	1	8	9	1	$_2$
	(d)	416	Other heart disease specified as rheumatie	5	31	36	3	2
A 81	(a)	420	Arterioselerotic heart disease, including coronary disease	1	96	97	37	7
	(b) (c)	421 $422$	Chronic endocarditis not specified as rheumatic Other myocardial degeneration	$\begin{bmatrix} 3 \\ 12 \end{bmatrix}$	$\begin{array}{c} 51 \\ 197 \end{array}$	$\begin{array}{c} 54 \\ 209 \end{array}$	$\begin{array}{c} 7 \\ 56 \end{array}$	$\begin{array}{c} 9 \\ 12 \end{array}$
A 82	(a)	430	Acute and subacute endocarditis	$\begin{bmatrix} 12 \\ 3 \end{bmatrix}$	39	42	13	1
	(b) (c)	$\begin{array}{c} 431 \\ 432 \end{array}$	Acute myocarditis Acute pericarditis	$\begin{bmatrix} 9 \\ 1 \end{bmatrix}$	$\begin{array}{c} 281 \\ 55 \end{array}$	$\begin{array}{c} 290 \\ 56 \end{array}$	$\begin{array}{c} 77 \\ 19 \end{array}$	$\begin{array}{c}14\\4\end{array}$
	(d) $(e)$	433 434	Functional disease of heart Other and unspecified diseases	23	632	655	203	28
A 83 A 84		440-443 444-447	of heart Hypertension with heart disease Hypertension without mention	$\begin{bmatrix} 56 \\ 17 \end{bmatrix}$	993 468	$\frac{1.049}{485}$	313 155	47 18
A 85	(a)	450	of heart	$\begin{bmatrix} 37 \\ 1 \end{bmatrix}$	$\begin{bmatrix} 802 \\ 26 \end{bmatrix}$	$\begin{array}{c} 839 \\ 27 \end{array}$	$\begin{bmatrix} 61 \\ 7 \end{bmatrix}$	$\begin{array}{c} 44 \\ 5 \end{array}$
	(b)	. 451	Aortic aneurysm specified as non-syphilitic and dissecting aneurysm		32	32	13	
	(c)	452	Other aneurysm, except of heart and aorta		12	12	1	2
	(d)	453	Peripheral vascular disease		4	4	1	10.707
			Carried forward	12,244	68,581	80,825	5,157	12,735

## IN-PATIENTS—(cont.)

Inter- mediate list Number	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
		Brought forward	12,244	68,581	80,825	5,157	12,735
		VII.—DISEASES OF THE (TROULATORY SYSTEM —(cont.)					
(	e) 454	Arterial embolism and throm-		9.0	90	20	
	a) = 460, 462	bosis	6 2 7	28 81 31 121	29 87 33 128	$ \begin{array}{c c} 20 \\ 7 \\ 2 \\ 1 \end{array} $	$\begin{bmatrix} 2\\1\\2\\2\end{bmatrix}$
(	b)   461 c)   463-464 d)   465	Haemorrhoids	30	$\frac{1,062}{77}$	1,092 $77$	$\frac{1}{2}$	$\begin{vmatrix} 4\overline{6} \\ 3 \end{vmatrix}$
	e) 466	infarction		23	23	15	2
( f	467	thrombosis Other diseases of circulatory	• •	24	24	7	
	g) 468	system	$\begin{bmatrix} 3\\18\\4 \end{bmatrix}$	$   \begin{array}{r}     55 \\     702 \\     201   \end{array} $	58 720 205		$\begin{array}{c c} & 7 \\ 19 \\ 2 \end{array}$
		(c) Other diseases of lymph nodes and lymph channels	1	115	116	3	5
		VIII.—DISEASES OF THE RESPIRATORY SYSTEM					
A 87 (	a) 470	Acute nasopharyngitis (common cold)	27	2,265	2,292		22
(	b) 471 c) 472	Acute sinusitis	$\begin{bmatrix} 5\\ 5\\ 9 \end{bmatrix}$	$\frac{2,205}{206}$ $\frac{563}{5}$	211 572	$\frac{\cdot \cdot}{3}$	$\begin{bmatrix} 2\\2\\11 \end{bmatrix}$
(6	d)   473 e)   474	Acute tonsillitis Acute laryngitis and tracheitis Other acute upper respiratory	19 2	1,695 $155$	1,714 157	3 9	30
A 88 (6	480 481	infections	5 1	458 88	463 89	$\frac{1}{2}$	$\frac{17}{2}$
	c) 482	manifestations, and influenza unqualified	43	3,811	3,854	• •	40
	(t) 483	festations, but without respiratory symptoms Influenza with nervous mani-	12	418	430	1	
A 89	490	festations, but without digestive or respiratory symptoms  Lobar pneumonia	1 22	$\frac{128}{726}$	129 748	2 109	2 15
A 90 A 91	491 492-493	Broncho-pneumonia Primary atypical, other and	47	2,780	2,827	953	48
A 92	500 501	unspecified pneumonia Acute bronchitis Propolities unqualified	29 41 56	1,094 $2,680$	1,123 $2,721$	$\begin{array}{c} 189 \\ 36 \\ 12 \end{array}$	$\begin{array}{c} 18 \\ 39 \\ 71 \end{array}$
	(a) 501 (b) 502 510	Bronchitis unqualified	$\begin{bmatrix} 56 \\ 73 \end{bmatrix}$	$3,867 \\ 1,376$	3,923 1,449	13 51	71 55
	(7) 518	adenoids Empycma	$\frac{1}{7}$	$\frac{185}{98}$	186 105		$\frac{3}{7}$
	$\begin{vmatrix} 5 & 5 & 5 & 5 \\ 5 & 5 & 1 & 5 \\ 5 & 1 & 5 & 5 \end{vmatrix}$	Abscess of lung	14 27	$\begin{array}{c} 103 \\ 495 \end{array}$	$   \begin{array}{c c}     & 117 \\     & 522   \end{array} $	$egin{pmatrix} 11 \\ 21 \end{bmatrix}$	$\begin{array}{c c} & \vdots \\ & 12 \\ 49 \end{array}$
	a) 517	Other diseases of upper respiratory tract	4	139	143	4	
(	b) 520 c) 522	Spontaneous pneumothorax Pulmonary congestion and		13	13	2	1 1.
(	d) 525	hypostasis Other chronic interstitial pneu-	1	8	9	8	
( j		monia	14	353	$\begin{array}{c c} & 3 \\ & 367 \end{array}$	$\dot{2}4$	22
(	$\left\{egin{array}{c} 511\text{-}516 \ 524 \ 527 \end{array} ight\}$	All other respiratory diseases	17	292	309	24	16
		Carried forward	12,793	95,100	107,893	6,704	13,314

## IN-PATIENTS—(cont.)

Inte medi lis Num	iate t	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admissions	Total cases treated	Deaths	Remain- ing at end of 31-12-53
			Brought forward	12,793	95,100	107,893	6,704	13,314
			IX.—DISEASES OF THE DIGESTIVE SYSTEM					
A 98	(a) (b)	530 <b>531-</b> 535	Dental caries	5 3	299 72 95	304 72 98		1
A 99 A 100 A 101 A 102 A 103	(a)	540 541 543 550-553 560	(c) Other diseases of teeth and supporting structures Ulcer of stomach	10 47 12 36 61	496 1,126 341 2,191 1,983	506 1,173 353 2,227 2,044	$\begin{array}{c} 2\\ 88\\ 18\\ 4\\ 26 \end{array}$	10 60 25 53 66
	(b)	561	without mention of obstruc- tion	44	1,246	1,290	4	43
	(c)	570	obstruction (a) Intussusception	4	215 41	219 41	18 11	$\frac{6}{2}$
A 104	(a)	571.0	(b) Volvulus	4	$\begin{array}{c c} 5 \\ 168 \end{array}$	$\begin{array}{c c} 5 \\ 172 \end{array}$	$\begin{array}{c} 2 \\ 50 \end{array}$	2
11 101	(b)	571.0	tween 4 weeks and 2 years Gastro-enteritis and colitis, ages	36	2,482	2,518	632	54
	(c)	572	2 years and over Chronic enteritis and ulcerative	55	2,732	2,787	160	49
A 105	(a)	581.0	colitis Cirrhosis of liver without men-	$\frac{9}{36}$	198	207	7	7
A 106	(b) (a) (b)	581.1 584 585	tion of alcoholism Cirrhosis of liver with alcoholism Cholelithiasis Cholecystitis without mention		570 34 43	$\begin{bmatrix} 606\\34\\43 \end{bmatrix}$	119 5 1	$\begin{array}{c} 26 \\ 1 \\ 1 \end{array}$
<b>A</b> 107	(a) (b) (c)	536 538 539	of calculi Stomatitis Other diseases of buccal cavity (a) Functional disorders of oesophagus	$egin{array}{c} 6 \\ 4 \\ \cdot \cdot \end{array}$	247 212 67	253 216 67 8	$egin{array}{cccc} & & & 10 & & & & \\ & & & & & 1 & & & \\ & & & & &$	$\begin{smallmatrix}9\\6\\1\end{smallmatrix}$
	(d)	544	(b) Stricture or obstruction of oesophagus Disorders of function of stomach	$egin{array}{c} \\ 5 \\ 14 \end{array}$	$91 \\ 654$	$\begin{array}{c c} 96 \\ 668 \end{array}$	$\begin{bmatrix} 1 \\ 10 \\ 2 \end{bmatrix}$	6 20
	(e)	545	Other diseases of stomach and duodenum	1	215	216	5	6
	(f)	573 574	(a) Constipation (b) Other functional disorders of intestines Anal fissure and fistula	$\begin{bmatrix} 6 \\ 7 \\ 11 \end{bmatrix}$	$\begin{array}{c} 586 \\ 1,041 \\ 284 \end{array}$	592 1,048	9	$\begin{array}{c} 2 \\ 11 \\ 12 \end{array}$
	(g) (h)	575	Abscess of anal and rectal regions	10	232	295	$\begin{bmatrix} 1 \\ 4 \end{bmatrix}$	13 7
	(i)	576 578	Peritonitis Other diseases of intestines and peritoneum	$\begin{bmatrix} 3 \\ 3 \end{bmatrix}$	$\begin{array}{c c} 182 \\ 126 \end{array}$	185 129	$\begin{bmatrix} 97 \\ 19 \end{bmatrix}$	$\frac{2}{1}$
	(k)	580	(a) Acute yellow atrophy of liver (b) Degeneration of liver	$\begin{bmatrix} 1 \\ \cdots \\ 36 \end{bmatrix}$	$ \begin{array}{c c} 120 \\ 19 \\ 5 \\ 641 \end{array} $	$\begin{bmatrix} 129 \\ 20 \\ 5 \\ 677 \end{bmatrix}$	19 4 4 32	18
	$\binom{(l)}{(m)}$	583 586	Other diseases of liver Other diseases of gall-bladder	19	251	270	52	9
	(n) (o)	587 537, 542 }	and billiary ducts  Diseases of pancreas  Other diseases of digestive	9	222	231	$\begin{bmatrix} 21 \\ 2 \end{bmatrix}$	6
		577, 582 <i>∫</i>	X.—DISEASES OF THE	6	429	435	10	10
A 108		590	GENITO-URINARY SYSTEM Acute nephritis	19	365	384	41	19
A 109	(a)	591	Nephritis with oedema, including nephrosis	4	90	94	12	3
			Carried forward	13,319	115,415	128,734	8,188	13,870

# Table 1—(cont.)

## IN-PATIENTS—(cont.)

Inter- mediate list Number	Detailed list Number	('ause Groups—(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remain ing at end of 31-12-5
		Brought forward	13,319	115,415	128,734	8,188	13,870
		X.—DISEASES OF THE GENITO-URINARY SYSTEM —(cont.)					
(b) (c)	592 593	Chronic nephritis Nephritis not specified as acute	19	367	386	69	36
(d)	594	or chronic Other renal selerosis	33	468 25	501 25	41 3	$\begin{array}{c c}24\\3\end{array}$
A 110 A 111 (a) (b)	600 602 604	Infections of kidney Calculi of kidney and ureter Calculi of other parts of urinary	15	396 258	$\begin{array}{c} 400 \\ 273 \end{array}$	10 1	$\begin{bmatrix} 6 \\ 6 \end{bmatrix}$
A 112	610	system	7 6	162 77	169 83	1 4	$egin{pmatrix} 9 \ 3 \ 2 \end{bmatrix}$
A 113 A 114 (a)	$\begin{array}{c} 620\text{-}621 \\ 603 \end{array}$	Diseases of breast Other diseases of kidney and	6	158	164	• •	
<b>(</b> <i>b</i> )	605	ureter	15 8	565 458	580 466	19 3	$\begin{array}{c} 10 \\ 10 \end{array}$
$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	$\begin{array}{c} 606 \\ 608 \end{array}$	Other diseases of bladder Stricture of urethra	$\frac{2}{17}$	$\begin{array}{c} 169 \\ 326 \end{array}$	$\frac{171}{343}$	$egin{pmatrix} 3 \\ 2 \\ 1 \end{bmatrix}$	$\begin{vmatrix} & 6 \\ 18 \end{vmatrix}$
$(e) \ (f)$	$\begin{array}{c} 609 \\ 612 \end{array}$	Other diseases of urethra Other diseases of prostate	$\begin{bmatrix} 8 \\ 8 \end{bmatrix}$	$\begin{array}{c} 229 \\ 164 \end{array}$	$\begin{array}{c c} 237 \\ 172 \end{array}$	$\frac{1}{5}$	$\begin{array}{c c} 7\\12 \end{array}$
$\begin{pmatrix} g \\ h \end{pmatrix}$	$\begin{array}{c} 613 \\ 614 \end{array}$	Hydrocele	5 7	$\frac{304}{428}$	$\begin{array}{c c} 309 \\ 435 \end{array}$	• •	$\begin{array}{c} 15 \\ 12 \end{array}$
(i) $(j)$ $(k)$	617 622	Other diseases of male genital organs	15 8	680 329	695 337	3	8 <b>5</b>
	625	Other diseases of ovary and Fallopian tube	6	181	187	2	11
(!)	626	Diseases of parametrium and pelviperitoneum (fem ile)	4	87	91	3	8
(m)	630	Infective disease of uterus, vagina and vulva	8	329	337	2	5
$\begin{pmatrix} (n) \\ (o) \end{pmatrix}$	$\begin{array}{c} 633 \\ 634 \end{array}$	Other diseases of uterus Disorders of menstruation	$\begin{array}{c} 16 \\ 9 \end{array}$	$\begin{array}{c} 519 \\ 569 \end{array}$	535 578	5	$\begin{array}{c} 20 \\ 13 \end{array}$
<i>(p)</i>	637	Other diseases of female genital organs	18	447	465	2	11
(q)	$ \begin{pmatrix} 601 \\ 607, 611 \\ 615-616 \\ 623-624 \\ 631-632 \\ 635-636 \end{pmatrix} $	All other diseases of the genito- urinary system	8	272	280	8	9
		XI.—DELIVERIES AND COMPLICATIONS OF PREGNANCY CHILDBIRTH AND THE PUERPERIUM					
A 115 (a)	640	Pyelitis and pyelonephritis of pregnancy	4	229	233	1	9
(b)	641	Other infections of genito- nrinary tract during		19	19	1	3
(c)	681	pregnaney	$\frac{\cdot \cdot}{2}$	172	174	17	5
(d)	682	Puerperal phlebitis and throm-	2			17	3
(e)	684	bosis	5	5 1	5 6	2	
A 116 (a)	642	<ul> <li>(a) Albuminuria of pregnancy</li> <li>(b) Eelampsia of pregnancy</li> <li>(c) Hyperemesis gravidarum</li> <li>(d) Acute yellow atrophy of liver</li> </ul>	$\begin{bmatrix} 8 \\ 4 \\ 3 \end{bmatrix}$	$     \begin{array}{r}       114 \\       209 \\       216 \\       4   \end{array} $	$egin{array}{c} 122 \\ 213 \\ 219 \\ 4 \\ \end{array}$	$\begin{bmatrix} 45 \\ 2 \\ 2 \end{bmatrix}$	6 4 3
	222	(e) Other toxaemias of pregnancy	17	408	425	20	17
(b)	652	Abortion with toxaemia, without mention of sepsis	$\begin{array}{c c} 1 \\ 2 \end{array}$	$\frac{31}{72}$	$\begin{bmatrix} 32 \\ 74 \end{bmatrix}$	2	9
(c)	685	Puerperal eelampsia				16	3
		Carried forward	13,617	124,862	138,479	8,482	14,186

# IN-PATIENTS—(cont.)

Intermedia list	ite	Dctailed list Number	Cause Groups(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
			Brought forward	13,617	124,862	138,479	8,482	14,186
			XI.—DELIVERIES AND COMPLICATIONS OF PREGNANCY CHILDBIRTH AND THE PUERPERIUM—(cont.)					
	(d)	686	Other forms of puerperal toxae-	ed.	<b>50</b>	<b>F</b> 0		
A 117	(a) (b) (c)	643 644 670	mia	1 1 9	52 114 328	53 115 337	9 11 18	3 2 5
			centa praevia or antepartum haemorrhage	3	174	177	36	5
	(d)	671	Delivery complicated by retained placenta	4	392	396	33	8
4 110	(e)	672	Delivery complicated by other postpartum haemorrhage	7	231	238	53	3
A 118		650	Abortion without mention of sepsis or toxaemia	50	$3,624 \\ 141$	3,674 145	8 5	87 5
A 119 A 120	(a) (b)	651 645 646	Abortion with sepsis Ectopic pregnancy	$\begin{array}{c c} & 4 \\ & 6 \\ & 45 \end{array}$	$ \begin{array}{c c}  & 141 \\  & 204 \\  & 1,295 \end{array} $	210 1,340	15 13	43
	(c)	683	Pyrexia of unknown origin during the puerperium	1	62	63	2	1
	(d) (e)	688.1 689	Puerperal psychoses  Mastitis and other disorders of		29	29	ī	$\hat{3}$
	(f)	647-649	lactation	2	55	57	• •	1
	(3)	673-680	Other complications of preg-					İ
	(g)	688.0 688.2-688.3 660	nancy childbirth and the puerperium Delivery without complications	55 719	2,123 43,732	2,178 44,451	57	68 745
			XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE AND XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT	-				
A 121	(a)	690 691-693	Boil and carbuncle	27 150	959 5,422	986 5,572	$\frac{4}{22}$	29 151
	(b) (c)	694-698	Other infections of skin and subcutaneous tissue	28	985	1,013	4	37
A 122	(a)	720	Acute arthritis due to pyogenic organisms	3	31	34	1	$\frac{1}{2}$
	(b) (c)	721 722	Acute nonpyogenic arthritis Rheumatoid arthritis and allied	1	40	41	• •	3
	(d)	723-725	conditions	12	264	276	1	19
A 123	(a)	726	fied Muscular rheumatism	45 8	1,042	1,087 438		54
A 124	(b)	727 730	Rheumatism unspecified Osteomyelitis and periostitis	40	295 532	304 572	3 6	15 45
A 125	(a) (b)	737 745-749	Ankylosis of joint Other acquired musculoskeletal	3	35	38	••	5
A 126	(a)	715	deformities Chronic ulcer of skin (including	174	9.418	2,592	2	136
	(b)	700-714 }	tropical ulcer)  All other diseases of skin	174	2,418 3,515	3,648	3	114
	(c)	731-736 738-744	All other diseases of musculo- skeletal system	10	420	430		18
		100-144	Carried forward	15,168	193,854	209,022	8,790	15,805
		)	Carres Jordana	10,100	100,001	1	1	l.

# IN-PATIENTS—(cont.)

Inte medi lis Num	ate t	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
			Brought forward	15,168	193,854	209,022	8,790	15,805
			XIV.—CONGENITAL MAL- FORMATIONS					
A 127 A 128		751 754	Spina bifida and meningocele Congenital malformations of	1	20	21	4	2
A 129	(a)	750	circulatory system	• •	46	46	23 5	2
A 120	(b) (c)	752 753	Congenital hydrocephalus Other congenital malformations of nervous system and sense	1	27	28	8	2
	(d) (e)	755 756	organs Cleft palate and harelip (a) Congenital hypertrophic	1 7	$\begin{array}{c c} 10 \\ 269 \end{array}$	276	$\begin{vmatrix} 2\\1 \end{vmatrix}$	1 14
	(0)		pyloric stenosis (b) Imperforate anus	1	13 67	13 68	5 14	
	(f)	757	(c) Other congenital malformations of digestive system Congenital malformations of	• •	16	16	7	
	(g)	758	genito-urinary system Congenital malformations of	• •	16	10	2	
	(h)	759	bone and joint Other and unspecified congenital malformations, not elsewhere	1	28	29		
			classified	3	70	73	20	4
			XV.—CERTAIN DISEASES OF EARLY INFANCY					
A 130	(a) (b)	760	Intracranial and spinal injury at birth	• •	30 27	30 27	28 15	
A 131		762	Postnatal asphyxia and atelectasis	1	292	293	209	
A 132	(a) (b)	764 765	Diarrhoea of newborn Ophthalmia neonatorum	• •	64 17	64	30	$egin{pmatrix} 4 \ 2 \ 2 \ 2 \ \end{pmatrix}$
	$\begin{pmatrix} c \\ d \end{pmatrix}$	763 766	Pneumonia of newborn Pemphigus neonatorum	• •	$\begin{array}{c} 25 \\ 10 \end{array}$	25 10	13 3	2
	(e) (f)	767 768	Umbilical sepsis	1	45	45	7 4	1
A 133 A 134	())	770 769 \	Haemolytic disease of newborn All other defined diseases of early	••	16	16	13	1
A 135	(a)	771-772 <i>f</i> 773	infancy	$\frac{4}{3}$	437 37	441	$\begin{array}{c} 42 \\ 22 \end{array}$	$\frac{4}{2}$
	(b) (c)	774 775-776	Premature birth Other ill-defined diseases peculiar to early infancy and	30	1,634	1,664	793	28
			immaturity unqualified	4	71	75	22	5
			XVI.—SYMPTOMS, SENI- LITY AND ILL-DEFINED CONDITIONS					
A 136		794	Senility without mention of	000	4 40 4	4.040	000	0.15
A 137	(a)	780	psychoses Infantile convulsions	$\begin{bmatrix} 209 \\ 3 \end{bmatrix}$	$1,104 \\ 242$	1,313 245	303 55	247 5
	(b) (c)	788.8 793	Pyrexia of unknown origin Observation, without need for	120	4,609	4,729	113	131
	(d)	781-787 789-792	further medical care	298	7,382	7,680	• •	301
		795 788.1-788.7	(a) Malingering	• •	40	40		
		788.9	(b) Sudden death (cause un- known) (c) Found dead (cause un-	• •	2	2	2	
			known) (d) Other ill-defined and un-					
			known causes of mor- bidity and mortality	16	727	743	34	53
			Carried forward	15,872	211,260	227,132	10,589	16,616

# IN-PATIENTS—(cont.)

Inter- mediate list Number	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
		Brought forward	15,872	211,260	227,132	10,589	16,616
		XVIIACCIDENTS, POISON- INGS AND VIOLENCE					
		"E" CODE: ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES)					
AE 138 AE 139 (a)	E 810-E 835 E 800-E 802	Motor vehicle accidents Railway accidents	116	$2,980 \\ 34$	3,096 34	214 5	115
(b) (c)	E 850-E 858 E 860-E 866	Water transport accidents	1	$\frac{12}{3}$	13		_
AE 140 (a)	E 840-E 845 E 870	Other transport accidents  Accidental poisoning by morphia and other opium deriva-	17	560	577	3	10
(b)	E 874	tives Accidental poisoning by other		12	12	5	
(c)	E 878	analgesic and soporific drugs Accidental poisoning by other	• •	15	15	3	
(d)	E 883	and unspecified drugs Accidental poisoning by corro-	••	35	35	4	
		sive aromatics, acids and caustic alkalies	3	179	182	19	9
(e)	E 884	Accidental poisoning by mercury and its compounds		4	4		
(f)	E 885	Accidental poisoning by lead and its compounds		1	1		
(g)	E 886	Accidental poisoning by arsenic and antimony and their				_	
(h)	E 888	compounds	•••	50	50	5	
(i)	E 890-E 895		3	89	92	8	
(j)	E871-E873 E875-E877	and vapours	• •	1	1		
	E879-E882 E 887	Other accidental poisoning	2	93	95	7	
AE 141 AE 142 AE 143	E 900-E 904 E 912 E 916	Accidental falls	205 10	5,744 255	5,949 265	$\begin{array}{c} 97 \\ 3 \end{array}$	$= \begin{array}{c} 207 \\ 5 \end{array}$
AE 144	E 917-E 918	explosion of combustible material  Accident caused by hot substance corresive liquid steam	9	162	171	12	6
AE 145 AE 146	E 919 E 929	stance, corrosive liquid, steam and radiation	18 15	481 202	$\begin{array}{c} 499 \\ 217 \end{array}$	21 10	24 15
AE 147 (a)	E 913	mersion Accidents caused by cutting or	• •	84	84		
(b)	E 914	piercing instruments .: Accidents caused by electric	43	1,564	1,607	3	44
(c)	E 920	current Foreign body entering eye and	••	26	26		1
(d)	E 923	adnexa	• •	55	55		2
(e)	E 925	orifice	3	185	188	2	3
<i>(f)</i>	E 926	cation			7	1	
(g)	E 927	1 year of age Accidents caused by bites and stings of venomous animals	3	4	7	1	17
(h)	E 928	and insects	15	1,059	1,074	12	17
(i)	E 931	animals Excessive heat	17 9	552 3	$\begin{array}{c} 569 \\ 12 \end{array}$		13 1
		Carried forward	16,361	225,704	242,065	11,026	17,089

## IN-PATIENTS—(cont.)

Inter- mediate list Number	Detailed list Number	Cause Groups—(Discases)	Remain- ing at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
		Brought forward	16,361	225,704	242,065	11,026	17,089
		XVII.—ACCIDENTS, POISO- NINGS AND VIOLENCE —(cont.)					7 P. Co.
		"E" CODE: ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES)—(cont.)					
(j) $(k)$	E 932 E 933	Excessive cold Hunger, thirst and exposure	• •	$\frac{1}{2}$	1 2		
(l) $(m)$	E 934 E 935	Cataclysm Lightning	• •	23	23	1	
(n)	E 936	(a) Accidents in mines and quarries	7	108	115	7	4
		(b) Agricultural and forestry accidents	5	55	60	1	
		(c) Accidental injury by crushing or landslide	8	123	131	8	1
		(d) Other and unspecified accidents	31	802	833	5	22
(0)	E 940	Generalized vaccinia following		6	6		
<i>(p)</i>	E 941-E 942	Other complications of smallpox	• •	3	3		
(q)	E950-E953	Accidents due to medical or	• •			_	
(r) (s)	E 955-E959 E 954 E910-E911 E 915	surgical intervention Anacsthetic accidents	• •	11 2	$\begin{array}{c c} & 11 \\ & 2 \end{array}$	5 1	
	E921-E922   E924-E930   E943-E946	All other accidental causes	10	282	292	3	3
AE 148 (a)	E 970	Suicide and self-inflicted injury by analgesic and soporific					
<i>(b)</i>	E 971	substances	• •	23	23	7	
(c)	E 972	stances	1	159	160	46	11
(d)	E 973	by gases in domestic usc Suicide and self-inflicted injury	• •	4	4	1	
(e)	E 974	Suicide and self-inflicted injury by hanging or strangulation		15	15	6	
(f)	E 975	Suicide and self-inflicted injury by submersion (drowning)		12	12	1	
(g) (h)	E 976 E 977	Suicide and self-inflicted injury by firearms and explosives Suicide and self-inflicted injury	• •	5	5	3	
		by cutting or piercing instru- ments	6	48	54	6	2
<i>(i)</i>	E 978	Suicide and self-inflicted injury by jumping from high place		7	7	5	
<i>(j)</i>	E 979	Suicide and self-inflicted injury by other and unspecified					
<b>AE</b> 149 (a)	E 980	means	1	10	11	3	
(b) (c)	E 981 E 982	another person	26	$\begin{array}{c} 19 \\ 206 \end{array}$	19 232	19	14
(d) (e)	E 983 E 984	instruments Assault by other means Injury by intervention of police	15 27	552 $1,476$ $5$	$ \begin{array}{c c} 567 \\ 1,503 \\ 5 \end{array} $	28 11	12 16
AE 150	E 985 E 990-E 999	Execution (legal) Injury resulting from operations					
		of war	1	• •	1	1	
		Carried forward	16,499	229,663	246,162	11,194	17,174

#### IN-PATIENTS—(cont.)

#### RETURN OF DISEASES AND DEATHS FOR THE YEAR 1953—(cont.)

Inter- mediate list Number	Detailed list Number	Cause Groups—(Diseases)	Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
		Brought forward XVII.—ACCIDENTS, POISO-	16,499	229,663	246,162	11,194	17,174
		NINGS AND VIOLENCE —(cont.)					
		"N" CODE: ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONING AND VIOLENCE (NATURE OF INJURY)				ţ	
AN 138 AN 139	N 800-N 804 N 805-N 809	Fracture of skull Fracture of spine and trunk	10 10	218 157	$\frac{228}{167}$	$\begin{array}{c} 63 \\ 14 \end{array}$	$\frac{9}{12}$
AN 140 AN 141	N 810-N 829 N 830-N 839	Fracture of limbs	87	1,512 $142$	1,599 146	11	107
AN 141 AN 142	N 840-N 848	Sprains and strains of joints and				• •	
AN 143	N 850-N 856	adjacent muscles Head injury excluding fracture	$\frac{2}{9}$	374 555	$\begin{array}{c} 376 \\ 564 \end{array}$	6	7 19
AN 144	N 860-N 869	Internal injury of chest, abdomen and pelvis		47	47	7	1
AN 145 AN 146	N 870-N 908 N 910-N 929	Laceration and open wounds Superficial injury, contusion and	44	1,752	1,796	1	52
		crushing with intact skin surface	23	919	942	• •	18
AN 147	N 930-N 936	Effects of foreign body entering through orifice	5	28	33	2	3
AN 148 AN 149	N 940-N 949 N 960-N 979	Burns	26	$\begin{array}{c} 720 \\ 13 \end{array}$	746 13	$\begin{array}{c} 4\overline{2} \\ 2 \end{array}$	26
AN 150	$\left  egin{array}{l} { m N950-N959} \\ { m N980-N999} \end{array}  ight\}$	All other and unspecified effects of external causes	47	533	580	2	10
		TOTAL	16,766	236,633	253,399	11,344	17,445

#### IN-PATIENTS—(cont.)

#### RETURN OF DISEASES AND DEATHS FOR THE YEAR 1953—(cont.)

		Natio	onalitie	es				Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
Europeans Eurasians Chinese Indians Malays Javanese Japanese Others						··· ·· ·· ·· ·· Total		82 62 9,959 3,255 3,245 77 1 85 16,766	2,559 915 100,939 75,083 53,732 1,410 6 1,989 236,633	2,641 977 110,898 78,338 56,977 1,487 2,074 253,399	32 27 7,150 2,732 1,266 62 1 74 11,344	59 54 10,522 3,310 3,309 101 1 89 17,445
Healthy per children or	csons a		l to	hospital	s to	accompa	any	170	9,833	10,003		78

#### SUMMARY ACCORDING TO MEN, WOMEN AND CHILDREN

				Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53
Men	••	 	··· ··· ··· Total	 10,913 4,987 637 229 16,766	113,638 93,641 17,339 12,015 236,633	124,551 98,628 17,976 12,244 253,399	4,909 2,010 1,444 2,981 11,344	11,325 5,160 722 238 17,445

### Summary according to Hospitals and Average Daily Number of Patients

		Remaining at end of 31-12-52	Admis- sions	Total cases treated	Deaths	Remaining at end of 31-12-53	Average daily number of patients	Number of beds
1. Kedah	tan	775 65 1,348 1,968 1,470 1,047 614 1,395 330 195 615 2,411 414 312 24 3,311 472	26,413 2,876 22,332 50,728 35,033 22,018 13,295 33,206 8,210 3,487 15,688 505 63 106 32 1,928 713 236,633	27,188 2,941 23,680 52,696 36,503 23,065 13,909 34,601 8,540 3,682 16,303 2,916 477 418 56 5,239 1,185 253,399	920 117 1,223 2,585 1,953 938 591 1,710 198 99 606 41 10 4  311 38	816 97 1,284 1,822 1,496 985 676 1,496 319 218 629 2,460 433 376 40 3,462 836 17,445	872 91 1,365 1,989 1,531 1,087 671 1,612 327 223 667 2,442 416 341 35 3,295 720 17,684	999 120 1,803 2,598 1,753 1,237 778 1,908 415 290 786 2,650 430 350 40 3,000 1,200

STATEMENT OF GENERAL HOSPITALS, DISTRICT AND MATERNITY HOSPITALS

TABLE 1A

State/Settlement	Average daily number of patients	Patients remain- ing at the end of the year	Patients admitted	Deaths	Death rate per 100 patients treated
KEDAH  General Hospital, Alor Star	421 209 182 13 47	387 156 167 19 46	10,829 7,387 6,790 592 815	492 227 185 3 13	4.4 3.0 2.7 0.5 1.5
PERLIS District Hospital, Kangar	91	65	2,876	117	3.9
PENANG  General Hospital, Penang	562 68 70 4 16 — 390 79 99 77	540 73 67 2 9 — 397 80 98 82	9,141 3,771 56 147 217 100 302 3,266 3,917 1,415	747 124 15 1 5 - 32 194 110 85	7.7 3.2 12.2 0.7 2.2 4.6 3.1 2.7 5.7
PERAK  District Hospital, Parit Buntar General Hospital, Taiping District Hospital, Kuala Kangsar Women's Hospital, Kuala Kangsar District Hospital, Ipoh General Hospital, Batu Gajah District Hospital, Kampar District Hospital, Tapah District Hospital, Tapah District Hospital, Tapin District Hospital, Telok Anson District Hospital, Lumut District Hospital, Grik	62 367 121 114 517 259 61 118 44 157 158	58 367 96 113 540 263 83 92 31 178 139	2,191 8,046 3,459 3,615 11,633 4,566 2,735 3,843 2,169 4,954 3,072 445	69 480 98 159 745 227 127 146 47 299 179	3.1 5.7 2.8 4.3 6.1 4.7 4.5 3.7 2.1 5.8 5.6 1.9
SELANGOR  Bungsar Hospital, Kuala Lumpur	43 562 88 387 14 17 216 127 77	39 515 90 377 5 16 225 123 80	1,155 17,565 320 99 555 170 7,247 5,431 2,491	17 1,297 11 45 — 387 124 72	1.4 7.2 2.7 9.5 — 5.2 2.2 2.8
NEGRI SEMBILAN  General Hospital, Seremban	483 197 96 132 91 86 2	444 198 79 136 106 83	10,001 2,703 1,700 2,814 2,662 2,091 47	522 86 112 83 95 40	4.9 2.9 6.3 2.8 3.4 1.8
Carried forward	6,935	6,673	159,400	7,736	

## STATEMENT OF GENERAL HOSPITALS, DISTRICT AND MATERNITY HOSPITALS—(cont.)

State/Settlement	Average daily number of patients	Patients remain- ing at the end of the year	Patients admitted	Deaths	Death rate per 100 patients treated
Brought forward .	. 6,935	6,673	159,400	7,736	
MALACCA  General Hospital, Malacca	. 66 17 . 1	538 62 11 3	11,054 109 654 32 1,446	559 32 — —	4.8 18.7 —
District Hospital, Tangkak	96 70 163 221	485 111 57 134 175 23 221 62 127	8,963 1,788 1,918 4,012 5,338 943 5,299 1,063 3,882	458 60 62 177 216 43 387 55 252	4.8 3.2 3.1 4.3 3.9 4.5 7.0 4.9 6.3
KELANTAN  State Hospital, Kota Bahru District Hospital, Kuala Krai Prison Hospital, Pkg. Chepa	. 37	283 36 11	6,305 1,767 138	168 26 4	2.6 1.4 2.7
TRENGGANU  General Hospital, Kuala Trengganu District Hospital, Kemaman District Hospital, Dungun	1 00	147 35 13	2,471 509 507	62 23 14	2.4 4.2 2.7
PAHANG  General Hospital, Kuala Lipis District Hospital, Pekan District Hospital, Kuantan District Hospital, Raub District Hospital, Bentong District Hospital, Mentekab	52 . 147 . 100 . 118 . 103	111 48 146 98 111 101	3,555 712 2,752 2,981 2,263 3,425	134 17 101 95 135 124	3.7 2.2 3.8 3.1 5.7 3.5
SPECIAL INSTITUTIONS  Leper Settlement, Sungei Buloh	10,435	9,822	233,286	10,940	1.4
Leper Settlement, Pulau Jerejak Leper Settlement, Johore Bahru	. 416 . 341 . 35 n 3,295	312 24 3,311 472	63 106 32 1,928 713	$ \begin{array}{c} 10 \\ 4 \\ -311 \\ 38 \end{array} $	2.1 0.9 — 5.9 3.2
TOTAL .	. 17,684	16,766	236,633	11,344	4.5

TABLE 2

MALARIA ADMISSIONS (INCLUDING CLINICAL MALARIA) IN GOVERNMENT HOSPITALS BY STATES AND MONTHS FOR 1953

	Total	1,701	519	671	2,561	817	997	422	1,354	1,183				
	Dec.	97	42	35	109	45	69	22	94	54	20	131	718	
	Nov.	132	38	47	177	62	7.1	26	95	78	31	173	930	
	Oct.	93	20	32	206	69	29	15	95	73	30	197	897	
	Sept.	95	25	99	211	58	99	26	74	06			970	
<del>ن</del>	Aug.	92			213				104	102	18			
FUK 1955	July	135	35	99	294	63	87	26	105	142	23	282	1,258	
	June	233	72	85	263	92	114	42	124	119	22	269	1,416	
AND MON	May	242	98	88	269	97	125	65	194	102	20	260	1,548	
Ā	April	191	34	59	209	93	86	51	163	121	17	225	1,261	
	March	155	52	24	193	92	74	63	115	126	6	155	1,042	
	Feb.	108	52	09	195	72	74	30	88	77	17	134	907	
	Jan.	128	39	61	222	55	85	33	103	66	17	167	1,009	
	State/ Settlement	Kedah	Perlis	Penang	Perak	Selangor	N. Sembilan	Malacca	Johore	Kelantan	Trengganu	Pahang	Total	

TABLE 2A

1953	Total	1,208	399	438	1,023	656	807	270	751	784	129	1,247	7,712	
HS FOR	Dec.	63	25	53	53	39	46	16	64	25	10	58	422	
AND MONTHS	Nov.	87	16	19	89	22	09	18	51	51	6	84	515	
	Oct.	99	14	20	79	09	58	6	53	31	6	111	510	
STATES	Sept.	70	18	42	100	54	49	13	49	47	19	102	563	
ALS BY	Aug.	50	22	44	85	48	26	16	52	55	4	150	579	
HOSPITALS	July	88	34	49	134	හි	69	24	62	104	21	134	774	
	June	177	29	59	113	72	100	40	58	06	15	146	937	
IN GOVERNMENT	May	188	80	92	86	87	110	54	112	83	111	147	1,046	
	April	147	28	46	79	62	85	32	84	92	111	112	278	
ADMISSIONS)	March	109	32	17	53	47	7G 8	22	29	78		7.1	559	
	Feb.	71	39	23	89	49	55	10	41	20	4	09	478	
OSITIVI	Jan.	92	24	20	96	31	61	16	58	20	111	72	551	
A (P	ıţ	:	:	:	:	:	n	:	•	:	:	:	:	
MALARIA (POSITIVE	State/ Settlement	Kedah	Perlis	Penang	Perak	Selangor	N. Sembilan	Malacca	Johore	Kelantan	Trengganu	Pahang	Total	
						62								

TABLE 3
SURGICAL OPERATIONS FOR 1953

	Stat	e/Sett	lemen <sup>.</sup>	t		(	Operations	Deaths
Kedah			• •	•••			3,609	34
Perlis		• •	• •	• •	• •	• •	682	
Penang			• •	• •	• •		5,291	66
Perak		• •	• •	• •			16,574	95
Selangor	• •	• •	• •	• •			17,215	67
Negri Sembil	lan	• •	• •	• •			3,115	48
Malacca		• •	• •	• •			2,320	24
Johore	• •	• •	• •	• •	• •		9,010	73
Kelantan	• •			• •	• •		2,034	26
Trengganu	• •	• •					1,064	1
Pahang	• •			• •			3,233	10
					Total	• •	64,147	444

TABLE 4

OPHTHALMIC PATIENTS FOR 1953

State/Settlement		Eye diseases proper	Eye injuries	Refrac- tion	General diseases affecting eyes	Disor- ganised eyes	Total	Opera- tions	
Kedah			1,778	217	336	441	106	2,878	630
Perlis			29	1		_		30	
Penang			4,283	477	823	611	81	6,275	779
Perak			5,428	634	3,856	64	54	10,036	980
Selangor		• •	6,956	728	1,359	_	189	9,232	551
Negri Sembilan		• •	2,804	304	580	279	12	6,016*	292
Malacca			2,277	159	1,153	24	11	3,624	132
Johore			3,197	218	2.813	165	4	6,397	318
Kelantan			7,535	55		612	—	8,202	258
Trengganu			-	_		-		—	_
Pahang			1,745	15	266	83	3	2,112	56
	r	otal	36,032	2,808	11,186	2,279	460	54,802	3,996

<sup>\*</sup> Includes vision testing of new recruits 2,037

TABLE 5

## SUMMARY OF OUT-PATIENTS TREATED IN EACH STATE AND SETTLEMENT

(Excluding those who were treated at Infant Welfare Centres, School Inspections and Special Clinics)

Senoor mopee			poorur o		
Hospitals and Dispensarie	S	Adult Males	Adult Females	Children under 10 years	Total
	:				
KEDAH					
At Hospitals		49,860	40,631	41,221	131,712
At Static Dispensaries		47,098	35,328	42,854	125,280
By Travelling Dispensaries		20,554	8,939	14,825	44,318
Total		117,512	84,898	98,900	301,310
PERLIS					
I EIVLIS					
At Hospitals		5,627	3,994	4,756	14,377
At Static Dispensaries		6,848	4,218	7,084	18,150
By Travelling Dispensaries	• •	2,030	1,526	2,641	6,197
Total	• •	14,505	9,738	14,481	38,724
PENANG					
At Hospitals		$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	26,238	24,103	96,057
At Static Dispensaries	• •	13,972	17,456	25,827	57,255
By Travelling Dispensaries		17,891	15,093	26,714	59,698
Total		77,582	58,784	76,644	213,010
		4			
PERAK					
At Hospitals	• ,	99,622	63,877	$\begin{bmatrix} 56,652 \end{bmatrix}$	220,151
At Static Dispensaries		54,219	24,679	30,098	108,996
By Travelling Dispensaries:		E0 101	41.10=	FC 001	150 015
(i) Road (ii) River	• •	$\begin{array}{c} 56,161 \\ 6,648 \end{array}$	$\begin{array}{c c} 41,135 \\ 3,799 \end{array}$	$\begin{array}{c c} 56,621 \\ 5,302 \end{array}$	$  150,917 \\ 15,749  $
(II) River	• •	0,040	0,100		10,730
Total	• •	216,650	130,490	148,673	495,813
			1		

## SUMMARY OF OUT-PATIENTS TREATED IN EACH STATE AND SETTLEMENT—(cont.)

Hospitals and Dispensaries		Adult Males	Adult Females	Children under 10 years	Total
SELANGOR					
At Static Dispensaries	• •	83,523 63,101 12,861	49,238 36,526 8,724	46,331 52,704 13,189	179,092 152,331 34,774
Total	• •	159,485	94,488	112,224	366,197
NEGRI SEMBILAN					
At Static Dispensaries	• •	47,929 23,307 17,272	28,154 15,463 15,976	32,582 15,106 17,567	108,665 53,876 50,815
Total	• •	88,508	59,593	65,255	213,356
MALACCA					
At Static Dispensaries		12,252 23,402 13,506	9,551 8,820 12,399	8,172 11,551 18,782	29,975 43,773 44,687
Total		49,160	30,770	38,505	118,435
JOHORE					
At Hospitals		52,221 42,197	19,344 17,452	32,331 24,425	103,896 84,074
	• •	44,064	34,856 641	54,969 2,631	133,889 3,689
Total		138,899	72,293	114,356	325,548

## SUMMARY OF OUT-PATIENTS TREATED IN EACH STATE AND SETTLEMENT—(cont.)

Hospitals and Dispensaries		Adult Males	Adult Females	Children under 10 years	Total
KELANTAN					
At Hospitals At Static Dispensaries		18,437 18,225	6,383 8,783	4,520 11,681	29,340 38,689
By Travelling Dispensaries:  (i) Road  (ii) River	• •	$20,518 \\ 3,372$	12,552 1,554	30,718 2,304	63,788 7,230
Total		60,552	29,272	49,223	139,047
TRENGGANU					
At Hospitals At Static Dispensaries By Travelling Dispensaries:		19,895 21,898	12,037 15,567	16,529 17,478	48,461 54,943
(i) Road (ii) River		23,204 4,749	16,937 3,470	26,602 3,192	66,743 11,411
Total	• •	69,746	48,011	63,801	181,558
PAHANG					
At Hospitals At Static Dispensaries By Travelling Dispensaries:		50,090 14,736	33,493 7,970	43,304 11,991	126,887 34,697
(i) Road (ii) River		15,513 8,814	10,395 5,442	11,428 9,866	37,336 24,122
Total		89,153	57,300	76,589	223,042

TABLE 6

#### OUT-PATIENTS (FIXED DISPENSARIES)

#### RETURN OF DISEASES FOR THE YEAR 1953

Inter- mediate	Detailed		All Nati		v Cases including E	Europeans)
list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		I.—INFECTIVE AND PARASITIC DISEASES				
A 1 A 2	001-008 010	Tuberculosis of respiratory system Tuberculosis of meninges and central	3,805	1,313	82	5,200
A 3	011	nervous system Tuberculosis of intestines, peritoneum	•••	1	5	6
A 4 A 5 (a)	012-013 014	and mescnteric glands Tuberculosis of bones and joints Tuberculosis of skin and subcutaneous	$\begin{vmatrix} 3\\14 \end{vmatrix}$	3 5	$\begin{vmatrix} & 1 \\ 31 \end{vmatrix}$	7 50
(b)	015	cellular tissue Tuberculosis of lymphatic system	$\begin{array}{c c} 2 \\ 50 \end{array}$	$\frac{4}{36}$	$\begin{vmatrix} 4\\32 \end{vmatrix}$	$\begin{array}{c} 10 \\ 118 \end{array}$
(c) (d)	016 017 018	Tuberculosis of genito-urinary system Tuberculosis of adrenal glands Tuberculosis of other organs	$\begin{array}{c c} & 4 \\ 1 \\ 5 \end{array}$	$\frac{1}{6}$		$\begin{array}{c}5\\1\\12\end{array}$
(e) (f)	019 020	Disseminated tuberculosis	5	0	38	38
A 6 A 7 (a) (b)	021.0-021.1	Primary syphilis	195 858	43 490	3	238 1,351
(c)	021.3	Early syphilis, relapse following treat-	2			2
A 8 A 9	$\begin{array}{c c} 021.4 \\ 024 \\ 025 \end{array}$	Early syphilis (unspecified stage) Tabes dorsalis	142 10	$\begin{array}{c} 79 \\ 1 \end{array}$	• •	$\begin{array}{c} 221 \\ 10 \end{array}$
A 10 (a) (b)	025 022 023	General paralysis of insane Aneurysm of aorta Other cardiovascular syphilis	2		• •	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$
$\begin{pmatrix} c \\ c \end{pmatrix}$	$\begin{array}{c} 026 \\ 027 \end{array}$	Other syphilis of central nervous system Tertiary syphilis	$\begin{array}{c c} & \overline{4} \\ 155 \end{array}$	76		$\frac{5}{231}$
(e) $(f)$	028 029	Latent syphilis	200	$\begin{array}{c c} & 3 \\ 218 \end{array}$	2	$\begin{array}{c} 8 \\ 420 \end{array}$
A 11 (a) (b)	030 031	Acute or unspecified gonorrhoea Chronic gonococcal infection of genito-	2,103	370	3	2,476 236
(c) (d)	032 033	Gonococcal infection of joint	$\begin{bmatrix} 204 \\ 69 \\ 2 \end{bmatrix}$	32	13	$\begin{array}{c} 230 \\ 72 \\ 15 \end{array}$
A 12 (e)	034-035 040	Gonococcal infection of other sities Typhoid fever	$9\overline{9}$	15		114 11
A 13 (a) (b)	041 042	Paratyphoid fever A, B or C Other salmonella infections			3	3
A 14 A 15	043 044	Brucellosis (undulant fever)	120	71	34	244
A 16 (a) (b) (c)	$\begin{array}{c c} 045 \\ 046 \\ 047-048 \end{array}$	Bacillary dysentery	139 355	99	87	541
A 17	050	of dysentery Scarlet fever	1,601	1,017	789	3,407
A 18 A 19	051 052	Streptococcal sore throat	$\begin{array}{c} 32 \\ 9 \\ \end{array}$	34	25 16	$\begin{array}{c} 91 \\ 32 \end{array}$
A 20 A 21 A 22	053 055 056	Septicaemia and pyaemia	$\begin{array}{c} 3\\32\\128\end{array}$	$\begin{bmatrix} 2\\41\\109 \end{bmatrix}$	182 2,533	$\begin{array}{c} 5 \\ 255 \\ 2,770 \end{array}$
A 23 A 24	057 058	Whooping Cough Meningococcal infections Plague	120	109	2,000	2,110
A 25 A 26 (a)	060 061	Leprosy	187	38	$\begin{bmatrix} 3 \\ 2 \\ 2 \end{bmatrix}$	$\begin{array}{c} 228 \\ 2 \end{array}$
A 27 (b)	062	Tetanus, other forms	9	1		12
A 28 A 29 A 30	080 082 081	Acute Poliomyelitis	• •	• •	1	1
A 31	$\left[ \begin{array}{c} 081 \\ 083 \\ 084 \end{array} \right]$	acute infectious encephalitis Smallpox	1	• •	3	4
A 32 A 33	$\begin{array}{c} 085 \\ 091 \end{array}$	Measles	80	35	777	892
A 34 A 35	$\begin{array}{c c} 092 \\ 094 \end{array}$	Infectious hepatitis Rabies	32	20	14	66
A 36 (a) (b)	100 101	Louse-borne epidemic typhus Flea-borne endemic typhus (murine)				
		Carried forward	10,551	4,177	4,686	19,414

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

	Int	er- iate	Detailed		All Nati	Nev ionalities (	v Cases including E	Curopeans)
	lis		list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
				Brought forward	10,551	4,177	4,686	19,414
				I.—INFECTIVE AND PARASITIC DISEASES—(cont.)				
		(c) (d) (e)	104 105 102-103	Tick-borne cpidemic typhus Mite-borne typhus				
<b>A</b> :	37	(a)	$\left\{\begin{array}{c} 102\text{-}103 \\ 106\text{-}108 \\ 110 \end{array}\right\}$	Other and unspecified typhus	2,333	936	1.011	4.000
		(b) (c) (d) (e) (f)	111 112 114 115 113	Malariae malaria (quartan)  Falciparum malaria (malignant tertian)  Mixed malaria infections  Blackwater fever	2,333 93 2,820 127	35 932 49	$\begin{array}{ c c c }\hline 1,011 \\ 21 \\ 1,144 \\ 36 \\ \end{array}$	4,280 149 4,896 212
A S	38	(a)	$\begin{pmatrix} 113 \\ 116-117 \\ 123.0 \end{pmatrix}$	Other and unspecified forms of malaria Schistosomiasis vesical (S. haema-	33,948	17,951	19,872	71,771
		(b) (c)	$123.1 \\ 123.2$	tobium) Schistosomiasis intestinal (S. Mansoni)   Schistosomiasis Pulmonary (S. japo-				
A 8	39	(d)	123.3 125	Other and unspecified Schistosomiasis				
<b>A</b> 4	10	(a) (b)	127 —	Onchocerciasis				
A 4		(c) (d) (a)	$-\frac{129}{126}$	Filariasis (bancrofti)	18 59 4,580	$\begin{array}{c} 4 \\ 39 \\ 3,215 \end{array}$	4,315	$\begin{array}{c} 22\\107\\12,110\end{array}$
		(b) (c)	$130.0 \\ 130.3$	cestode infestation	12,343	11,408	45,827	69,578
		$\begin{pmatrix} (d) \\ (e) \\ (f) \end{pmatrix}$	$\begin{array}{c} 124 \\ 128 \\ 130.1 \text{-} 130.2 \end{array}$	Other trematode infestation	$\begin{bmatrix} 4 \\ 23 \end{bmatrix}$	$\begin{bmatrix} 3\\4\\31 \end{bmatrix}$	9 64	12 17 118
A 4	13	(a) (b)	036 037	Other diseases due to helminths Chancroid Lymphogranuloma venereum	1,517	$\begin{bmatrix} 2,474 \\ 3 \end{bmatrix}$	4,301	8,292 66
		(c) (d) (e)	038 039 049	Granuloma inguinale, venereal Other and unspecified venereal diseases Food poisoning infection and intoxi-	$\begin{bmatrix} 30\\10\\74 \end{bmatrix}$	$\begin{bmatrix} 4 \\ 6 \\ 36 \end{bmatrix}$		34 16 110
		(f)	059	cation	33	17	9	59
		(g) (h)	$\begin{array}{c} 063 \\ 064 \end{array}$	Gas gangrene (a) Glanders (b) Melioidosis	1	••	••	1
		$\begin{array}{c c} (i) \\ (j) \\ (k) \end{array}$	$\begin{array}{c} 070 \\ 071 \\ 072 \end{array}$	(c) Other bacterial diseases Vincent's infection Relapsing fever Leptospirosis icterohaemorrhagica	4	1		5
		(l)	073	(Weil's disease)	13,902	10,062	9,915	33,879
		(m) (n) (o)	086 087 088	Rubella	$\begin{vmatrix} 1\\365 \end{vmatrix}$	$\begin{bmatrix} 3 \\ 91 \end{bmatrix}$	348	804
		(p)	089 09 <b>0</b>	Herpes Zoster Mumps Dengue	536 1,610	$egin{array}{c c} 168 \\ 625 \\ 10 \end{array}$	1,349	$\begin{array}{c} 791 \\ 3,584 \end{array}$
		(q) (r) (s)	093 095	Glandular fever	248	$\begin{bmatrix} 19 \\ 2 \\ 340 \end{bmatrix}$	44	$\begin{array}{c} 68 \\ 2 \\ 632 \end{array}$
		$\begin{pmatrix} (t) \\ (u) \\ (v) \end{pmatrix}$	096.7 120 121	Sandfly fever Leishmaniasis  (a) Trypanosomiasis gambiensis  (b) Trypanosomiasis rhodesiensis	1	7	1	9
		(w)	131	miasis	1,438	547	568	2,553
		(x)	135	Scabies	19,999	9,833	24,190	54,022
		1		Carried forward	106,779	63,014	117,838	287,631

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-		Detailed		All Natio		Cases including E	uropeans)
mediate list Numbe		list Number	Cause Groups—(Diseases)	Adult Malcs	Adult Females	Children under 10 years	Total
			Brought forward	106,779	63,014	117,838	287,631
	(y)	054, 074 \\096.1-096.6	I.—INFECTIVE AND PARASITIC DISEASES—(cont.)				
٠		$ \begin{array}{c} 096.8, 096.9 \\ 122 \\ 132-134 \\ 136-138 \end{array} $	All other diseases classified as infective and parasitic	2,310	1,207	1,760	5,277
			II.—NEOPLASMS				
A 44		140-148	Malignant neoplasm of buccal cavity and pharynx	84	72		156
A 45 A 46 A 47	(a)	150 151 152	Malignant neoplasm of oesophagus Malignant neoplasm of stomach Malignant neoplasm of small intestine, including duodenum	$\begin{array}{ c c } & 2 \\ 14 & \end{array}$	9	••	$\begin{array}{c} 2 \\ 23 \end{array}$
	(b)	153	Malignant neoplasm of large intestine, except rectum	2			2 7
A 48 A 49 A 50		154 161 162-163	Malignant neoplasm of rectum Malignant neoplasm of larynx Malignant neoplasm of trachea, and of	6	1	• •	7
A 51		170	bronchus and lung not specified as secondary	5	$\frac{2}{13}$	• •	7 13
A 52 A 53		171 172-174	Malignant neoplasm of cervix uteri Malignant neoplasm of other and un-	••	40		40
A 54 A 55 A 56		177 190-191 196-197	specified parts of uterus  Malignant neoplasm of prostate  Malignant neoplasm of skin  Malignant neoplasm of bone and con-	68 68	$\begin{array}{c c} & 2 \\ & \ddots \\ & 5 \end{array}$	3	$\begin{array}{c}2\\1\\76\end{array}$
	(a)	155-156	nective tissue	6 5		• •	6 11
	(b) (c) (d)	157 158 159	Malignant neoplasm of pancreas Malignant neoplasm of peritoneum Malignant neoplasm of unspecified				0
	(e)	175-176	digestive organs  Malignant neoplasm of other and unspecified female genital organs	3	4	••	3 4
(	(f)	178-179	Malignant neoplasm of other and unspecified male genital organs	4		• •	4
	(g)	180-181	Malignant neoplasm of kidney, bladder and other urinary organs	2			2
	(h)	$ \left\{ \begin{array}{c} 160 \\ 164-165 \\ 192-195 \\ 198-199 \end{array} \right\} $	Malignant neoplasm of all other and unspecified sites	61	49	2	112
A 58 A 59	(a)	$ \begin{array}{c c}  & 133 - 133 \\  & 204 \\  & 200 \end{array} $	Leukaemia and Aleukaemia				
	(b) (c)	$\begin{array}{c c} 201 \\ 202-203 \end{array}$	Hodgkin's disease	3			3
A 60	(d) (a)	205 210-211	matopoietic system	38 1,104	$\begin{array}{c c} 22 \\ 391 \end{array}$	$\begin{bmatrix} & 6 \\ 271 \end{bmatrix}$	66 1,766
11 00	(b)	217	pharynx and digestive system Benign neoplasm of other female genital	12	10	1	23
	(c)	218	organs	•••	13	••	13
	(d)	$212-216 \ 219-229$	organs Benign neoplasm of other and unspecified organs and tissue	100	48	19	6 167
	(e)	230	Neoplasm of unspecified nature of digestive organs		• •	1	1
(	(f)	233-235	Neoplasm of unspecified nature of other female genital organs		4		4
	<i>(g)</i>	$\left\{\begin{array}{c} 231-232 \\ 236-239 \end{array}\right\}$	Neoplasm of unspecified nature of other unspecified organs	90	24	8	122
			Carried forward	110,706	64,936	119,909	295,551

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inte		Detailed		All Nati	Nev onalities (	v Cases including 1	Europeans)
medi lis Num	$\mathbf{t}$	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
			Brought forward III.—ALLERGIC, ENDOCRINE	110,706	64,936	119,909	295,551
			SYSTEM, METABOLIC AND NUTRITIONAL DISEASES AND IV.—DISEASES OF THE BLOOD	, ,			
A 01		050 051	AND BLOOD-FORMING ORGANS				0.40
A 61 A 62 A 63		$\begin{array}{c c} 250-251 \\ 252 \\ 260 \end{array}$	Nontoxic goitre	37 41 1 059	211 100 594	1	$249 \\ 141 \\ 1,652$
A 64	(a)	280 280 281	Beri Beri	1,058 $2,431$	1,842	166	4,439
	(b) (c) (d)	281 282 283-284	Pellagra	50 11	45 15	3 25	98 51 40
	(a) (e) (f)	285	Rickets	5	5	40	10 101
	())	286.0 286.5	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1,003	1,882	$\begin{array}{ c c } & 21 \\ & 3,370 \end{array}$	6,255
A 65	(a)	$286.1-286.4 \atop 286.6 \atop 2000$	(c) Other deficiency states	3,798	4,900	2,452	11,150
A. 05	(a)	290	Pernicious and other hyperchromic anaemias	268	345	96	709
	(b) (c)	292-293	Iron deficiency anaemias (hypochromic) Other specified and unspecified anaemias	6,115	12,656	3,239 10,059	22,010 57,727
A 66	(a) (b)	241 240	Mias	10,967	6,852	5,713	23,532
	(c)	$\left[\begin{array}{c} 240\\ 242-245\\ 253 \end{array}\right\}$	other allergic disorders	1,698	978	593	3,269
	(d) (e)	254 270	Other diseases of thyroid gland Disorders of pancreatic internal secre-	37	87	12	136
	(f)	271	tion other than diabetes mellitus	$\frac{1}{2}$			$\frac{1}{2}$
	(g)	272 273	Diseases of pituitary gland		••	••	2
	(h) $(i)$ $(j)$ $(k)$ $(l)$ $(m)$	274 275-277	Diseases of adrenal gland		$  \cdots  _{2}$	3	3 5
	(k)	288 287,289	Gout	$\frac{28}{718}$	$\begin{array}{c c} 12 \\ 669 \end{array}$	15 465	55 1,852
	$\binom{n}{n}$	294 295	Polycythemia	2	2	2	6
	(0)	296	Purpura and other haemorrhagic con-	$\frac{2}{2}$	11	$\begin{vmatrix} 2 \\ 2 \end{vmatrix}$	15
	(p) (q) (r)	297 298	Agranulocytosis	17	13	39	69
	$\binom{q}{r}$	299	Other diseases of blood and blood-	153	132	40	325
				133	102	40	020
			V.—MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS				
A. 67	(a)	300	Schizophrenic disorders (dementia prae- cox)	1			1
	(b) (c)	301 302	Maniac-depressive reaction Involutional melancholia	_			•
	(c) $(d)$ $(e)$ $(f)$	303 304	Paranoia and paranoid states	4	1		5
A 68	$(\tilde{f})$	305-309 311	Other and unspecified psychoses Hysterical reaction	29 15	$\begin{vmatrix} & \tilde{9} \\ 38 \end{vmatrix}$	1	39 53
11 00	(b)	314 322	Neurotic-depressive reaction	47 811	$\begin{array}{c} 40 \\ 20 \end{array}$	2	$\begin{array}{c} 89 \\ 831 \end{array}$
	(a) (b) (c) (d) (e)	323 310	Other drug addiction	241	2		243
		$\left \begin{array}{c} 312\text{-}313 \\ 315\text{-}321 \\ 324 \end{array}\right $	Other psychoneuroses and disorders of personality	4	3		7
A 69		326 325	Mental deficiency	26	20	18	64
			Carried forward	156,063	128,436	146,286	430,785

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

				Nev	v Cases	
Inter- mediate	Detailed		All Nati	onalities (	including E	uropeans)
list Number	Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	156,063	128,436	146,286	430,785
		VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS				
A 70 (	$ \begin{array}{c c} (a) & 331 \\ (b) & 332 \\ (c) & 330 \\ 333-334 \end{array} $	Cerebral haemorrhage	8 5	1	• •	8 6
A 71 A 72	333-334 <i>f</i> 340 345	nervous system	22	3	$\begin{vmatrix} & \ddots & \\ & & 2 \end{vmatrix}$	25 5
A 73	$a) \begin{vmatrix} 353 \\ 370 \end{vmatrix}$	Epilepsy	284 $24,471$	181 12,960	76 17,415	$541 \\ 54,846$
A 75	b) 371-379 385	Other inflammatory diseases of eye Cataract	3,578 852	2,125 531	1,837	7,540 1,416
	(a) 387 390 (b) 391-393	Glaucoma Otitis externa Otitis media and mastoiditis	$ \begin{array}{c c} 41 \\ 6,501 \\ 3,542 \end{array} $	3,466 1,830	$egin{array}{c c} 13 \\ 7,840 \\ 5,157 \\ \hline \end{array}$	106 $17,807$ $10,529$
(	c) 394 a) 380-384	Other inflammatory diseases of ear	4,591	2,495	6,073	13,159
11 10 (	$\left\{\begin{array}{c} 386, 388 \\ 389 \end{array}\right\}$	All other diseases and conditions of eye	9,478	4,274	2,312	16,064
(	b) 342 c) 343	Intracranial and intraspinal abscess Encephalitis, myelitis and encephalo-	_		$\begin{vmatrix} & & & \\ & & & \\ & & & 2 \end{vmatrix}$	10
	d) 350 e) 352	nıyelitis	5 3 58	3 16	8.	$\begin{array}{c} 10 \\ 3 \\ 82 \end{array}$
( j	356	Motor neurone disease and muscular atrophy	2	1		$\frac{3}{2}$
(	g) 357 h) 366	Other diseases of spinal cord Other and unspecified forms of neural-gia and neuritis	30,514	20,178	1,783	2 52,475
(	i) 367 j) 369	Other diseases of cranial nerves Diseases of peripheral autonomic	53	35		88
(	k) 341, 344 351, 354	nervous system	130	90	••	220
	$ \begin{array}{c c} 355 \\ 360-365 \\ 368 \\ 395-398 \end{array} $	All other diseases of the nervous system and sense organs	4,548	3,232	207	7,987
		VII.—DISEASES OF THE CIRCULATORY SYSTEM				
	a) 400	Rheumatic fever without mention of heart involvement	1,174	287	27	1,488
	b) 401 c) 402	Rheumatic fever with heart involvement	4	7	$\begin{bmatrix} 5 \\ 2 \end{bmatrix}$	16 3
	c) 402 a) 410-413	Diseases of valves specified as rheu-	7			7_
(	b) 414	Other endocarditis specified as rheumatic	3	2		5
	c) 415	Other myocarditis specified as rheumatic				
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Other heart disease specified as rheumatic	12	2	• •	14
· ·	a) 420 b) 421	coronary disease	4	1	• •	5
	c) 422	rheumatic	31 77	14 47	1 1	$\begin{array}{c} 46 \\ 125 \end{array}$
A 82 (	(a) 430 (b) 431 (420)	Acute and subacute endocarditis Acute myocarditis	$\begin{bmatrix} 1\\ 68\\ 20 \end{bmatrix}$	$\begin{array}{c} \cdot \cdot \\ 27 \\ 2 \end{array}$	11	$\begin{array}{c} 1\\106\\22\end{array}$
	$egin{array}{c c} b) & 431 \\ c) & 432 \\ d) & 433 \\ \end{array}$	Acute pericarditis	$\begin{array}{c c} 20 \\ 276 \end{array}$	176	5	457
		Carried forward	246,429	180,481	189,098	616,008

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter- mediate	Detailed		All Nati		v Cases including	Europeans)
list Number	Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	246,429	180,481	189,098	616,008
		VII.—DISEASES OF THE CIRCULATORY SYSTEM—(cont.)				
A 83 A 84 A 85 (	a) 434 440-443 444-447 450	Other and unspecified diseases of heart Hypertension with heart disease Hypertension without mention of heart General arterioscierosis	542 122 1,130 16	348 82 665 2	30  5	920 204 1,800 18
	b) 451 c) 452	Aortic aneurysm specified as non- syphilitic and dissecting aneurysm Other aneurysm, except of heart and aorta	4	1 1	• •	5
()	(d) 453 (e) 454 (f) 455	Peripheral vascular disease Arterial embolism and thrombosis Gangrene of unspecified cause	1 5		3	1 8
A 86 (	(g) 456 (a) 460, 462 (b) 461 (c) 463-464 (d) 465	Other diseases of arteries	$\begin{array}{ c c c }\hline & 17 \\ 242 \\ 2,163 \\ 35 \\ \end{array}$	$ \begin{array}{c c} 2 \\ 142 \\ 759 \\ 23 \end{array} $	$egin{array}{c} \cdot \cdot \cdot & 4 \ 35 \ 1 \end{array}$	19 388 2,957 59
(	(e) 466 f) 467	Pulmonary embolism and infarction Other venous embolism and thrombosis Other diseases of circulatory system	2 1 101	8  59	19	$ \begin{array}{c c}  & 10 \\  & 1 \\  & 179 \end{array} $
(	g) 468	(a) Adenitis (b) Lymphadenitis (c) Other diseases of lymph nodes and lymph channels	2,459 <b>3</b> 49 62	954 88 36	1,687 189 24	5,100 626 122
		VIII.—DISEASES OF THE RESPIRATORY SYSTEM				
(	(a) 470 (b) 471 (c) 472 (d) 473 (e) 474	Acute nasopharyngitis (common cold) Acute sinusitis	37,137 855 5,548 7,109 633	17,906 506 2,893 4,387 295	28,759 140 1,880 7,506 243	83,802 1,501 10,321 19,002 1,171
A 88 (	f) 475 a) 480 b) 481	Other acute upper respiratory infections Influenza with pneumonia Influenza with other respiratory manifestations and influenza upper lifed	911 107 48,283	874 51	1,070 60 22,888	2,855 218 90,94 <b>5</b>
	(c) 482 (d) 483	festations, and influenza unqualified Influenza with digestive manifestations, but without respiratory symptoms Influenza with nervous manifestations,	1,345	19,774 629	730	2,704
A 89 A 90 A 91	490 491 492-493	but without digestive or respiratory symptoms	1,491 141 170	482 114 127	797 108 1,768	2,770 363 2,065
	a) 500 501 502 510	pneumonia	179 18,426 68,239 8,425 42	80 11,655 40,949 4,419 13	303 31,104 76,030 2,514 80	562 61,185 185,218 15,358 135
A 95 ( A 96	a) 518 b) 521 519	Empycma	2 3 209 448	76 281		3 3 292 1,229
	(b) 520 (c) 522 (d) 525	Other diseases of upper respiratory tract Spontaneous pneumothorax Pulmonary congestion and hypostasis Other chronic interstitial pneumonia	1 1	281		1,229 1 1
()	$egin{array}{c c} (e) & 523 \\ f) & 526 \\ g) & 511-516 \\ \hline \end{array}$	Pneumoconiosis	138	58	32	228
	$\left\{\begin{array}{c}524\\527\end{array}\right\}$	All other respiratory diseases	1,981	1,999	2,568	6,548
		Carried forward	455,504	291,220	370,182	1,116,906

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-	Detailed		All Natio		Cases including I	Europeans)
mediate list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	455,504	291,220	370,182	1,116,906
		IX.—DISEASES OF THE DIGESTIVE SYSTEM				
A 98 (a) (b)	530 531-535	Dental caries	8,872 452 847	4,196 245 452	5,766 131 141	$18,834 \\ 828 \\ 1,440$
A 99 A 100	540 541	(c) Other diseases of teeth and supporting structures  Ulcer of stomach	1,379 575 76	639 182 17	687	2,705 $760$ $93$
A 101 A 102 A 103 (a)	543 550-553 560	Gastritis and duodenitis Appendicitis Hernia of abdominal cavity without	17,652 252	11,334 145	4,506	33,492 440
(b)	561	mention of obstruction  Hernia of abdominal cavity with obstruction	264 8	6	65	<b>335</b> 8
(c)	570	(a) Intussusception (b) Volvulus		3	1	1 9
A 104 (a)	571.0	Gastro-enteritis and colitis between 4 weeks and 2 years			13,675	13,675
(b) (c)	571.1	Gastro-enteritis and colitis, ages 2 years and over	13,794 133	7,638 27	11,214 39	32,646 199
A 105 (a)	581.0 581.1	Cirrhosis of liver without mention of alcoholism	87 31	31 10	1	119 41
A 106 (a) (b)	584 585	Cholelithiasis	$\begin{array}{c c} & 1 \\ & 37 \end{array}$	$\begin{vmatrix} 1\\21 \end{vmatrix}$	3 4	$\begin{array}{c} 5 \\ 62 \end{array}$
A 107 (a) (b) (c)	536 538 539	Stomatitis Other diseases of buccal cavity  (a) Functional disorders of oesophagus (b) Stricture or obstruction of oeso-	2,491	2,282	5,759	10,532
(d) (e)		phagus Disorders of function of stomach Other diseases of stomach and duo-	7,785	5,538	4,808	18,131
(f)	573	denum (a) Constipation (b) Other functional disorders of intes-	3,055 26,359	2,981 14,497	1,510 11,065	7,546 51,921
(g) (h)	574 575	tines Anal fissure and fistula Abscess of anal and rectal regions	2,832 80 71	1,910 10 4	1,701 6 5	6,443 96 80
(g) (h) (i) (j)	576 578	Peritonitis	$\frac{1}{68}$	31	54	2 153
(k)	580	(a) Acute yellow atrophy of liver (b) Degeneration of liver			1	1 1
$\binom{(l)}{(m)}$	583 586	(c) Hepatitis Other diseases of liver Other diseases of gall-bladder and bili-	587 109	269 42	65 26	921 177
(n) (o)	587 537 542 )	ary ducts Diseases of pancreas	82 34	34	12	128 35
(%)	$\left\{\begin{array}{c} 537, 542 \\ 577, 582 \end{array}\right\}$	Other diseases of digestive system	5,837	5,777	3,439	15,053
		X.—DISEASES OF THE GENITO- URINARY SYSTEM				
A 108 A 109 (a)	590 591	Acute nephritis	231	125	84	126
(b) (c)	592 593	hrosis Chronic nephritis Nephritis not specified as acute or	82 215	45 103	32	136 350
(d)		Chronic Other renal sclerosis	1,194	909	382	2,485
		Carried forward	551,199	350,798	435,562	1,337,559

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-	Detailed		All Nati		v Cases including	Europeans)
mediate list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	551,199	350,798	435,562	1,337,559
		X.—DISEASES OF THE GENITO- URINARY SYSTEM—(cont.)				
A 110 A 111 (a) A 112	600 602 604 610	Infections of kidney	264 24 18 5	218	20 1	502 25 19 5
A 113 A 114 (a) (b) (c)	$\begin{array}{c} 620\text{-}621 \\ 603 \\ 605 \\ 606 \end{array}$	Diseases of breast Other diseases of kidney and ureter Cystitis Other diseases of bladder	320 1,027 327	294 154 832 74	$egin{array}{c} 4 \\ 27 \\ 139 \\ 44 \\ \end{array}$	298 501 1,998 445
$(c) \\ (d) \\ (e) \\ (f) \\ (g) \\ (h) \\ (i) \\ (j) \\ (k)$	608 609 612 613	Stricture of urethra	337 1,375 58 190	34 398	$\begin{array}{c c} & 7\\ 101\\ & \\ 10 \end{array}$	378 1,874 58 200
(h) (i) (j) (k)	614 617 622 625	Orchitis and epididymitis Other diseases of male genital organs Acute salpingitis and oophoritis Other diseases of ovary and fallopian	631 498 ···	114	33 84 	664 582 114
(1)	626	tube		44	• •	<b>44</b> 6
(m)	630	Infective disease of uterus, vagina and vulva		537	9	546
(n) (o) (p) (q)	633 634 637 601	Other diseases of uterus Disorders of menstruation Other diseases of female genital organs	• •	1,474 8,000 1,434	4	1,474 8,000 1,438
	$   \left. \begin{array}{c}     607, 611 \\     615-616 \\     623-624 \\     631-632 \\     635-636   \end{array} \right\} $	All other diseases of the genito-urinary system	1,161	780	217	2,158
		XI.—DELIVERIES AND COMPLI- CATIONS OF PREGNANCY, CHILD- BIRTH AND THE PUERPERIUM				
A 115 (a)	640	Pyelitis and pyelonephritis of pre- nancy		180	• •	180
(b) (c) (d)	641 681 682	Other infections of genito-urinary tract during pregnancy Scpsis of childbirth and the puerperium Puerperal phlebitis and thrombosis	••	73 32	• •	73 32
A 116 (e)	684 642	Puerperal pulmonary embolism  (a) Albuminuria of pregnancy  (b) Eclampsia of pregnancy  (c) Hyperemesis gravidarum	• •	579 22 467	• •	579 22 467
	ero	(a) Acute yellow atrophy of liver (e) Other toxaemias of pregnancy	• •	114	• •	2 114
(b) (c)	652 685	Abortion with toxaemia, without mention of sepsis	• •	20	• •	20
$ \begin{array}{c cccc} A & 117 & (a) \\ \end{array} $	$\begin{array}{c} 686 \\ 643 \end{array}$	Other forms of puerperal toxaemia Placenta praevia	• •	$\frac{3}{2}$	• •	$\frac{3}{2}$
(b) (c)	644 670	Other haemorrhage of pregnancy Delivery complicated by placenta praevia or antepartum haemorrhage	••	79	• •	79
(d)	671	Delivery complicated by retained placenta		4	• •	4 .
(e) A 118	672 650	Delivery complicated by other post- partum haemorrhage	• •	2	••	2
A 119	651	toxaemia		1,038 62	• •	$\substack{1,038\\62}$
		Carried forward	557,434	367,871	436,262	1,361,567

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-	Deteiled		All Nati	Nev onalities (	v Cases including	Europeans)
mediate list Number	Detailed list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	557,434	367,871	436,262	1,361,567
		XI.—DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD-BIRTH AND THE PUERPERIUM—(cont.)				
A 120 (d	646	Ectopic pregnancy	• •	7,697	• •	7,697
(6	688.1	puerperium Puerperal psychoses	• •	12	• •	12
( <i>f</i>	689 647-649 673-680	Mastitis and other disorders of lactation	••	155	••	155
	687	Other complications of pregnancy, childbirth and the puerperium		4,315		4,315
(	$\begin{array}{c c} 688.0 \\ 688.2 - 688.3 \\ 660 \end{array}$	Delivery without complications		4,385		4,385
(	,,		••	1,000		4,000
		XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE				
		XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT				
A 121 (d	691-693	Boil and carbuncle Cellulitis and abscess	14,321 15,735	5,588 6,349	10,472 9,477	30,381 31,561
A 122 (d	694-698 720	Other infections of skin and sub- cutaneous tissue	24,280	10,561	13,242	48,083
(i	721	nisms	20 111	21 77	7 49	$\begin{array}{c} 48 \\ 237 \end{array}$
((	722	Rheumatoid arthritis and allied conditions	270 4,850	150 2,537	12 187	432 7,574
A 123 (d	726 727	Muscular rheumatism	6,912 7,952	2,810 5,127	$\begin{array}{c c} & 69 \\ & 186 \end{array}$	$\begin{array}{c} 9,791 \\ 13,265 \end{array}$
A 124 A 125 (d		Osteomyelitis and periostitis	109 26	$\begin{bmatrix} 27 \\ 6 \end{bmatrix}$	$\begin{bmatrix} 26 \\ 3 \end{bmatrix}$	162 35
A 126 (d		mities	5	9	1	15
()	$700-714 \ 716 \ $	All other diseases of skin	23 642 37,535	9,043	14,322 23,079	47,007 78,635
(	$\begin{array}{c c} 731-736 \\ 738-744 \end{array}$	All other diseases of musculoskeletal system	2,789	1,453	521	4,763
		XIV.—CONGENITAL MALFOR-				
A 127 A 128	751 754	Spina bifida and meningocele Congenital malformations of circulatory			1	1
A 129 (	750	system	• •	1	$egin{pmatrix} 6 \\ 1 \\ 1 \end{pmatrix}$	7 1 1
	752 753	Congenital hydrocephalus Other congenital malformations of nervous system and sense organs	• •	••		
	l) 755 e) 756	Cleft palate and harelip	4	5	40	49
		stenosis (b) Imperforate anus			8	8
		Carried forward	695,995	446,237	507,972	1,650,204

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-			All Natio	New onalities (i	Cases	Europeans)
niediate list Number	Detailed list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	695,995	446,237	507,972	1,650,204
		XIV.—CONGENITAL MALFOR- MATIONS—(cont.)				
(f)	757	(c) Other congenital malformations of digestive system Congenital malformations of genito-	••		2	2
(g)	758	urinary system		• •	2	2
		ioint	• •		3	3
(h)	759	Other and unspecified congenital malformations, not elsewhere classified	• •	• •	20	20
		XV.—CERTAIN DISEASES OF EARLY INFANCY		,		
A 130 (a) (b)	$\begin{array}{c} 760 \\ 761 \end{array}$	Intracranial and spinal injury at birth Other birth injury			1	1
A 131	762	Postnatal asphyxia and atelectasis	••	• •		
A 132 (a) (b)	764 765	Diarrhoea of newborn	• •	• • •	160 13	160 13
$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	763 766	Pneumonia of newborn	• •	• •	$\begin{vmatrix} 3\\8 \end{vmatrix}$	$\frac{3}{8}$
$\begin{pmatrix} (d) \\ (e) \\ (f) \end{pmatrix}$	$\begin{array}{c} 767 \\ 768 \end{array}$	Umbilical sepsis Other sepsis of newborn	• •	• •	129 11	129 11
A 133 A 134	770 769	Haemolytic disease of newborn All other defined diseases of early				
	771-772	infancy	••	• •	90	90
A 135 (a) (b)	773 774	Congenital debility Premature birth	• •	• •	12	12
(c)	775-776	Other ill-defined diseases peculiar to early infancy and immaturity un-				
		qualified	• •	••	93	93
		XVI.—SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS				
A 136	794	Senility without mention of psychoses	2,939	2,535	.:	5,474
A 137 (a) (b)	780 788.8	Infantile convulsions Pyrexia of unknown origin	14,528	8,051	188 11,898	188 34,477
(c)	793	Observation, without need for further medical care	3,643	880	300	4,823
(d)	781-787 789-792					
	$\begin{bmatrix} 795 \\ 788.1 - 788.7 \\ 788.9 \end{bmatrix}$	(a) Malingering	227	8	30	265
		(b) Sudden death (cause unknown) (c) Found dead (cause unknown)				
		(d) Other ill-defined and unknown				
		causes of morbidity and mortality	1,488	358	464	2,310
		XVII.—ACCIDENTS, POISONINGS AND VIOLENCE				
		"E" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES)				
AE 138	E 810-E 835	Motor vehicles accidents	3,492	698	649	4,839
AE 139 (a) (b) (c)	E 800-E 802 E 850-E 858 E 860-E 866	Railway accidents	130		1	145 19
		Carried forward	722,460	458,778	522,053	1,703,291

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-	Detailed		All Nati	Nev onalities (	v Cases including	Europeans)
mediate list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	722,460	458,778	522,053	1,703,291
		XVII.—ACCIDENTS. POISONINGS AND VIOLENCE—(cont.)				
		"E" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES)—(cont.)				
AE 140 (a)	E 840-E 845 E 870	Other transport accidents Accidental poisoning by morphia and	1,723	532	711	2,966
(b)	E 874	other opium derivatives Accidental poisoning by other analgesic and soporific drugs	1	• •	1	2
(c)	E 878	Accidental poisoning by other and unspecified drugs	1	1		2
(d)	E 883	Accidental poisoning by corrosive aromatics, acids and caustic alkalies	3	6	5	14
(e) (f)	E 884 E 885	Accidental poisoning by mercury and its compounds  Accidental poisoning by lead and its				
(g)	E 886	compounds Accidental poisoning by arsenic and	1	• •	• •	1
(h)	E 888	antimony and their compounds Accidental poisoning by other and unspecified soild or liquid substances	2	• •	••	2
<i>(i)</i>	E 890-E 895	Accidental poisoning by gases and	$\frac{3}{2}$	• •	3	6
<i>(j)</i>	E871-E873 E875-E877 E879-E882	Vapours Other accidental poisoning	9	5	5	19
AE 141 AE 142	E 887 J E 900-E 904 E 912	Accidental falls	27,600 403	7,721 47	13,213 69	48,534 519
AE 143	E 916	Accident caused by fire and explosion of combustible material	453	180	273	906
AE 144 AE 145	E 917-E 918 E 919	Accident caused by hot substance, corrosive liquid, steam and radiation Accident caused by firearm	854 52	461	780	2,095 59
AE 146 AE 147 (a)	E 929 E 913	Accidental drowning and submersion Accidents caused by cutting or	2	ı i	ī	4
(b) (c)	E 914	piercing instruments	16,979	5,080	7,342	29,401
(c) (d) (e) (f)	E 920 E 923 E 925 E 926	Foreign body entering eye and adnexa Foreign body entering other orifice Accidental mechanical suffocation Lack of care of infants under 1 year of	637 657	166 311	211 511	1,014 1,479
(g)	E 927	Accidents caused by bites and stings of	9.706	1.005	5	4 945
(h) (i) (j) (k)	E 928 E 931 E 932	venomous animals and insects Other accidents caused by animals Excessive heat	2,796 3,150	1,005 1,124 2	1,044 1,673	4,845 5,947 2
(l)	E 933 E 934	Hunger, thirst and exposure Cataclysm				
( <i>m</i> ) ( <i>n</i> )	E 935 E 936	Lightning	$\begin{bmatrix} 1 \\ 250 \\ 69 \end{bmatrix}$	62 14	34	$\begin{matrix} 1\\346\\87\end{matrix}$
		landslide	681 3,748	123 967	123 1,543	$\begin{smallmatrix} 927\\ 6,258\end{smallmatrix}$
(o)	E 940 E 941-E 942	Generalized vaccinia following vaccination	159	43	202	404
(p) (q)	E950-E953 \	vaccination				
(r)	E955-E959 } E 954	intervention				
		Carried forward	782,701	476,635	549,808	1,809,144

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Inter-	Detailed		All Natio		Cases ncluding I	Europeans)
mediate list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	782,701	476,635	549,808	1,809,144
		XVII.—ACCIDENTS. POISONINGS AND VIOLENCE—(cont.)				
		"E" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES) —(cont.)				
(8)	E910-E911 E 915 E921-E922 E924-E930 E943-E946	All other accidental causes	3,368	816	1,228	5,412
AE 148 (a)	E960-E965 J E 970	Suicide and self-inflicted injury by analgesic and soporific substances				
(b) (c)		Suicide and self-inflicted injury by other solid and liquid substances Suicide and self-inflicted injury by	2	1	• •	3
(d)		gases in domestic use Suicide and self-inflicted injury by				
(e)	E 974	other gases Suicide and self-inflicted injury by hanging or strangulation	3	1		4
(f)	E 975	Suicide and self-inflicted injury by submersion (drowning)		1		1
(g)	E 976	Suicide and self-inflicted injury by firearms and explosives				-
(h)	E 977	Suicide and self-inflicted injury by cutting or piercing instruments		1		1
(i)	E 978	Suicide and self-inflicted injury by jumping from high place				
(j)		Suicide and self-inflicted injury by other and unspecified means	8	• •	3	11
AE 149 (a)		Nonaccidental poisoning by another person	3			3
(b) (c)	E 981 E 982	Assault by firearms and explosive Assault by cutting or piercing instru-	22	9	3	34
(d) (e)	E 983 E 984	ments	850 5,156 1	1,808 	53 318	$1,166 \\ 7,282 \\ 1$
AE 150	E 985 E 990-E 999	Execution (legal)	$\frac{1}{2}$			$\frac{1}{2}$
		"N" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONING, AND VIOLENCE (NATURE OF INJURY)				
AN 138 AN 139	N 800-N 804 N 805-N 809	Fracture of skull Fracture of spine and trunk	$\frac{3}{12}$	1	1	$\begin{array}{c} 4 \\ 13 \end{array}$
AN 140 AN 141	N 810-N 829 N 830-N 839	Fracture of limbs Dislocation without fracture	528 100	95 18	177 87	800 205
AN 142	N 840-N 848	Sprains and strains of joints and adjacent muscles	4,382	783	713	5,878
AN 143 AN 144	N 850-N 856 N 860-N 869	Head injury excluding fracture Internal injury of chest, abdomen and	376	157	216	749
AN 145 AN 146	N 870-N 908 N 910-N 929	pelvis	371 5,953	1,631	2,389 2,389	560 9,973
AN 147	N 930-N 936	ing with intact skin surface Effects of foreign body entering	4,767	1,296	1,824	7,887
AN 148	N 940-N 949	through orifice	77 1,189	20 593	1,365	$\begin{array}{c} 160 \\ 3,147 \end{array}$
AN 149 AN 150	N 960-N 979 N950-N959 N980-N999	Effects of poisons	4,304	$\begin{array}{c c} & 1 \\ 2,236 \end{array}$	1,683	8,223
	11000-11000	Total	814,179	486,424	560,074	1,860,677
Name	1	TOTAL	014,117	100,424	000,014	1,000,011

#### OUT-PATIENTS (FIXED DISPENSARIES)—(cont.)

Europeans Eurasians Chinese		Nation	nalities							
Eurasians							Adult Males	Adult Females	Children under 10 years	Total
Eurasians										
		• •			 • •		4,842	2,632	1,757	9,231
Chinese	• •	• •	• •	• •	 • •		4,458	3,131	2,706	10,295
					 • •		291,389	213,523	262,384	767,296
Indians					 • •		185,091	98,631	108,494	392,216
Malays		• •	• •		 		312,844	161,745	176,296	650,885
Javanese					 		9,453	3,360	5,255	18,068
Japanese	• •	• •			 			20	••	20
Others	• •				 	• •	6,102	3,382	3,182	12,666
					TOTAL		814,179	486,424	560,074	1,860,677

TABLE 7

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)

#### RETURN OF DISEASES FOR THE YEAR 1953

Inter-	Detailed		All Nati		v Cases including E	uropeans)
mediate list Number	list	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		I.—INFECTIVE AND PARASITIC DISEASES				
A 1 A 2	001-008 010	Tuberculosis of respiratory system Tuberculosis of meninges and central	115	41		<b>15</b> 6
A 3	011	nervous system	1	••		1
A 4 A 5 (	a) 012-013 014	and mesenteric glands Tuberculosis of bones and joints Tuberculosis of skin and subcutaneous	2	•••		2
· ·		cellular tissue Tuberculosis of lymphatic system	• •	1		1
) ) ; )	b) 015 c) 016 d) 017 e) 018 f) 019	Tuberculosis of genito-urinary system Tuberculosis of adrenal glands Tuberculosis of other organs Disseminated tuberculosis	1	1	• •	2
(	(a) 020 (b) 021.0-021.1 (c) 021.2 (021.3	Congenital syphilis	7 8	••	• •	7 8
A 8 A 9	d) 021.4 024 025 022	ment Early syphilis (unspecified stage) Tabes dorsalis General paralysis of insane Aneurysm of aorta				
(	$egin{array}{c c} b) & 023 \\ c) & 026 \\ d) & 027 \\ \end{array}$	Other cardiovascular syphilis Other syphilis of central nervous system Tertiary syphilis	35	9		44
) ( )	(e)   028	Latent syphilis	12 90	$\begin{array}{c c} 2\\ 35 \end{array}$	••	$\begin{array}{c} 14 \\ 125 \end{array}$
	b) 031	Acute or unspecified gonorrhoea Chronic gonococcal infection of genito-urinary system	11	9		20
	$egin{array}{c c} (c) & 032 \\ (d) & 033 \\ (e) & 034-035 \\ \end{array}$	Gonococcal infection of joint	37 3	21	••	58
A 12 A 13 (	$(a) \begin{vmatrix} 040 \\ 041 \\ 042 \end{vmatrix}$	Gonococcal infection of other sites Typhoid fever Paratyphoid fever, A, B or C Other salmonella infections	o	• •	••	3
(	043 044 045 000 046	Cholera	32	19	9	60
A 17	(c) 047-048 050	Other protozoal and unspecified forms of dysentery	1,127	669	609	2,405
A 18 A 19	051 052	Streptococcal sore throat Erysipelas	1 1	••	1 1	$\frac{2}{2}$
A 20 A 21 A 22 A 23	053 055 056 057	Septicaemia and pyaemia Diphtheria Whooping Cough Meningococcal infections	5	5	296	306
A 24 A 25	058	Plague Leprosy	2	••	1	3
A 26 (A 27)	$ \begin{array}{c c} (a) & 061 \\ (b) & - \\ 062 & 062 \end{array} $	Tetanus of the new-born Tetanus, other forms				
A 28 A 29 A 30	080 082 081 083	Acute Poliomyelitis Acute infectious encephalitis Late effects of acute poliomyelitis and acute infectious encephalitis				
A 31 A 32	084 085	Smallpox	10	8	110	128
A 33 A 34 A 35	$\begin{array}{c} 091 \\ 092 \\ 094 \end{array}$	Yellow fever Infectious hepatitis Rabies	••	••	1	1
A 36 (	a) 100 b) 101	Louse-borne epidemic typhus Flea-borne endemic typhus (murine)				
	1	Carried forward	1,500	820	1,028	3,348

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inte		Detailed		All Nati		v Cases including E	uropeans)
lis Num	st	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
			Brought forward	1,500	820	1,028	<b>3,34</b> 8
			I.—INFECTIVE AND PARASITIC DISEASES—(cont.)				
	(c) (d)	104 105	Tick-borne epidemic typhus Mite-borne typhus				
	(e)	$102-103 \ 106-108$	Other and unspecified typhus				
A 37	(a) (b)	110 111	Vivax malaria (benign tertian) Malariae malaria (quartan)	15	11 1	33	59 2
	$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	$\begin{array}{c} 112 \\ 114 \end{array}$	Falciparum malaria (malignant tertian)   Mixed malaria infections	57 31	$\begin{array}{c} 40 \\ 26 \end{array}$	43 23	140 80
	(e)	115 113 \	Blackwater fever Other and unspecified forms of malaria	31,479	17,174	17,047	65,700
A 38	(a)	$116-117 \int 123.0$	Schistosomiasis vesical (S. haemato-	01,475	11,114	11,011	00,700
	(b) (c)	$123.1 \\ 123.2$	bium)				
	(d)	123.3	nicum)				
A 39 A 40	(a)	125 127	Hydatid disease	3			3
A 40	(b)		Loiasis		٠.	• •	
	$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	<del></del>	Filariasis (bancrofti) Other filariasis	8 47	5 17	7	13 71
A 41 A 42	(a)	$\begin{array}{c} 129 \\ 126 \end{array}$	Ankylostomiasis Tape worm (infestation) and other	1,121	829	2,036	3,986
	(b)	130.0	cestode infestation Ascariasis	7,148	$\begin{array}{c} 4\\5,204\end{array}$	33,322	$\begin{array}{c} 11\\45,674\end{array}$
	$\begin{pmatrix} (c) \\ (d) \end{pmatrix}$	$130.3 \\ 124$	Guinea worm (dracunculosis) Other trematode infestation	227	184	965	1,376
	(e) (f)	128 130.1-130.2	Trichiniasis	1,547	1,256	5,905	8,708
A 43	(a)	036	Chancroid	12	4	0,300	16
	(b) (c)	037 038	Lymphogranuloma venereum Granuloma inguinale, venereal	• •	• •	1	7
	(c) (d) (e)	$\begin{array}{c} \textbf{039} \\ \textbf{049} \end{array}$	Other and unspecified venereal diseases Food poisoning infection and intoxi-	2	• •	••	2
	(f)	059	cation				
	(g) (h)	$\begin{array}{c} 063 \\ 064 \end{array}$	Gas gangrene				
	(11)	004	(b) Melioidosis				
	(i) (j)	070	(c) Other bacterial diseases Vincent's infection				
	$\begin{pmatrix} (j) \\ (k) \end{pmatrix}$	$\begin{array}{c} 071 \\ 072 \end{array}$	Relapsing fever				
	(1)	073	(Weil's disease) Yaws	8,137	6,268	11,582	25,987
	(m)	086 087	Rubella	47	29	188	264
	(0)	088	Herpes Zoster	90	40 60	$\begin{bmatrix} 39 \\ 326 \end{bmatrix}$	169 547
	$\begin{pmatrix} p \\ q \end{pmatrix}$	089 090	Mumps	161		$\begin{vmatrix} 326 \\ 1 \end{vmatrix}$	1
	(q) (r) (s) (t)	093 095	Glandular fever Trachoma	5	5		10
	(t)	$096.7\\120$	Sandfly fever				
	$\begin{pmatrix} u \\ v \end{pmatrix}$	121	<ul><li>(a) Trypanosomiasis gambiensis</li><li>(b) Trypanosomiasis rhodesiensis</li><li>(c) Other and unspecified trypanoso-</li></ul>				
	(w)	131	miasis	317	187	346	850
	(x)	135	Scabies	18,455	9,999	37,508	65,962
	1	-	Carried forward	70,416	42,167	110,407	222,990

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inte		Detailed		All Nation		Cases including E	uropeans)
media list Num	t	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
			Brought forward	70,416	42,167	110,407	222,990
			I.—INFECTIVE AND PARASITIC DISEASES—(cont.)				
	<i>(y)</i>	054, 074 096.1-096.6					
		096.8, 096.9 > 122  132-134  126-139	All other diseases classified as infective and parasitic	2,166	1,534	6,053	9,753
		136-138 J	II.—NEOPLASMS				
A 44		140-148	Malignant neoplasm of buccal cavity and pharynx				
A 45 A 46 A 47	(a)	150 151 152	Malignant neoplasm of oesophagus Malignant neoplasm of stomach Malignant neoplasm of small intestine,				
	(b)	153	including duodenum Malignant neoplasm of large intestine, except rectum				2 1
A 48 A 49 A 50		154 161 162-163	Malignant neoplasm of rectum Malignant neoplasm of larynx Malignant neoplasm of trachea, and of bronchus and lung not specified as				
A 51 A 52 A 53		170 171 172-174	secondary Malignant neoplasm of cervix uteri Malignant neoplasm of other and un-			•	
A 54 A 55 A 56		177 190-191 196-197	specified parts of uterus Malignant neoplasm of prostate Malignant neoplasm of skin Malignant neoplasm of bone and con-				
A 57	(a) (b) (c) (d)	155-156 157 158 159	nective tissue Malignant neoplasm of liver Malignant neoplasm of pancreas Malignant neoplasm of peritoneum Malignant neoplasm of unspecified				
	(e)	175-176	digestive organs				•
	(f)	178-179	specified female genital organs Malignant neoplasm of other and un-				
	(g)	180-181	specified male genital organs  Malignant neoplasm of kidney, bladder and other urinary organs				
	(h)	$   \begin{array}{c}     160 \\     164-165 \\     192-195 \\     198-199   \end{array} $	Malignant neoplasm of all other and unspecified sites				
A 58 A 59	(a) (b) (c)	204 200 201 202-203	Leukaemia and Aleukaemia Lymphosarcoma and reticulosarcoma Hodgkin's disease Other neoplasm of lymphatic and hae-				
A 60	(d) (a)	$205 \\ 210-211$	matopoietic system	447	229	389	1,065
,	(b)	210-211	pharynx and digestive system Benign neoplasm of other female genital	5	4		9
	(c)	218	organs Benign neoplasm of other male genital	2	5	••	7
	(d)	$212-216 \ 219-229$	organs				
	(e)	230	Neoplasm of unspecified nature of digestive organs				
	(f)	233-235	Neoplasm of unspecified nature of other female genital organs				
	(g)	$\left.\begin{array}{c} 231-232\\ 236-239 \end{array}\right\}$	Neoplasm of unspecified nature of other unspecified organs	1	1	1	3
			Carried forward	73,037	43,940	116,850	233,827

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inte		Detailed		All Nation	New onalities (i	v Cases including E	uropeans)
medi list Num	t	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
			Brought forward	73,037	43,940	116,850	233,827
			III.—ALLERGIC., ENDOCRINE SYSTEM METABOLIC AND NUTRITIONAL DISEASES AND				
			IV.—DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
A 61 A 62 A 63		$250-251 \ 252 \ 260$	Nontoxic goitre	1 11	$\frac{7}{6}$	••	8 17
A 64	(a) (b)	$\begin{array}{c} 280 \\ 281 \end{array}$	Beri Beri	339 1	$\begin{array}{c c} 357 \\ \hline 1 \end{array}$	40	$\begin{array}{c} 736 \\ 2 \end{array}$
	(c) (d) (e)	282 283 <b>-</b> 284 285	Scurvy	$\cdots$	4	26 80	32 80
	(e) $(f)$	$286.0 \\ 286.5 \\ 286.1-286.4$	(a) Sprue (b) Malnutrition	7 468	$\begin{array}{c} 4 \\ 516 \end{array}$	$\begin{array}{c c} 2 \\ 1,366 \end{array}$	2,350
A 65	(a)	$286.6 \ 290$	(c) Other deficiency states  Pernicious and other hyperchromic	1,482	1,430	1,604	4,516
	(b) (c)	$egin{array}{c} 291 \ 292-293 \end{array}$	anaemias	58 2,576	4,862	$\begin{array}{c c} 25 \\ 2,591 \end{array}$	169 10,029
<b>A</b> 66	(a)	241	$egin{array}{cccccccccccccccccccccccccccccccccccc$	8,976 3,344	13,959 2,052	8,350 1,726	31,285 7,122
	(b) (c)	$\left\{egin{array}{c} 240 \ 242 - 245 \ 253 \end{array}\right\}$	Angioneurotic oedema, urticaria and other allergic disorders Myxoedema and cretinism	<b>23</b> 0	235	135	600
	(d) (e)	254 270	Other diseases of thyroid gland Disorders of pancreatic internal secretion other than diabetes mellitus	4	3	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	9
	$\begin{pmatrix} f \\ g \end{pmatrix}$	271 272	Diseases of parathyroid gland Diseases of pituitary gland				
	(q) (h) (i) (j) (k)	273 274 275-277	Diseases of thymus gland Diseases of adrenal gland Other diseases of endocrine glands				
	(l)	288 287, 289	Gout Other metabolic diseases	$\begin{array}{c} 3 \\ 46 \end{array}$	2 <b>3</b> 5	9	$\begin{smallmatrix} 5\\90\end{smallmatrix}$
	(m) (n) (o)	294 295 296	Polycythemia				
	(p)	297 298	conditions	7	5	$\begin{vmatrix} & \cdots & \\ & 3 & \end{vmatrix}$	1 15
	(q) (r)	299	Other diseases of blood and blood- forming organs	18	15	1	34
			V.—MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS				
A 67	(a)	300	Schizophrenic disorders (dementia				
	(b) (c) (d)	301 302 303	praecox)				
A 68	(e)	304 305-309 311	Senile psychoses Other and unspecified psychoses	1	• •	••	1
A 00	(a) (b) (c) (d)	314 322 323	Neurotic-depressive reaction				
	(a) (e)	$ \begin{bmatrix} 310 \\ 312-313 \\ 315-321 \end{bmatrix} $	Other drug addiction Other psychoneuroses and disorders of				
		$\begin{bmatrix} 324 \\ 326 \end{bmatrix}$	personality				0
A 69		325	Mental deficiency	3	$\frac{1}{67,520}$	$\left  \frac{2}{132,812} \right $	$\frac{6}{290,947}$
			Carried forward	90,615	07,520	104,012	200,841

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Total			All Noti	New Onalities (i	v Cases	uronoans)
Inter- mediate list Number	Detailed list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward VI.—DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	90,615	67,520	132,812	290,947
A 70 (a) (b) (c)  A 71 A 72 A 73 A 74 (a) (b) A 75 A 76 A 77 (a) (c) A 78 (a) (b) (c) (d) (e) (f) (f) (f) (f) (f) (k)	$\left\{ \begin{array}{c} 331 \\ 332 \\ 330 \\ 340 \\ 345 \\ 353 \\ 370 \\ 371-379 \\ 385 \\ 387 \\ 390 \\ 391-393 \\ 394 \\ 380-384 \\ 386-388 \\ 389 \\ 342 \\ 343 \\ 350 \\ 352 \\ 356 \\ 357 \\ 366 \\ 367 \\ 369 \\ 341, 344 \\ 351, 354 \\ 355 \\ 360-365 \\ 368 \\ 395-398 \\ \end{array} \right\}$	Cerebral haemorrhage	14,495 65 7 2,944	10,732 47 2,199	10,368 1,164 4 3,223 2,068 2,644 2,940 2,305 7	23,375 2,690 90 4,724 2,912 3,774 6,728 27,532 119 14
A 79 (a) (b) (c) (a) (b) (c) (d) (d) (A 81 (a) (b) (c) (d) (d)	400 401 402 410-413 414 415 416 420 421 422 430 431 432 433	VII.—DISEASES OF THE CIRCULATORY SYSTEM  Rheumatic fever without mention of heart involvement	961	406	3	1,370 1
(")	100	Carried forward	120,967	90,990	158,071	370,028

#### OUT-PATIENTS. (TRAVELLING DISPENSARIES)—(cont.)

Inte		Detailed	•	All Natio	New onalities (	v Cases including E	uropeans)
medi list Num	t	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
			Brought forward  VII.—DISEASES OF THE CIRCULATORY SYSTEM—(cont.)	120,967	90,990	158,071	370,028
A 83	(e)	434 440-443	Other and unspecified diseases of heart Hypertension with heart disease	14	5	2	21
A 84 A 85	(a) (b) (c)	444-447 450 451 452 453	Hypertension without mention of heart General arteriosclerosis	9 3	6 1		15 4
A 86	(d) (e) (f) (g) (a) (b) (c) (d) (e) (f) (g)	453 454 455 456 460, 462 461 463-464 465 466 467 468	Arterial embolism and thrombosis Gangrene of unspecified cause Other diseases of arteries Varicose veins Haemorrhoids Phlebitis and thrombophlebitis Pulmonary embolism and infarction Other venous embolism and thrombosis Other diseases of circulatory system (a) Adenitis	26 150 1 1 7 188	7 53  5 105	2	33 205 1 1 14 373
			(c) Other diseases of lymph nodes and lymph channels	20 25	5	11 2	33 32
A 87	(a) (b)	470 471	Acute nasopharyngitis (common cold) Acute sinusitis	3,751	2,468	4,109	10,328
	(c) (d) (e) (f)	472 473 474 475	Acute pharyngitis	209 248 124	113 197 135	91 486 121	413 931 380
A 88	(a) (b)	480 481	tions Influenza with pneumonia Influenza with other respiratory mani-	47	16 5	$\begin{array}{c c} 35 \\ 23 \end{array}$	98 <b>32</b>
	(c)	482	festations, and influenza unqualified Influenza with digestive manifestations,	8,017	5,397	9,800	23,214 457
	(d)	483	but without respiratory symptoms Influenza with nervous manifestations, but without digestive or respiratory				
A 89 A 90 A 91		490 491 492-493	symptoms	199 49	162 2 38	$\begin{array}{ c c }\hline 258\\3\\99\\\end{array}$	619 5 186
A 92 A 93	(a) (b)	500 501 502	pneumonia	5,168 19,319 4,089	3,657 13,205 2,545	$\begin{bmatrix} 8 \\ 8,682 \\ 24,831 \\ 3,465 \end{bmatrix}$	$ \begin{array}{r} 20 \\ 17,507 \\ 57,355 \\ 10,099 \end{array} $
A 94 A 95	(b)	$510 \\ 518 \\ 521$	Hypertrophy of tonsils and adenoids Empyema	38	$\frac{27}{}$	144	209
A 96 A 97	(a)	519 517	Pleurisy Other diseases of upper respiratory		1	3	996
	(b) (c) (d)	520 522 525	Spontaneous pneumothorax Pulmonary congestion and hypostasis Other chronic interstitial pneumonia.	109	66	111	286
	(e) (f) (g)	523 526 511-516	Pneumoconiosis Bronchiectasis	21	14	2	37
	(9)	524 527	All other respiratory diseases	895	550	1,117	2,562
			Carried forward	163,820	119,881	211,810	495,511

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inte		Detailed	-	All Nati	Nev onalities (	v Cases including	Europeans)
media list Num	,	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		-	Brought forward IX.—DISEASES OF THE DIGESTIVE SYSTEM	163,820	119,881	211,810	495,511
A 98	(a) (b)	530 531-535	Dental caries	2,746 99 306	2,085 84 271	4,044 84 78	8,875 267 655
A 99 A 100 A 101 A 102		540 541 543 550-553	ting structures Ulcer of stomach Ulcer of duodenum Gastritis and duodenitis	157 2 3,885 6	3,805 6	1,579	$egin{array}{c} 320 \\ 2 \\ 9,269 \\ 12 \\ \end{array}$
A 102 A 103	(a) (b)	560 561	Hernia of abdominal cavity without mention of obstruction Hernia of abdominal cavity with obst-	2		1	3
	(c)	570	ruction				
A 104	(a)	571.0	(b) Volvulus (c) Other intestinal obstruction Gastro-enteritis and colitis between	••	• •	6	6
	(b)	571.1	4 weeks and 2 years	••	• •	2,618	2,618
A 105	(c) (a)	$\begin{array}{c} 572 \\ 581.0 \end{array}$	and over	2,296 26	1,611 13	2,828 16	6,735 55
	(b)	581.1	alcoholism	1	••	••	1
A 106 A 107	(a) (b) (a) (b)	584 585 536 538	Cholelithiasis	734	773	3 1,945 83	$3,452 \\ 151$
	(c)	539 544	(a) Functional disorders of oesophagus (b) Stricture or obstruction of oesophagus hagus Disorders of function of stomach	1,356	1,236	1,764	4.956
	(d) (e)	545	Other diseases of stomach and duo- denum	224	160	95	4,356 $479$
	( <i>f</i> )	573	(a) Constipation	14,141	8,408	7,702	30,251
	(g) (h) (i) (j)	574 575 576	tines	1 6	524	617	1,837 1 7
	$\binom{(j)}{(k)}$	578 580	Other diseases of intestines and peritoneum	8	1	• •	9
			(b) Degeneration of liver	48	27	2	77
• "	$\binom{(l)}{(m)}$	583 586	Other diseases of liver	$egin{array}{cccccccccccccccccccccccccccccccccccc$	4	$\begin{bmatrix} 3 \\ 1 \end{bmatrix}$	11
	(n) (o)	587 537, 542 \	Diseases of pancreas	2,083	2,098	1,899	6,080
		<i>577</i> , <i>582</i> ∫	Other diseases of digestive system	2,000	2,000	1,000	0,000
			X.—DISEASES OF THE GENITO- URINARY SYSTEM				
A 108 A 109	(a)	$\begin{array}{c} 590 \\ 591 \end{array}$	Acute nephritis	27	12	3	42
	(b) (c)	592 593	nephrosis Chronic nephritis Nephritis not specified as acute or	9 85	8 36	$\begin{bmatrix} 3 \\ 1 \end{bmatrix}$	$\begin{array}{c} 20 \\ 122 \end{array}$
	(d)	594	chronic	$\begin{array}{c c} 137 \\ 2 \end{array}$	91 1	41	$\begin{array}{c} 269 \\ 3 \end{array}$
			Carried forward	192,942	141,277	237,285	571,504

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inter-	Detailed		All Natio	New onalities (i	Cases including E	uropeans)
mediate list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward  X.—DISEASES OF THE GENITO-URINARY SYSTEM—(cont.)	192,942	141,277	237,285	571,504
A 110 A 111 (a) A 112	600 602 604 610	Infections of kidney Calculi of kidney and ureter Calculi of other parts of urinary system Hyperplasia of prostate	6	4	1	11 1
A 113 A 114 (a) (b) (c) (d)	620-621 603 605 606 608	Diseases of breast Other diseases of kidney and ureter Cystitis Other diseases of bladder Stricture of urethra	$\begin{array}{c c} 74 \\ 107 \\ 4 \\ 11 \end{array}$	$\begin{bmatrix} & 6 \\ 65 \\ 33 \\ 1 \\ 2 \\ 33 \\ 1 \\ 2 \\ 33 \\ 1 \\ 2 \\ 33 \\ 33$	$egin{array}{c} \cdot \cdot & \cdot & \cdot & \cdot \\ & 12 & \cdot & \cdot \\ & 2 & \cdot & \cdot \\ & 2 & \cdot & \cdot \\ & 7 & \cdot & \cdot & \cdot \\ & \end{array}$	$\begin{array}{c} 6 \\ 145 \\ 152 \\ 7 \\ 15 \end{array}$
(e) (f) (g) (h) (i) (j) (k)	609 612 613 614 617 622 625	Other diseases of urethra Other diseases of prostate Hydrocele Orchitis and epididymitis Other diseases of male genital organs Acute salpingitis and oophoritis Other diseases of ovary and fallopian	87 1 33 8	38	7 1 5	132 2 38 8 1
(l) (m)	626 630	tube				
(n) (o) (p) (q)	633 634 637 601 607, 611	Other diseases of uterus Disorders of menstruation Other diseases of female genital organs	••	$\begin{array}{c c} & 1 \\ 480 \\ 35 \end{array}$	• •	$\begin{array}{c} 1\\480\\35\end{array}$
	615-616 623-624 631-632 635-636	All other diseases of the genito-urinary system	82	28	3	113
		XI.—DELIVERIES AND COMPLICATIONS OF PREGNANCY CHILD-BIRTH AND THE PUERPERIUM				
A 115 (a) (b)	640 641	Pyelitis and pyelonephritis of preg- nancy				
(c) (d)	681 682	during pregnancy Sepsis of childbirth and the puerperium Puerperal phlebitis and thrombosis	• •	1		1
A 116 (a)	684 642	Puerperal pulmonary embolism (a) Albuminuria of pregnancy (b) Eclampsia of pregnancy (c) Hyperemesis gravidarum	• •	10	•••	10 1
(b)	652	(c) Hyperemesis gravitarum	••	1	• •	•
(c) (d) A 117 (a)	685 686 643	tion of sepsis	• •	1	• •	1
(b) $(c)$ $(d)$	644 670 671	Other haemorrhage of pregnancy Delivery complicated by placenta praevia or antepartum haemorrhage Delivery complicated by retained plaevia				
(e)	672	centa				
A 118	650	Abortion without mention of sepsis or toxaemia		8		8
A 119	651	Abortion with sepsis			-	
		Carried forward	193,356	141,992	237,324	572,672

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inter-	Detailed		All Nati		v Cases including E	Europeans)
mediate list Number	list	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward  XI.—DELIVERIES AND COMPLICATIONS OF PREGNANCY CHILD-BIRTH AND THE PUERPERIUM	193,356	141,992	237,324	572,672
	a) 645 b) 646 c) 683 d) 688.1 e) 689 f) 647-649 673-680 687 688.0 688.2-688.3	—(cont.)  Ectopic pregnancy		8 1,181 9 6		8 1,181 9 6
	g) 660	XII.—DISEASES OF THE SKIN AND CELLULAR TISSUE AND XIII.—DISEASES OF THE BONES AND ORGANS OF MOVEMENT	• •	304	• •	304
(	(a) 690 (b) 691-693 (c) 694-698	Boil and carbuncle	2,033 1,790	1,128 890	2,529 1,301	5,690 3,981
	a) 720	neous tissue	10,613	6,011	13,352	29,976 17
(	b) 721 c) 722	Acute nonpyogenic arthritis	6	11	1	18
A 123 ( A 124	(d) 723-725 (a) 726 (b) 727 (730	tions	$ \begin{array}{c c} 17 \\ 1,004 \\ 3,199 \\ 4,136 \end{array} $	$ \begin{array}{c c}     7 \\     789 \\     1,967 \\     2,912 \end{array} $	48 84 29	24 1,841 5,250 7,077
	$\begin{pmatrix} a \\ b \end{pmatrix} = \begin{pmatrix} 737 \\ 745-749 \end{pmatrix}$	Ankylosis of joint Other acquired musculoskeletal deformities	61	$\begin{array}{ c c } & 42 \\ & 9 \end{array}$	9	107 31
	a) 715	Chronic ulcer of skin (including tropical ulcer)	9,833	4,693	10,193	24,719
	$\begin{array}{c c} (b) & 700-714 \\ 716 \\ (c) & 731-736 \\ 738-744 \end{array}$	All other diseases of skin All other diseases of musculoskeletal system	19,488 773	10,274 643	22,722 345	52,484 1,761
		XIV.—CONGENITAL MALFORMATIONS				
( (	751 754 a) 750 b) 752 c) 753 d) 755 e) 756	Spina bifida and meningocele Congenital malformations of circulatory system Monstrosity Congenital hydrocephalus Other congenital malformations of nervous system and sense organs Cleft palate and harelip (a) Congenital hypertrophic pyloric stenosis  (b) Interference and sense organs  (c) Interference and sense organs  (d) Interference and sense organs  (e) Interference and sense organs  (f) Interference and sense organs			1	1
		(b) Imperforate anus	246,331	172,903	287,942	707,176

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

Inter-	Detailed		All Natio	New onalities (i	Cases	uropeans)
mediate list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward XIV.—CONGENITAL	246,331	172,903	287,942	707,176
		MALFORMATIONS—(cont.)  (c) Other congenital malformations of				
( <i>f</i> )	757	digestive system				
(g)	758	urinary system Congenital malformations of bone and				
(h)	759	joint Other and unspecified congenital malformations, not elsewhere classified			  •.	
		XV.—CERTAIN DISEASES OF EARLY INFANCY				
A 130 (a) (b)	760 761	Intracranial and spinal injury at birth Other birth injury				
A 131 A 132 (a)	762 764	Postnatal asphyxia and atelectasis Diarrhoea of newborn	••		13	13
$\begin{pmatrix} (b) \\ (c) \\ (d) \end{pmatrix}$	765 763 766	Ophthalmia neonatorum Pneumonia of newborn Pemphigus nconatorum	• •	• •	$\begin{bmatrix} 2 \\ 7 \end{bmatrix}$	$\frac{2}{7}$
$\begin{pmatrix} a \\ (e) \\ (f) \end{pmatrix}$	767 768	Pemphigus nconatorum Umbilical sepsis Other sepsis of newborn	••	• •	113	113
A 133 A 134	770 769	Haemolytic disease of newborn All other defined diseases of early in-				_
A 135 (a)	771 <b>-7</b> 72 \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	fancy	••	••	7	7
(b) (c)	774 775-776	Premature birth		• •	50	50
		XVI.—SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS				
A 136	794	Senility without mention of psychoses	2,640	2,012		4,652
A 137 (a) (b) (c)	$780 \\ 788.8 \\ 793$	Infantile convulsions Pyrexia of unknown origin Observation, without need for further	2,973	1,405	1,895	$6,\!273$
(c) (d)	793 781-787	medical carc	116	129	88	333
	789-792 795 788.1-788.7	.(a) Malingering	2	4	• •	6
	788.9	<ul> <li>(b) Sudden death (cause unknown)</li> <li>(c) Found dead (cause unknown)</li> <li>(d) Other ill-defined and unknown causes of morbidity and mortality</li> </ul>	710	408	181	1,299
		XVII.—ACCIDENTS, POISONINGS AND VIOLENCE				
		"E" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES)				
AE 138 AE 139 (a) (b) (c)	E 810-E 835 E 800-E 802 E 850-E 858 E 860-E 866	Motor vehicle accidents	6 8	3	10	6 21
0 0		Carried forward	252,786	176,864	290,326	719,976

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

	!	}	1			
Inter- mediate	Dctailed		All Nati		v Cases including E	uropeans)
list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		Brought forward	252,786	176,864	290,326	719,976
		XVII.—ACCIDENTS, POISONINGS AND VIOLENCE—(cont.)				
		"E" CODE: ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES)—(cont.)				
AE 140 (a)	E 840-E 845 E 870	Other transport accidents Accidental poisoning by morphia and other opium derivatives	235	129	374	738
<i>(b)</i>	E 874	Accidental poisoning by other analgesic and soporific drugs				
(c)	E 878	Accidental poisoning by other and unspecified drugs				
(d)	E 883	Accidental poisoning by corrosive aromatics, acids and caustic alkalies				
(e)	E 884	Accidental poisoning by mercury and its compounds				
(f)	E 885	Accidental poisoning by lead and its compounds				
(g)	E 886	Accidental poisoning by arsenic and antimony and their compounds				
(h) (i)	E 888 E 890-E 895	Accidental poisoning by other and un- specified solid or liquid substances Accidental poisoning by gases and				
	E 871-E873	vapours				
	E 875-E877 E 879-E882 E 887	Other accidental poisoning	5		· 8	13
AE 141 AE 142	E 900-E 904 E 912	Accidental falls	2,673 76	1,140 29	3,157 41	6,970 146
AE 143	E 916	Accident caused by fire and explosion of combustible material	34	28	79	141
AE 144	E 917-E 918	Accident caused by hot substance, corrosive liquid, steam and radiation	102	119	221	442
AE 145 AE 146 AE 147 (a)	E 919 E 929 E 913	Accident caused by firearm  Accidental drowning and submersion.  Accidents caused by cutting or piercing	6	• •	••	6
(b)	E 914	instruments Accidents caused by electric current	5,612	2,576	4,481	12,669 27
(c) (d) (e) (f)	E 920 E 923 E 925 E 926	Foreign body entering eye and adnexa Foreign body entering other orifice Accidental mechanical suffocation Lack of care of infants under 1 year of	3	$\begin{bmatrix} 5 \\ 2 \end{bmatrix}$	$\begin{vmatrix} 4 \\ 9 \end{vmatrix}$	12 11
(9)	E 927	age	• •	••	3	3
(h)	E 928	venomous animals and insects Other accidents caused by animals	190 30	154 16	207	$\begin{array}{c} 551 \\ 63 \end{array}$
(i) (j)	E 931 E 932	Excessive heat Excessive cold	1	$\frac{3}{2}$	$\begin{vmatrix} 3 \end{vmatrix}$	7
(k)	E 933 E 934	Hunger, thirst and exposure Cataclysm				
$\binom{m}{n}$	E 935 E 936	Lightning (a) Accidents in mines and quarries (b) Agricultural and forestry accidents	18	4	4	26
		(c) Accidental injury by crushing or landslide	205 411	103 121	154 370	462 902
(0)	E 940	Generalized vaccinia following vaccination		121	97	902
<i>(p)</i>	E 941-E 942	Other complications of smallpox vaccination	••		35	35
	E 950-E953 E 955-E959	Accidents due to medical or surgical intervention				
(r)	E 954	Anaesthetic accidents	200 0	405.03	200 00	<b>M</b> 40.003
		Carried forward	262,397	181,297	299,604	743,298

#### OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.)

-			<u> </u>	New	v Cascs	
Inter- mediate	Detailed		All Nati			Europeans)
list Number	list Number	Cause Groups—(Diseases)	Adult Males	Adult Females	Children under 10 years	Total
		$Brought\ forward$	262,397	181,297	299,604	743,298
		XVII.—ACCIDENTS, POISONINGS AND VIOLENCE—(cont.)				
(1)	E 010 E011 >	"E" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSES) —(cont.)				
(8)	E 910-E911 E 915 E 921-E922 E 924-E930	All other accidental causes	825	318	1,095	2,238
AE 148 (a)	E 943-E946 E 960-E965 E 970	Suicide and self-inflicted injury by				
(b)	E 971	analgesic and soporific substances  Suicide and sclf-inflicted injury by other solid and liquid substances				
(c)	E 972	Suicide and self-inflicted injury by gases in domestic use				
(d)	E 973	Suicide and self-inflicted injury by other gases				
(e)	E 974	Suicide and self-inflicted injury by hanging or strangulation				
(f)	E 975	Suicide and self-inflicted injury by sub- mersion (drowning)				
(g) (h)	E 976 E 977	Suicide and self-inflicted injury by fire- arms and explosives Suicide and self-inflicted injury by				
( <i>n</i> ) ( <i>i</i> )	E 978	cutting or piercing instruments Suicide and self-inflicted injury by				
(i)	E 979	jumping from high place Suicide and self-inflicted injury by				
AE 149 (a)	E 980	other and unspecified means Nonaccidental poisoning by another				
(b) (c)	E 981 E 982	Assault by firearms and explosive Assault by cutting or piercing instru-	9	1		3
(d) (e) (f) AE 150	E 983 E 984 E 985 E 990-E 999	ments	17	8	i	26
		"N" CODE: ALTERNATIVE CLASSIFI- CATION OF ACCIDENTS, POISONING AND VIOLENCE (NATURE OF INJURY)				
AN 138 AN 139	N 800-N 804 N 805-N 809	Fracture of skull Fracture of spine and trunk				
AN 140 AN 141	N 810-N 829 N 830-N 839	Fracture of limbs Dislocation without fracture	$\frac{3}{20}$	$\begin{array}{c c} & 1 \\ & 5 \end{array}$	$\begin{bmatrix} 2 \\ 5 \end{bmatrix}$	$\frac{6}{30}$
AN 142 AN 143	N 840-N 848 N 850-N 856	Sprains and strains of joints and adjacent muscles	1,396	701	809	$\substack{2,906\\4}$
AN 144	N 860-N 869	Internal injury of chest, abdomen and pelvis	37	19	9	65
AN 145 AN 146	N 870-N 908 N 910-N 929	Laceration and open wounds Superficial injury, contusion and	1,372	494	1,027	2,893
AN 147	N 930-N 936		980	385	837	2,202 $24$
AN 148 AN 149	N 940-N 949 N 960-N 979	Effects of moisons	225	$\begin{array}{ c c } 218 \\ 3 \end{array}$	504 7	$9\overline{47} \\ 10$
AN 150	N950-N959 N980-N999	All other and unspecified effects of external causes	293	137	281	711
		TOTAL	267,574	183,592	304,197	755,363
	L.		1	t		

## OUT-PATIENTS (TRAVELLING DISPENSARIES)—(cont.) RETURN OF DISEASES FOR THE YEAR 1953—(cont.)

									New Cases All Nationalities (including Europeans					
		N	ational	ities					Adult Males	Adult Females	Children under 10 years	Total		
Europeans	• •				• •	• •	• •	••	13	1		14		
Eurasians	• •				• •				40	34	37	111		
Chinese		• •			• •		• •		64,122	52,014	79,768	195,904		
Indians		• •							18,856	11,754	16,792	47,402		
Malays									159,002	105,014	182,005	446,021		
Javanese					• •				13,329	7,114	16,660	37,103		
Japanese			• •											
Others			• •		• •			• •	12,212	7,661	8,935	28,808		
							TOTAL		267,574	183,592	304,197	755,363		

TABLE 8

DENTAL—SUMMARY OF WORK DONE FOR THE YEAR 1953

	Dentures		311		665	225	283	180	304	331		19	44	170	242	ł		2,774
	А		•	•	•	:	•	•	•	•	•	•	•	•	•	•	:	•
	Scalings		1,089	_	704	726	578	1,128	1,098	545	205	135	720	287	350	1,435	7,607	16,605
			•	•	•	•	•	•	•	•	•	•	•	:	•	:	:	:
	Fill-	ings	48	-	20	19	G	4	12	88	7	1	26		က	- 1	1	237
NGS	į	Inlay	. 55	34	272	43	15	31	15	40	23	90	1-	1	16	1	ı	809
FILLINGS	Sili-	cate	1,615	331	948	1,476	1,120	897	1,325	1,412	477	737	1,626	153	387	1		12,504
	Amal-	gam	8,133	864	1,745	6,280	7,154	7,112	2,381	11,961	2,606	1,602	4,831	2,292	1,340	4,289	60,042	122,632
	_		:	•	:	:	:		•	:	•	•	•	:	:	•	:	•
Extractions	Per-	manent	12,306	578	14,163	12,866	10,903	8,257	5,511	13,248	3,524	6,752	5,013	2,867	3,263	53	4,808	104,112
EXTRA	Tem-	porary teeth	6,925	1,373	6,147	7,875	5,900	4,461	1,082	11,470	1,839	1,139	4,710	346	182	1,079	39,571	94,099
•	_		•	•	:	:	•	•	•	•	•	•	•	:	•	:	•	: =
Atten-	dances		28,562	2,322	25,459	23,599	23,355	18,446	13,668	35,849	5,468	8,000	14,187	3,732	5,849	10,425	81,201	300,122
			•	:	•	•	:	•	•	•	•	•	•	:	:	ools,	•	:
	ent		•	:	:	:	:	:	:	:	:	:	:	, North	, South	ining Scho	ne Field	Total
	State/Settlement		•	•	•	•		embilan	•	•	n	nus	:	ederal Institution, North	ederal Institution, South	Dental Nurses Training Schools, Penang	Dental Nurses in the Field	
	St		Kedah	Perlis	Penang	Perak	Selango	Negri St	Malacca	Johore	Kelanta	Trengga	Pahang	Federal Instituti	Federal	Dental Na Penang	Dental .	

TABLE 9

MICROSCOPICAL EXAMINATION OF BLOOD FILMS
FOR THE YEAR 1953

			Number of	NUMBER P	NUMBER POSITIVE FOR MALARIAL PARASIT							
State/Sett	lemen	t	patients examined	S.T.	в.т.	Quartan	Mixed infection	number of examina- tions of blood films				
Kedah			26,759	1,291	683	9	6	27,915				
Perlis		• •	8,012	720	777	2	3	8,415				
Penang			15,019	373	293	16	2	16,176				
Perak		• •	53,969	1,102	602	3	20	93,900				
Selangor	• •		42,367	678	373	10	21	72,068				
Negri Sembi	lan	• •	20,865	759	243	14	26	24,195				
Malacca	• •	• •	12,066	509	149	2	6	13,207				
Johore	• •		22,747	395	249	8	99	27,784				
Kelantan	• •	• •	11,670	1,115	524	12	11	12,982				
Trengganu		• •	3,433	149	96	18	11	4,137				
Pahang	• •		23,567	1,370	1,083	2	11	44,159				
	Total	• •	240,474	8,461	5,072	96	216	344,938				

TABLE 10

MICROSCOPICAL EXAMINATION OF FÆCES FOR WORM INFECTIONS FOR 1953

			N	Number	NUMBER	R POSITIVE F	OR OVA	Total	
State/Se	ettlemer	nt	patients examined	positive for entamoeba histo- lytica	Ascaris lumbri- coides	Ankylo- stoma duodenale	Mixed infection	number of examina- tions	
Kedah	• •		16,384	171	6,648	3,498	1,763	17,400	
Perlis	• •	• •	2,897	7	1,380	130	200	3,292	
Penang			13,786	32	4,785	3,494	1,171	17,323	
Perak	• •		49,426	353	8,380	2,759	1,408	72,138	
Selangor	• •		32,018	147	7,323	2,815	1,843	39,949	
Negri Sem	bilan		11,257	77	3,110	1,055	669	13,168	
Malacca			12,302	55	1,432	1,528	3,655	14,533	
Johore	• •		18,100	96	5,302	2,053	3,594	19,909	
Kelantan	• •		5,922	116	1,228	554	1,298	6,441	
Trengganu			2,641	77	560	66	1,187	2,724	
Pahang	• •		16,975	38	2,095	267	352	22,258	
	Total		181,708	1,169	42,243	18,219	17,140	229,135	

TABLE 11

POST MORTEM EXAMINATIONS, 1953

	Sta	te or S	Settleme	ent			Medico- legal	Clinical
Kedah	• •	• •	• •	• •	• •		187	3
Perlis	• •	• •	• •	• •	• •		13	_
Penang	• •	• •	• •	• •	• •		261	12
Perak	• •	• •	• •	• •	• •	• •	641	60
Selangor	• •	• •	• •	• •	• •	• •	574	42
Negri Semb	oilan	• •	• •		• •		255	10
Malacca		• •	• •	<u>.</u> .	• •		143	12
Johore	• •	• •			• •	• •	507	133
Kelantan	• •	• •	• •	• •	• •		76	
Trengganu	• •		• •	• •	• •	• •	3	4
Pahang	• •	• •	• •	• •			281	1
					Total	• •	2,941	277

TABLE 12

RETURN OF VENEREAL DISEASES FOR THE YEAR 1953

# A.—NEW CASES

AL	ਜ <b>਼</b>	1	1,782		954	1	1,399		56		66		4,290	
TOTAL	M.	4,193		2,867		3,514	1	117		119	1	10,810		
Non-	venrl.	738	937	603	433	417	522	46	55	29	43	1,833	1,990	
Comb.	infec.	55	11	29	က	24	32			]	1	147	46	
Lympho-	gran	20		52		44	2			က	1	149	63	
Chan-	croid	343	2	393	5	113		က		8	1	860	∞	
Gon-	orrhoea	1,700	253	944	88	1,688	342	62		44	14	4,438	697	
	Congen.	47	83	23	32	13	26			_	_	84	142	
IILIS	Tert.	191	78	140	53	160	96		_	7	5	. 498	233	
SYPHILIS	Sec.	970	397	517	326	955	358	67		24	36	2,468	1,117	
	Prim.	66	21	128	14	100	20	4	Windowsky class	2		333	55	
	ities	M.	Œ,	M.	<u>-</u>	M.	Ť	M.	Œ.	M.	Ξή.	M.	Ä	
	Nationalities	. 5	Chinese	1	Inchans	06	Malays		Furopeans	0410	Outers		10021	

15,100

GRAND TOTAL ...

TABLE 12—(cont.)

RETURN OF VENEREAL DISEASES FOR THE YEAR 1953—(cont.) B.—RE-ATTENDANCES

	Total	Ā	17,022	12,010	12,218 —	6,475	22,623 —	6,682	216	13	256 —	422	52,335	25,602
		cl.   M.				917		49	112	12	18	89		45
	ab. Non-	c. venrl.	$203 \mid 1,129$	94 2,299	485 1,105	21 9	148 1,902	44 1,349			<u>∞</u>	5	844 4,266	164 4,645
	Lympho- Comb.	gran infec.	242	2	104		47	2			7		400	7
	Chan- Lyn	croid g	1,450	19	1,599	10	286	ಸ	23		10		3,368	34
	Gon-	~~~	2,856	689	1,828	161	2,142	427	70		42	50	6,938	1,327
		Congen.	260	894	194	349	63	272	4		7	14	528	1,529
•	SYPHILIS	Tert.	2,843	1,230	1,865	827	1,819	795			16	23	6,543	2,876
	SYP	Sec.	7,446	6,686	4,338	4,107	15,895	3,720	4		144	262	27,827	14,775
		Prim.	593	97	200	83	321	65	e e		4		1,621	245
		Nationalities	M.	Chinese F.	M.	Indians F.	M.	Malays F.	M.	Europeans F.	M.	Omers F.	M.	LObai F.

77,937

GRAND TOTAL ...

TABLE 12—(cont.)

RETURN OF VENEREAL DISEASES FOR THE YEAR 1953—(cont.) C.—Analysis of Combined Infections—New Cases Only

	AL	Fi	45	46	1	
	TOTAL	M.	130	136	26	67
	ERS	Fi				
-	OTHERS	M.		1		
ES ONLI	PEANS	Fi				
INEW CASES	EUROPEANS	M.				
	AYS	F	31	32	1	
INFECTIO	Malays	M.	22	21	4	-
DINED	ANS	F	က	က		
	Indians	M.	58	63	12	<b>-</b>
ANALISIS OF COMBINED INFECTIONS	CHINESE	Ŧ.	11	11		1
	Снг	M.	49	51	10	
**			:	ев	•	ranuloma
			With Syphilis	With Gonorrhoea	With Chancroid	With Lymphogranuloma
				198		

TABLE 13

SUMMARY OF CHILD WELFARE CENTRES, 1953

		Others			1 (D.N.)							[		1 (D.N.)
		Midwives	45	4 (K.B.)	29	49 (K.B.)	28	2	10	24	11	4 (K.B.)	1 34 (K.B.)	248 (91 K.B.)
	Dispensers	or Hospital Assistants	1	4 (P.T.)	4	1	8	4 (P.T.)	1	က		61		22 (8 P.T.)
	наз	Nurses	11	1	15	19	28	9	2	6	1	1	2	104
	НЕАГТН	Sisters	4	1	3	2	4	9	1	00	3	63	4	42
	OFFICERS	Women	]	1	5	1	1	1 (P.T.)	1	2	1	1 (P.T.)		12 (2 P.T.)
	MEDICAL OFFICERS	Men	1	1	1	1	1		1	3 (P.T.)	1		[	3 (P.T.)
	Subsidiary	Centres	54	_			37	34		58	1	1	189	372
	Permanent	Centres	٠	2	34	6	6	6	12	2	2	īĠ	2	104
	+	3	•	:	:	:	:	:	:	:	:	:	:	al
	+10m0r	преше	:	:	:	:	:	: uı	:	:	:	:	:	Total
	10/010	orace/pernement	:	:	:	•	or	Negri Sembilan	: g	•	an	ganu	:	
1	Ď	Ž	Kedah	Perlis	Penang	Perak	Selangor	Negri 8	Malacca	Johore	Kelantan	Trengganu	Pahang	

P.T.—Part Time. K.B.—Kampong Bidans. D.N.—Dental Nurse.

TABLE 14

SUMMARY OF DISPENSARIES, 1953

Othors	Office	distribution of the state of th	1	1 (D.N.)		İ	j		1	1		*	1 (D.N.)
Midwiyos	SOAIM NES		1	1	-			10		1	2	1	12
Dispensers	Assistants	20	2	8	37	25	15	1	48 (9 P.T.)	6	6	14	193 (9 P.T.)
гтн	Nurses	1	1	හෙ		1	1	7	6	1	1	1	19
НЕАГТН	Sisters	1	1	1		1	1		7	1	2		10
Medieal	Officers	1		3		5		2	9 (8 P.T.)		2 (1 P.T.)	2	23 (9 P.T.)
ELING	River	1	1	1	61		1	1	က	ဇာ	2	2	15
TRAVELLING	Road	41	1	ဇ	. 16	6	9	2	13	က	2	10	75
	FIXed	16	9	14	26	36	13	10	21	9	oo l	16	169
Total	number	20	-	17	42	45	16	15	34	12	13	26	247
	State/Settlement	:	:	:	:	:	an	:	:	:	:	:	Total
	State/Se	Kedah	Perlis	Penang	Perak	Selangor	Negri Sembilan	Malaeea	Johore	Kelantan	Trengganu	Pahang	

P.T.—Part Time. D.N.—Dental Nurse.